# Cumulative Author Index of Volumes 426 (1992)–450 (1993)


Abad, J.-A., (434) 1; (436) C9
Abdennadher, C., (443) 51
Abel, E.W., (430) 117; (437) 191; (441) 255, 441
About-Jaudet, E., (440) 297
Abu-Mour, I., (431) 159
Abu-Orabi, S., (433) 253
Abu-Salah, O.M., (445) 295
Acuña A., C., (448) 69
Adachi, T., (428) C12
Adam, M., (429) C1
Adam, R., (445) 99
Adams, B., (431) 313
Adams, C.J., (430) 181; (444) C44; (445) C6, 187, 199, 211; (447) 91; (450) C9
Adams, H., (444) C34; (448) 233
Adedapo, A., (443) 241
Adolphi, N.L., (449) 9
Afeworki, S., (431) 81
Afif Abu-Baker, A.B.A., (443) 107
Agarwal, B.K., (444) 47
Agrios, K.A., (444) 15
Aguirre, A., (429) C19
Ahbala, M., (427) 91; (447) 123
Ahmed, I., (447) 59
Ajulu, F.A., (444) C60
Akabori, S., (450) 103
Akita, M., (447) 103
Akiyama, T., (430) C64
Akkerman, O.S., (430) 1
Akutagawa, S., (428) 213
Akutagawa, T., (428) 213
Al-Jadaan, S.A.N., (443) 67
Al-Juaid, S.S., (429) C9; (437) 41; (446) 161
Al-Mandhary, M.R., (443) C11
Al-Nasr, A.K.A., (429) C9
Al-Rawi, M., (446) 161
Al-Rubaie, A.Z., (438) 77; (443) 67
Al-Salim, N.I., (443) 67
Albach, R.W., (450) 165
Albano, V.G., (447) 271
Albanov, A.I., (427) 289
Alberti, A., (434) 151
Albrecht, M., (427) C21; (450) 137
Albrecht, R., (439) 65
Alcock, N.W., (426) C40
Alexander, J.J., (440) 153
Allen, D.W., (435) 203
Almeida, S.S.P.R., (450) C7
Almond, M.J., (439) 251; (443) 137; (444) 199
Alonso, G., (445) 287
Alonso, M.T., (430) 335, 349
Alt, H.G., (433) 107; (445) 115
Altmann, S., (443) C16
Alvarez, B., (427) C33; (430) C19
Alvarez-Larena, A., (433) 305
Amardeil, R., (445) C4
Amberger, H.-D., (426) 307; (440) 317; (443) 71
Amiens, C., (443) 207
Amoroso, A.J., (440) 219; (443) C11; (444) C55
An, Z., (437) 375
Andersen, J.-A.M., (439) C25
Anderson, D.G., (437) C7
Anderson, G.K., (434) 253
Anderson, R.J., (437) 227
Anderson, T.J., (449) 77
Andreu, P.L., (427) 363; (434) 123
Andrianov, Y.A., (441) 419
Andy Hor, T.S., (448) 131
Anema, S.G., (441) 35; (444) 211
Ang, H.G., (435) 149; (448) 219
Angelici, R.J., (428) 415
Anillo, A., (443) C14
Ansorge, A., (444) 5; (446) 25
Antiñolo, A., (426) C4; (435) 55
Antinolo, A., (435) C3
Antiñolo, A., (441) 45
Antipin, M.Y., (428) 107; (436) 79
Antonaroli, S., (450) 218
Antonelli, D.M., (438) C4
Antropiusová, H., (427) 49; (430) 317
Anwar, N., (437) C7
Aoshima, T., (435) 85
Apeloig, Y., (446) 123
Apostolidis, C., (426) 307; (427) 33; (435) 275; (448) 119
Arcas, A., (441) 487
Arce, A.J., (436) 351
Archavlis, A., (444) 41
Archer, C.M., (446) 167
Archibald, R.S., (446) 67
Arena, C.G., (450) 263
Arhar, J.R., (434) 11
Arif, A.M., (435) 73; (450) 157
Armstrong, E.M., (434) 321
Arnold, J., (449) 147
Aroney, M.J., (426) 331
Arteca, G.A., (444) 131
Arthurs, M., (429) 245, 257
Asai, M., (430) 105
Asam, A., (447) 71
Ashe, III, A.J., (447) 197
Assenmacher, W., (445) 61
Astruc, D., (450) 165
Atovmyan, L.O., (435) 37
Atwood, D.A., (430) C29; (434) 143; (439) C33; (449) 61, C1
Atwood, J.L., (434) 143; (449) 45
Aulbach, M., (450) 1
Auner, N., (426) 1
Aupers, J.H., (437) 131
Avent, A.G., (427) 9
Aylett, B.J., (437) C7; (446) C1
Azam, K.A., (435) 157

Babin, P., (446) 135
Baghurst, D.R., (447) C14
Bailey, N.A., (444) C34; (448) 233
Baird, M.C., (444) 143
Baker, P.K., (431) 81; (434) 321; (447) 67
Balavoine, G., (443) 207
Balegroune, F., (441) 143
Ballesteros, P., (450) 237
Bal Reddy, K., (440) 113
Bamber, M., (434) C19
Bandara, B.M.R., (444) 137
Bandmann, H., (427) 395
Bandodakar, B.S., (430) 373
Barabanov, D.I., (435) 257
Baran, Jr., J.R., (427) 1
Barash, E.H., (449) 191
Barber, M., (431) 271
Barbot, F., (440) 249
Bardají, M., (441) 339
Bardin, V.V., (448) 55
Barr, B.K., (434) 45
Barris, G.C., (441) 35
Barron, A.R., (449) 95
Bartsch, R., (430) C10; (433) C11
Bartsch, R.A., (443) 123
Basaiawmoit, W.L., (447) 9
Basenko, S.V., (433) 1
Bassindale, A.R., (446) C3
Basu, B., (443) C24
Basu Baul, T.S., (447) 9
Batsanov, A.S., (429) 13; (433) 189
Battaglia, G., (450) 245
Battaglia, L.P., (437) 375
Baudry, D., (427) 349; (433) 95
Bauer, W., (438) 1
Baumegger, A., (446) C9
Baur, A., (450) 269
Baur, R., (446) 113
Baxter, P.N.W., (426) 187
Bazhenova, T.A., (428) 107
Beachley, Jr., O.T., (434) 11; (449) 69
Beaudet, I., (427) 201
Becht, J., (446) 1
Beck, W., (426) 343; (441) 203, 333, 429; (445) 219
Becker, B., (438) 45
Bedard, T.C., (428) 315
Beer, P.D., (441) 465

Begley, M.J., (426) 49; (427) 39
Behm, J., (429) 275; (430) C33; (437) C29; (438) 297; (450) 165
Behrends, K., (448) 29
Behrens, U., (426) 261; (427) 379; (431) C11; (448) C10
Bei, M., (447) 227
Bell, P.T., (441) 449
Bell, S.E., (427) C1
Bell, W., (430) 43; (434) 115; (449) 141
Bellachioma, G., (427) C37
Bellassoued, M., (444) C7
Belsky, V.K., (440) 47
Belzner, J., (430) C51
Benaglia, M., (434) 151
Bendayan, A., (444) 41
Bennetau, B., (446) 135
Bennett, M.A., (428) C17
Bennett, S.C., (439) 189
Bentley, S.J., (447) 1
Benyunes, S.A., (443) 241
Berg, D., (438) 45
Bergman, R.G., (428) 13
Beringhelli, T., (440) 175
Berkovich, E., (436) 95
Berry, A.D., (449) 119
Bertani, R., (431) 117
Berthet, J.-C., (440) 53
Besançon, J., (426) 325; (429) 335
Besser, S., (437) 299
Béteille, J.-P., (426) C1
Betz, P., (443) 93
Beuter, G., (428) 363; (440) 197
Bhaduri, S., (426) C12
Bharadwaj, S.K., (430) 167
Białecka-Florjańczyk, E., (444) C9
Bickelhaupt, F., (430) 1
Bickerton, J.C., (429) 245
Biedrzycka, Z., (431) 255
Biedrzycki, M., (431) 255
Bieler, S., (447) 15
Biersack, M., (443) 1
Bin Shawkataly, O., (440) 411
Birch, A.J., (444) 137
Bissinger, P., (446) 37
Bisson, A.P., (444) C34
Bitterwolf, T.E., (431) 199; (440) 103; (450) 27
Bland, A., (443) C37
Blank, J., (443) 145; (444) C4
Blaschette, A., (437) 279; (445) 55; (448) 63
Bläser, D., (440) 289
Blenkiron, P., (426) C28
Bloyce, P.E., (444) 223
Blum, J., (436) 95
Bly, R.S., (445) 143
Bochkarev, L.N., (436) 299; (443) C26
Bochkarev, M.N., (429) 13, 27; (447) 209
Bochmann, M., (434) C1
Bock, H., (429) 1; (445) 19; (446) 113
Bockman, T.M., (428) 85
Bodensieck, U., (433) 141, 149, 167
Bodnar, T.W., (448) 139
Boeck, T., (443) C16
Boese, R., (430) 235; (434) 303; (440) 289
Bogdanović, S., (430) C33
Bohn, T., (429) 173
Bohra, R., (444) 47
Bonasia, Ph.J., (449) 147
Bond, A.M., (447) 59
Bonnet, J.-J., (426) 247
Bonnet, M.C., (438) 217
Boo, B.H., (436) 1; (439) 107
Booth, B.L., (445) 283
Boothman, J., (437) 201
Borgdorff, J., (437) 323
Borisova, L., (436) 277; (441) 381
Borrachero, M.V., (441) 487
Bott, S.G., (427) 9; (434) 143
Böttcher, H.-C., (437) 307
Botteghi, C., (447) 153; (450) 229
Boudjouk, P., (443) C41
Boukherroub, R., (444) 37; (447) 167
Boumekouez, A., (440) 297
Bourgeois, G., (448) 19
Bousquet, L., (444) 115
Boutry, O., (444) 245
Bovio, B., (440) 27
Bowser, R., (436) C5
Brady, B.R., (440) 113
Braga, D., (436) 73
Bram, A., (426) 195
Brandes, W., (438) 45
Brandsma, L., (441) 1
Brandt, L., (444) 235; (449) 159
Brauer, D.J., (444) 5; (446) 25
Bräunlich, G., (427) 395; (436) 109
Braunstein, P., (447) C4
Bravo-Zhivotovskii, D., (446) 123
Breimair, J., (426) 343; (441) 429
Brekau, U., (440) 389
Brenner, J., (440) 91
Breunig, H.J., (427) 39
Brewer, K.S., (446) 167
Bridson, J.N., (429) 379
Bringewski, F., (439) 33; (447) 233; (448) C3
Bringmann, G., (438) 117; (444) C37
Brintzinger, H.-H., (427) 245; (445) 107
Brisdon, B.J., (435) 319; (436) 11
Brook, A.G., (446) C9
Brothers, P.J., (433) 203
Brough, L.F., (449) 125
Broussier, R., (427) 231; (445) C4
Brown, P., (435) 265
Brown, R.A., (431) C17
Browning, J., (434) 241
Bruce, M.I., (427) 263; (429) 187, 207; (430) 181; (440) 411; (444) C44; (445) C6, 187, 199, 211; (447) 91; (450) C9, 209
Brune, H.-A., (440) 303; (450) 269
Brunner, H., (427) 57; (431) 143, 151; (434) 63; (436) 313; (443) C16
Bruno, G., (450) 263
Bruno, J.W., (429) C33
Bruns, W., (444) 121
Buchmeiser, M., (436) 223; (441) 457
Buhro, W.E., (449) 9
Bullock, R.M., (429) 345
Bulychev, B.M., (440) 47
Buncel, E., (437) 85
Bunte, E.-A., (446) 139
Bürger, H., (427) 293; (444) 5; (446) 25
Burkert, K.J., (438) 297
Burlakov, V.V., (426) C53; (439) 303
Burrows, A.D., (433) 311
Busetto, L., (447) 271
Bush, M., (437) 57
Bushnell, G.W., (434) 241
Butcher, E., (436) C5
Butoi, C.I., (448) 59
Byers, P.K., (433) 223

Cabeza, J.A., (427) 363; (434) 123; (441) 323
Cabiddu, S., (441) 197
Caffyn, A.J.M., (436) 83
Cai, Y.M., (448) 219
Calhorda, M.J., (426) 195; (440) 119
Callow, T., (434) 321
Calogero, S., (436) 35; (440) 27
Cambie, R.C., (426) 213; (429) 41, 59; (431) 177; (434) 97
Camps, F., (436) 189
Cannadine, J.C., (426) C40
Cano, A., (447) 51
Cano, M., (438) 329; (450) 237
Canovese, L., (438) 253
Canty, A.J., (430) 245; (433) 213, 223; (435) C8
Capparelli, M.V., (434) 351
Carboni, B., (435) 1
Cardaci, G., (427) C37
Cardin, C., (447) 51
Carlton, L., (431) 103; (440) 15
Carlucci, L., (447) 271
Carmona, D., (431) 87
Carmona, E., (444) 245
Caro, B., (433) 261
Carr, S.W., (445) 35
Carré, F., (446) C6
Cartwright, J., (429) 229
Cartwright, M., (435) 319
Caruso, F., (448) 75
Casarin, M., (443) 199
Casas, J.S., (434) 261; (435) 29; (438) 29; (450) 41
Casellato, U., (434) 261
Casey, C.P., (428) 99; (443) 111
Cashion, J.D., (436) 155
Cassidy, J.M., (427) 355
Castaño, A.M., (436) 189
Castel, A., (427) 91; (433) 49; (443) 51; (447) 123
Castellano, E.E., (438) 29
Castilho, T.J., (431) 117
Catellani, M., (437) 369, 375
Cathey, C.J., (450) C12
Caulton, K.G., (449) 191; (450) 253
Cavinato, G., (444) C65
Cecchi, P., (436) 35; (440) 27
Ceder, R.M., (429) 391
Čejka, J., (436) 143
Cen, W., (449) 19

Cenini, S., (428) 401; (448) 205
Cervantes, J., (430) 273
Cervantes-Lee, F., (438) 183
Cesarotti, E., (438) 343
Chaabouni, R., (438) 217
Chae, S.Y., (443) C22
Chakravorty, A., (427) 111; (439) 91
Chaloner, P.A., (443) 241
Chandra, S., (436) 155
Chandrasekhar, J., (426) 143
Chang, C.-C., (431) 65
Chang, K.-Y., (431) 65
Charissé, M., (427) 23; (445) 39; (448) 47
Chattopadhyay, S., (427) 111; (439) 91
Chaudhari, R.V., (430) 111
Chaudret, B., (433) C18
Chauncy, B., (444) 137
Chauvin, Y., (445) 93
Chavez, I., (427) 369
Cheikh, R.B., (438) 217
Chelucci, G., (450) C15
Chen, C.-C., (439) 347
Chen, C.-T., (448) 99
Chen, J., (428) 415; (440) 67; (447) 113
Chen, J.-H., (450) 63
Chen, L.-Z., (448) 225
Chen, W., (438) 289; (441) 51
Cheng, C.P., (431) 215
Cheng, L.-T., (449) 27
Cheng, M.-C., (445) 171
Chernega, A.N., (436) 79
Chi, K.M., (449) 181
Chi, Y., (439) 347
Chiang, H.-J., (438) C9
Chien, M.-Y., (448) 99
Chih, C.-f., (427) 257
Chihara, T., (428) 169
Chipperfield, J.R., (434) 53
Chiusoli, G.P., (437) 369, 375
Cho, C.S., (443) 253
Cho, J.-J., (433) 295
Chojnowski, J., (446) 91
Chollet, H., (426) C4; (441) 45
Chopa, A.B., (434) 269
Choudhury, S.B., (427) 111
Choukroun, R., (444) 83
Christoffers, J., (426) C58
Chu, H.K., (446) 183
Chu, S.Y.F., (448) 175
Chuit, C., (446) C6
Chun, K.-M., (433) 295
Chung, J.-H., (426) 121
Chung, Y.K., (434) 225; (445) 49
Churakov, A.V., (435) 37
Churchill, M.R., (450) 171
Ciani, G., (440) 175
Cinellu, M.A., (450) C15
Cingolani, A., (436) 35
Cinquantini, A., (444) 179
Cintrat, J.-C., (437) C19
Ciriano, M.A., (443) 249; (445) 267, 273
Claramunt, R.M., (450) 237
Clark, E.N., (437) 145
Clark, G.R., (426) C40; (433) 203
Clark, H.C., (435) 225
Clarkson, R.M., (426) 331
Claver, C., (438) 213; (443) 241
Clegg, W., (439) 237
Cockerton, B.R., (426) C36
Cohen, F., (431) C6
Cole-Hamilton, D.J., (430) 43; (440) 191; (449) 141
Collignon, N., (440) 297
Collomb-Dunand-Sauthier, M.-N., (444) 191
Colton, R., (447) 59
Connor, J.A., (426) 187
Conole, G., (436) 83; (439) 327
Conradi, M.S., (449) 9
Consiglio, G., (430) C15
Constable, E.C., (427) 125
Cooper, J.C., (450) 85
Copley, R.C.B., (447) C14
Corbitt, T.S., (449) 181
Corey, J.Y., (428) 315; (439) 1
Corma, A., (431) 233
Cormier, J.-M., (427) 349
Cornet, H., (440) 7
Corriu, R., (449) 111
Corriu, R.J.P., (439) C1; (446) C6
Coughlan, S.M., (450) 151
Coughlin, D., (444) C53
Couret, C., (440) 233
Courtneidge, J.L., (437) 57
Courtois, G., (450) 33
Couture, A., (440) 7
Coville, N.J., (427) 335; (440) 15; (441) 285
Cowley, A.H., (430) C29; (434) 143; (439) C33; (449) 61, C1
Cox, D.N., (434) 363; (438) 195
Cox, G., (438) 143
Cox, P.J., (431) 27
Crabtree, R.H., (447) 177
Craig, P.J., (447) 5
Crayston, J.A., (434) 115
Crispini, A., (427) 409; (448) 241
Crociani, B., (438) 253; (450) 218
Cropper, P.E., (435) 203
Crotti, C., (428) 401
Csonka, G.I., (446) 99
Cubillo, J., (429) 391
Cuenca, T., (444) 83; (447) 51
Čukanová, D., (426) 23
Culshaw, P.N., (430) 43
Cunningham, D., (438) 143
Curtis, M.D., (439) 319
Curtui, M., (426) 49
Cusmano, F.P., (450) 245
Cutler, A.R., (448) 139
Cuyás, J.L., (427) 363
Cypryk, M., (446) 91
Czaputa, R., (446) 83
Czech, B.P., (443) 123

Dahan, F., (438) 217
Dahlhaus, J., (450) C1
Dai, X., (440) 103
Dalcanale, E., (437) 375
D'Alfonso, G., (440) 175
Damrath, V., (443) 153
Dang, H.-S., (430) 287
Daniel, T., (445) 229
Daran, J.-C., (444) 83
Daran, J.C., (426) 87; (431) C6; (441) 81
Dargatz, M., (435) 123; (440) 327; (447) 259
Dargelos, A., (434) 235
Darkwa, J., (430) 61
Da Rold, A., (427) 231; (445) C4
Dartiguenave, M., (438) 83
Dartiguenave, Y., (438) 83
Davidson, I.M.T., (437) 1
Davidson, R.S., (436) C5
Davies, A.G., (430) 287; (436) 255
Davies, S.E., (438) 241
Davis, R., (440) 191
Day, M.W., (435) 157
Deacon, G.B., (435) 101; (437) 239; (449) 131
De Azevedo, C.G., (445) 125
Deb, C., (443) C24
De Boer, E., (429) 99
Deck, W., (428) 353

de C.T. Carrondo, M.A.A.F., (426) 195; (445) 125
Deeming, A.J., (426) C36; (435) 157; (436) 351; (439) 177
Deeth, R.J., (430) 25
De Felice, V., (439) C49
Dekker, G.P.C.M., (430) 357
De Lange, W.J.G., (430) 123
Delavaux-Nicot, B., (440) 53
Delbecq, F., (443) 191
Della Pergola, R., (436) 241
Delmond, B., (444) C18
Del Pino, C., (431) 233
Delpon-Lacaze, G., (440) 233
Delville, M.-H., (450) 165
Demartin, F., (436) 241
de Mendoza, J., (430) 335, 349
de Miguel, A.V., (433) 183
De Munno, G., (427) 409; (450) 263
Dem'yanov, P.I., (438) 265
Deng, D., (427) C29; (443) 79
Denk, M., (430) C33; (444) C21
Denner, C.E., (433) 107
Deronzier, A., (444) 191
Des Abbayes, H., (441) 99
De Sanctis, Y., (436) 351
Desor, D., (433) 49; (443) 51
Dey, D., (447) 9
Dias, A.R., (426) 195; (440) 119; (445) 125
Di Bianca, F., (438) 253; (450) 218
Dickson, C.-A., (427) 335
Dickson, R.S., (430) 221; (435) 101; (449) 131
Diebold, J., (427) 245; (445) 107
Dietrich, A., (430) 299; (433) 241
Dillon, K.B., (429) 169
Dirnens, V., (435) 257
Ditzel, E.J., (437) 323
Diversi, P., (447) 291
Dixit, V., (430) 197
Dixon, K.R., (434) 241
Dixon, R.M., (437) 227

Doedens, R.J., (444) 61
Dohmeier, C., (448) 5
Doidge-Harrison, S.M.S.V., (431) 27; (436) 23
Dolgushin, F.M., (443) C19
Domingo, M.R., (443) 233
Donahue, P.E., (427) 165
Donaldson, W.A., (441) 449
Donard, O.F.X., (447) 5
Dong, T.-Y., (426) 369; (427) 101; (447) 107
Dorer, B., (427) 245
Dormond, A., (433) 95
Dötz, K.H., (426) C58; (433) 115; (439) 263
Douce, L., (438) 167
Douglas, W.E., (444) C62
Dowling, C., (438) 143
Downard, A.J., (447) 281
Drab, M.V., (429) 109
Dräger, M., (427) 23, 39; (445) 39; (448) 29, 39, 47
Draper, S.M., (435) 9
Drevs, H., (433) C1
Drew, M.G.B., (429) 257
Drommi, D., (450) 263
D'Silva, C., (431) 81
Duan, Z., (449) 173
Duarte, M.T., (433) C14; (440) 119
Dubac, J., (426) C1
Duchêne, A., (427) 201
Duckworth, T.J., (439) 327
Duesler, E.N., (449) 181
Duffy, N.W., (437) 323
Duguet, E., (448) 19
Duhamel, L., (448) 1
Dumartin, G., (444) C18
Duñach, E., (444) 1
Dunoguès, J., (446) 135
Du Plooy, K.E., (441) 285
Dutzmann, S., (438) 45

Eaborn, C., (429) C9; (437) 41; (446) 161;
Ealy, J.L., (431) 133
Earwaker, L.G., (437) C7
Eber, B., (426) 87; (428) 379; (441) 81; (447) 21
Ebert, B., (450) 165
Ebert, K.H., (427) 39
Ebsworth, E.A.V., (439) 213
Echavarren, A.M., (426) 383; (436) 189; (443) 221
Edelmann, F.T., (426) 261, 295; (431) C1, C21; (436) 231, 325; (437) 299; (438) 1; (439) C6; (443) 35; (444) C15; (447) 203
Eder, S.J., (428) 187, 409
Edlund, U., (437) 85
Edwards, A.J., (426) C44; (443) C11; (444) C53
Eguchi, T., (428) 207
Eibl, M., (428) 335; (431) 1; (444) 29
Einstein, F.W.B., (439) 221
El-Ouatib, R., (436) 169
Ellebracht, A., (438) 319
Ellermann, J., (428) C44
Ellert, O.G., (443) 101; (444) 101
Ellis, S.L., (444) 95
Elms, F.M., (449) 45
Elschenbroich, Ch., (426) 173
Elsevier, C.J., (430) 357
Emmerich, C., (447) 21, 71, 81; (448) 83
Endo, I., (433) 337
Eng, S.J., (445) 11
Englert, U., (438) 309
Ephritikhine, M., (427) 349; (433) 95; (440) 53; (445) 99; (448) 95
Eppley, H.J., (431) 133; (434) 45
Epstein, L.M., (434) 329; (447) 277
Erabi, T., (445) 65
Eremenko, I.L., (429) 109; (443) 101; (444) 101
Erker, G., (427) C21; (431) 297; (450) 1, 137
Ermekov, D.S., (439) C28, C53; (441) 479
Ermini, L., (447) 291
Ernst, R.D., (435) 73
Escaffre, P., (426) C16
Escudié, J., (440) 233
Espinet, P., (447) 145; (450) 145
Esteruelas, M.A., (445) 261
Etaiw, S.E.H., (430) 87
Etemad-Moghadam, G., (436) 169
Eujen, R., (433) 63; (434) 159; (438) 57, C1
Evans, W.J., (433) 79; (444) 61; (450) 115
Eyring, E.M., (440) 113

Faith, M., (449) 131
Fajardo, M., (426) C4; (435) 55, C3; (441) 45
Fallon, G.D., (430) 221; (449) 131
Fanwick, P.E., (431) 327
Farah, D., (429) 311
Faraone, F., (450) 263
Farr, J.P.G., (437) C7
Farrugia, L.J., (430) 205
Fattuoni, C., (441) 197
Faulks, S.J., (437) 239
Faure, T., (447) C4
Fawzi, R., (435) 109, 213; (441) 63
Feger, W., (436) 333
Fehlner, T.P., (449) 19
Fenske, D., (437) 307; (448) 5; (450) 73
Ferguson, G., (430) C23
Fermin, M.C., (429) C33
Fernandez, A., (448) 233
Fernández, J.J., (445) 287
Fernández, M.J., (438) 337; (441) 155; (443) 249
Ferrara, J., (435) 299
Ferrara, M.L., (439) C49
Ferrer, J., (431) 87
Ferry, J., (449) 141
Fiandanese, V., (447) 311
Fidalgo, L., (447) 299
Field, J.S., (427) C1; (439) C56
Field, L.D., (435) 347
Filipović-Marinić, N., (448) 181
Filippou, A.C., (428) C37; (434) 201; (438) C15
Fischer, E.O., (428) C37; (438) C15
Fischer, G., (437) 307
Fischer, H., (427) 63, 77, C9; (433) 127
Fischer, R., (427) 63, 395; (441) 7; (447) 131
Fischer, R.A., (429) 275; (437) C29
Fischer, R.D., (429) C1; (430) C1; (444) 67
Fleischer, H., (433) 311; (447) C14
Flores, J.C., (444) 83
Floris, B., (441) 117
Floris, C., (441) 197
Flower, K.R., (434) 321; (447) 67
Flowers, P.A., (429) 119
Font-Bardía, M., (431) 359
Fontaine, X.L.R., (445) C15
Fontana, A., (450) 218
Ford, T.A., (441) 285
Formica, M., (448) C6
Fornalczyk, M., (426) 159
Forniés, J., (447) 137
Fortoul R., C., (448) 69
Foster, S.E., (433) 79; (444) 61
Fourcade, R., (449) 111
Frampton, C.S., (435) 357
Francès, J.-M., (450) 97
Frank, W., (444) C31
Frauenhoff, G.R., (437) 347
Fraústo Da Silva, J.J.R., (430) C56; (433) C14; (450) C7
Freitas, A.M., (426) 195
Friend, R.H., (433) 135
Fritsch, E., (441) 203
Fritz, P.M., (426) 343
Fröhlich, H.-O., (430) 133; (441) 169, 177
Froom, S.F.T., (434) C19
Frye, C.L., (446) 183
Fryzuk, M.D., (445) 245
Fuchita, Y., (428) 249
Fuchs, J., (427) 213
Fuger, J., (448) 95
Fuhrmann, K., (433) 135
Fujii, T., (426) 361; (445) 65
Fujikawa, S., (428) C5
Fujisaka, T., (449) 105
Fujita, T., (430) C64
Fukahori, T., (428) C21
Fukin, G.K., (443) C26
Fumagalli, A., (428) 401
Fun, H.-K., (439) 139
Furin, G.G., (448) 55
Furuta, H., (429) 287
Furuta, T., (443) C6
Furze, J.D., (440) 191

Gahlmann, F., (440) 263
Gallagher, J.F., (430) C23
Galvão, A.M., (433) C14
Gamasa, M.P., (429) C19; (430) C39
Gambino, O., (433) 287
Ganicz, T., (444) C9
Gao, F., (438) 289
Gao, H., (427) 141
Garbuzova, I.A., (439) C53
García, G., (435) 193; (436) 121
García-Granda, S., (427) C33; (429) C19; (430) C19; (434) 123; (443) C14; (445) C10
García, J., (435) 193

García, M.E., (434) 261
Garcia, M.H., (426) 195
García, M.P., (438) 229
Gardiner, M.G., (449) 45
Garlaschelli, L., (436) 241
Garn, D., (444) 155
Garot, C., (436) 169
Garralda, M.A., (427) 193; (447) 299
Gasanov, G.S., (443) 101
Gasser, C., (449) 191
Gates, B.C., (435) 377
Gau, H.-M., (431) 65; (435) 43; (448) 99
Gaukhman, A.P., (426) 41
Gautheron, B., (427) 231; (445) C4
Gauthey, V., (448) 47
Gavney, Jr., J.A., (443) 111
Gayoso, M., (426) 267; (445) 287; (448) 233
Gebel, I.A., (433) 1
Gehart, G., (436) 313
Gelessus, A., (430) C10
Gelizé, M., (434) 235
Gelli, G., (441) 197
Gelling, A., (439) 189
Gentric, D., (433) 261
George, A.V., (435) 347
George, C.F., (450) 85
Gerbier, Ph., (449) 111
Gerbing, U., (433) 127
Gerval, P., (448) 19
Gervasio, G., (441) 271; (444) 203; (445) 147
Gevorgyan, V., (436) 277; (441) 381
Gewald, R., (446) 79; (450) 73
Ghedini, M., (427) 409; (438) 343; (448) 241
Gibis, K.-L., (445) 181
Gibson, V.C., (426) C25; (444) 91
Gielen, M., (448) 75
Gil-Rubio, J., (436) C9
Gilbert, S., (444) C12
Gilje, J.W., (426) 295
Gimeno, J., (429) C19; (430) C39
Gimeno, M.C., (441) 339
Ginzburg, A.G., (434) 329
Gioia Lobbia, G., (436) 35; (440) 27
Giordano, G., (450) 245
Giordano, R., (448) 157
Giorgi, G., (444) 179
Gioskos, S., (436) 155
Girard, L., (444) 143
Girolami, G.S., (449) 203
Gladysz, J.A., (439) 163; (450) 157
Glanz, M., (445) C1
Glidewell, C., (434) 115
Gobet, Y., (445) C4
Goddard, R., (426) 131; (443) 93
Godlewski, M., (440) 91
Goedken, V.L., (449) 125
Goel, S.C., (449) 9
Goesman, H., (450) 73
Goffart, J., (448) 95
Goh, L.Y., (441) 51
Golding, B.T., (437) 227
Gómez-Beltrán, F., (443) C14
Gómez-Elipe, P., (450) 145
Gómez-Lara, J., (430) 273
Gómez, M., (439) 147, 309
Gong, M.L., (431) 65
Goodwin, H.P., (429) 169
Gorella, B., (428) C27
Görlitz, F.H., (428) C27; (430) 299; (445) 85
Görls, H., (426) C53; (439) C36; (441) 169; (445) 133
Gornitzka, H., (431) C21; (436) 231, 325; (437) 299; (439) C6
Gorshkov, N.I., (433) 189
Gorzellik, M., (429) 153, 173; (431) 171; (436) 207
Goto, F., (428) C12
Goumont, R., (431) C6
Gourdon, A., (440) 353
Gowik, P., (431) 47
Grachev, O.V., (436) 299; (443) C26
Grandclaudon, P., (440) 7
Grandjean, D., (441) 143
Granell, J., (431) 359
Graßl, R., (427) 57; (431) 143, 151; (434) 63
Grassi, M., (438) 343
Gray, G.M., (434) 181
Graziani, R., (434) 261
Greaves, M.R., (430) 37
Green, M., (434) C19
Green, M.L.H., (438) C4
Greene, A.E., (433) 305
Greenwood, N.N., (445) C15
Grīnberga, S., (426) 41
Gröger, G., (448) C10
Gronowitz, S., (430) 53
Gross, M., (438) 167
Grünleitner, W., (428) C37; (434) 201
Gruselle, M., (433) 261
Guedes da Silva, M.F.C., (433) C14
Guerchais, V., (434) 89
Guerin, C., (439) C1
Guérin, C., (449) 111
Guerrero, A., (430) 273
Guibé, F., (443) 207
Guillou, V., (450) 97
Gülec, S., (427) 39
Guliński, J., (446) 15
Günauer, D., (428) 379
Gun'ko, Y.K., (440) 47
Guo, C., (428) 259
Guo, H., (447) 227
Gupta, B.D., (430) 197
Gutiérrez, E., (444) 245

Habtemariam, A., (437) 41
Hagen, K., (439) 251
Hagen, T., (444) 5
Hahn, F., (443) C33
Haiduc, I., (426) 49; (447) 203; (448) 75
Hails, J.E., (430) 43; (449) 141
Haines, R.J., (427) C1; (439) C56
Halim, S.H.A., (446) 51
Hall, C.D., (448) 175
Hallberg, A., (430) 53
Halpern, J., (428) C8
Hamann, J., (426) 35; (441) 185
Hambley, T.W., (426) 331
Hampden-Smith, M.J., (449) 173, 181
Hampp, A., (435) 169
Hampson, D., (437) 131
Han, J.S., (437) 265; (445) 115
Hanack, M., (445) 157
Hanaya, M., (435) 337
Hänssgen, D., (443) 61; (445) 61
Hanusa, T.P., (429) 143
Harada, A., (428) 199
Hardcastle, K.I., (435) 157
Harder, U., (443) 153
Hargittai, I., (436) 127
Harman, M.E., (441) 465
Harms, K., (439) 263
Harris, M.C.J., (438) 209
Harris, P.R., (449) 61
Harrison, P.G., (437) 145
Härter, P., (438) 297
Hartmann, A., (431) 303; (434) 303
Harward, B.L., (429) 119
Hasegawa, I., (441) 373
Hatano, H., (430) C64
Hauger, B., (450) 253
Hausen, H.-D., (429) C27; (440) 207; (443) 145; (444) C4, 121; (450) 53
Hawari, J., (437) 91
Hayase, S., (445) 65
Hayashi, A., (431) C35
Hayashi, T., (428) 267
He, X.-D., (433) C18
He, Z., (426) 247
Heaton, B.T., (428) 207
Heazle, K.D., (430) 221; (449) 131
Hector, A.L., (447) C7
Heesche-Wagner, K., (436) 43
Heidrich, J., (441) 203
Heikenfeld, G., (426) 173
Heim, B., (441) 81
Heine, H.W., (433) 203
Hellert, D., (444) 21
Helmchen, G., (445) 181
Hemling, H., (436) 95; (445) C1
Hencsei, P., (446) 99
Hendershot, D.G., (431) 271; (449) 119
Henderson, K.W., (439) 237
Henderson, R.A., (447) C11
Hengge, E., (427) 161; (428) 335; (430) 259; (431) 1; (433) 21; (441) 397; (443) 167; (444) 29; (446) 83
Henner, B., (449) 111
Henner, B.J.L., (439) C1
Hennig, H., (430) 123
Henrick, K., (437) 157
Heo, N.H., (426) 71
Hepp, A.F., (449) 95
Heras, J.V., (438) 329; (450) 237
Herberhold, M., (430) 61; (436) 333; (443) 1, 199
Herbig, J., (444) 107
Herbst-Irmer, R., (437) 299
Herdtweck, E., (426) 1; (437) C29; (443) C33
Herman, A.J., (434) 45
Hermoso, J.A., (435) 193
Hernandez, L., (436) 351

Hernández, R., (447) 299
Herrero, S., (447) 137
Herrmann, W.A., (428) 187, 409; (430) C33; (437) 363; (441) 265; (444) C21
Heumann, A., (444) 115
Hey-Hawkins, E., (435) 291
Heyke, O., (440) 197
Hidai, M., (428) 279; (435) 85
Higa, K.T., (449) 53
Hill, A.F., (426) C40; (429) 229; (438) 209; (447) C7
Hill, C.M., (441) 499
Hill, E.A., (448) 9
Hill, J.B., (445) 11
Hiller, W., (441) 177; (443) 9
Hilts, R.W., (434) 241
Hinterding, P., (450) 209
Hintermann, S., (435) 225
Hipler, B., (430) 133
Hippel, I., (437) 279; (445) 55; (448) 63
Hirai, T., (431) 227
Hiraki, K., (428) 249
Hirako, K., (445) C13
Hirle, B., (427) 173; (441) 7
Hirotsu, K., (431) C35
Hirth, U.-A., (439) C16, C20
Hitchcock, P.B., (429) C9; (430) C10; (433) C11; (437) 41, 177; (443) 241; (444) 95, C60; (446) 161
Hneihen, A.S., (429) C33
Ho, D.M., (439) 53; (440) 153
Hodson, A.G.W., (435) 319
Hoffmann, G.G., (441) 7; (444) 21
Hofmann, B., (430) 133
Hogarth, G., (437) 201
Holeček, J., (436) 231
Hollander, F.J., (428) 13
Holmes, S.A., (444) 95
Holtmann, U., (446) 139
Holwerda, R.A., (443) 123
Honeyman, R.T., (430) 245; (433) 223
Hong, F.-E., (450) 63
Hong, J.-H., (437) 265
Hong, M., (443) 229
Horiuchi, T., (440) 1
Horn, E., (429) 207
Hörnig, A., (438) 309
Hortmann, K., (445) 107
Hossain, M.M., (445) 137, 143; (448) 211
Houlton, A., (431) C17
Housecroft, C.E., (435) 9
Howard, J.A.K., (437) 177
Howie, R.A., (431) 27; (436) 23; (437) 111
Hsu, L.-Y., (426) 121
Hsu, W.-L., (426) 121
Hu, J., (427) 141
Hu, L., (447) 113
Hu, N.-H., (447) 189
Huang, Y.-H., (431) 247; (435) 185
Huang, Z., (443) 229
Huang, Z.S., (449) 77
Hubbard, J.L., (429) 369; (445) 7
Huber, F., (441) 227
Hubler, T.L., (431) 199
Huch, V., (443) 153
Hudson, H.R., (437) 157
Huffman, J.C., (429) 143
Hughes, D.L., (434) C6
Humphrey, P.A., (429) 187, 207
Hundal, R., (430) 15; (436) 287
Hupfer, E., (440) 303
Huppmann, F., (434) 35
Hursthouse, M.B., (430) 117; (434) 115; (437) 191; (441) 465; (449) 1
Hussain, M.S., (445) 295
Huttner, G., (426) 87; (428) 379; (433) 253; (439) 33; (440) 41; (441) 81; (445) 181; (447) 21, 31, 71, 81, 233; (448) 83, C3, 247
Hux, J.E., (437) 251
Hwang, L.-P., (450) 63
Hwang, S., (445) 163

Ibarlucea, L., (447) 299
Ibrahim, A.M.A., (430) 87
Iglesias, M., (431) 233
Ignatovich, L.M., (435) 257
Igonin, V., (446) 123
Iijima, S., (445) 65
Ikariya, T., (428) 155
Ikeda, I., (428) 289
Ikemoto, M., (435) 133
Imhof, W., (426) 87; (428) 379; (433) 253; (439) 33; (441) 81; (444) 53; (447) 21, 31; (448) C3, 247
Ingram, G., (426) 109
Ingrosso, G., (447) 291
Inoue, K., (433) 337
Inoue, Y., (444) C25
Ionina, E.A., (438) C23
Ipaktschi, J., (426) 59; (431) 303; (434) 287, 303
Irvine, J.T.S., (436) 23
Irving, A., (443) 233
Ishii, H., (426) 361
Ishii, Y., (428) 155, 279
Ishikawa, M., (427) C26; (428) 303; (435) 249; (439) 19; (443) C3
Ishizaki, Y., (433) 337
Isobe, K., (433) 183
Ito, T., (428) 69
Itoh, K., (428) C21; (431) 227
Itotani, K., (443) 253
Iwaizumi, M., (435) 337
Iwamoto, T., (441) 309; (446) 177; (448) 167

Jablonski, C., (429) 379
Jackson, P.D., (434) 321
Jackson, R.A., (437) 77
Jacob, K., (436) 231, 325; (437) 299; (439) C6
Jacobson, A., (436) 95
Jacobson, R.A., (428) 415
Jaeger, M., (427) 63
Jahn, N., (434) 159
Jain, V.K., (431) 283; (439) 231; (441) 215; (447) 317
James, B.D., (436) 155
Janeczek, H., (433) 231
Janik, J.F., (449) 39
Jankowski, A., (433) 231
Jansen, M., (445) 61
Janssen, S.J., (434) 97
Jaouen, G., (433) 261; (445) 237
Jeannin, S., (448) 151
Jeannin, Y., (426) 87; (440) 353; (441) 81; (448) 151
Jedliński, Z., (433) 231
Jeffries, P.M., (449) 203
Jego, J.M., (435) 1
Jemine, X., (448) 95
Jenkins, C.E., (439) 251; (443) 137
Jenkner, P.K., (427) 161; (430) 259; (446) 83
Jeong, E., (434) 225
Jeong, I.-H., (439) 107
Jeong, J.H., (439) 23
Ji, J., (428) 259
Jia, G., (449) 211
Jiang, F., (443) 229
Jiang, J., (446) C3
Jiang, T., (450) 121
Jibril, I., (433) 253
Jimenez, G., (439) 147, 309
Jiménez, J., (435) 235; (441) 339
Jiménez, M.V., (438) 229
Jin, D., (439) 45
Jin, M.-J., (441) 449
Jin, S., (427) 141; (435) 311; (450) 121
Jin, X., (448) 91
Jin, Z., (438) 289; (447) 113, 227
Jin, Z.-S., (431) 289
Joachim, J.E., (448) 119
John, J.A., (429) 301
Johnels, D., (445) 1
Johnson, B.F.G., (426) C44; (429) C41; (434) C10; (436) 73; (440) 219; (443) C11; (444) C55; (450) C12
Johnson, D.S., (448) 15
Jones, A.C., (449) 1
Jones, J.H., (445) C15
Jones, P.G., (426) C12; (434) 1, 57; (435) 123; (437) 279; (441) 339; (445) 55; (447) 259; (448) 63
Jones, R.A., (430) C29; (434) 143; (439) C33; (449) 61, C1
Jones, S.S., (450) 27
Jones III, L.J., (449) 85
Jong, T.-T., (448) 99; (450) 63
Jordi, L., (436) 189; (444) C28
Jousseaume, B., (443) C1; (450) 97
Juanes, O., (430) 335, 349
Jun, C.-H., (447) 177
Jung, I.N., (437) 265
Jung, O.-S., (439) 23
Jurayev, A.D., (431) 129
Jurcevic, M., (447) 59
Jutzi, P., (431) C29; (439) 279; (446) 139; (450) C1

Käb, H., (439) C20
Kabalka, G.W., (440) 243
Kabir, S.E., (435) 157
Kachapina, L.M., (428) 107
Kaesz, H.D., (449) 159

Kai, C., (439) C42
Kaim, W., (436) 367; (439) 79; (440) 145, 207; (444) 121
Kajitani, M., (430) C64
Kakizaki, K., (426) 361
Kakkar, A.K., (433) 135
Kalck, P., (426) C16; (433) C4
Kalinin, V.N., (443) C22
Kallinen, K., (440) 367
Kamalov, G.L., (429) 109
Kampf, J.W., (447) 197
Kanellakopulos, B., (426) 307; (427) 33; (435) 275; (448) 119
Kaneti, J., (426) 143
Kang, B., (443) 229
Kang, H.K., (436) 1
Kang, S.K., (436) 1
Kannan, S., (439) 231; (447) 317
Kapoor, R.N., (447) 265
Käppler, K., (441) 15
Karlsson, S., (430) 53
Karpinski, Z.J., (437) 211
Karrenbeld, H., (429) 99
Kasuga, N., (428) 303; (433) 337
Kato, Y., (429) 287
Katzenbeißer, U., (444) 29
Kawai, T., (435) 133
Kawano, H., (435) 133
Kawano, Y., (428) 125
Kayran, C., (434) 79
Kee, T.P., (438) 89; (444) 91
Keen, J.M., (437) C7
Keiko, V.V., (427) 289
Kelkar, A.A., (430) 111
Keller, A., (436) 199
Keller, H., (441) 75
Kelley, M.J., (435) 377
Kellner, K., (447) 15
Kempe, R., (436) 109; (447) 131
Kennedy, J.D., (437) C1; (445) C15
Kentgens, A P.M., (429) 99
Kergoat, R., (427) 325
Kern, U., (444) C31
Kernaghan, S., (428) 207
Kesselring, R., (429) 415
Ketkov, S.Y., (429) C38
Keyer, R.A., (450) 115
Khallaayoun, A., (443) 43
Khan, F.K., (426) C44
Khan, M.S., (433) 135
Khanna, P.K., (450) 109
Khramenkov, V.V., (429) 27
Khwaja, H., (426) C12
Kiefer, W., (438) 319
Kijima, M., (426) 399
Kikuchi, M., (443) C3
Kilimann, U., (437) 299; (439) C6; (443) 35; (444) C15
Killing, H., (439) 101
Kim, D., (436) 1
Kim, J.S., (443) 123
Kim, K., (445) 49
Kim, T.-J., (426) 71
Kim, Y.-H., (426) 71
Kim Lee, S., (444) 211
Kiprof, P., (428) 187, 409; (434) 201; (447) 251
Kirkley, M., (429) 245
Kirpichenko, S.V., (427) 289
Kisch, H., (444) 155
Kite, K., (441) 159
Klaib, S.A., (433) 253
Klapötke, T.M., (431) 47; (436) 179
Klasen, C., (428) 363
Klatt, L.N., (429) 119
Kläui, W., (426) 99
Klein, A., (436) 367; (440) 207
Klein, B., (446) 149; (450) 91
Klein, C., (444) 75
Klein, D.P., (450) 157
Klein, R., (436) 143
Klenze, R., (426) 307
Klingan, F.-R., (444) C21
Klingebiel, U., (426) 287; (446) 45
Kloos, S., (443) C41
Knaup, W., (445) 229
Knecht, S., (445) 157
Knoch, F., (444) 155
Knoch, F.A., (428) C44
Knochel, P., (438) 11
Knoll, H., (430) 123
Knorr, M., (447) C4
Knösel, F., (438) 1
Knouzi, N., (427) 91; (447) 123
Knox, G.R., (450) 177
Ko, J.-Y., (439) 107
Kobayashi, K., (440) 1
Kochi, J.K., (428) 85; (437) 211
Kociok-Köhn, G., (444) 61
Kodas, T.T., (449) 181
Koelle, U., (426) 99
Koenig, M., (436) 169
Koh, C.H., (435) 149
Kohl, R.R., (445) 143
Köhler, F.H., (444) 165
Köhler, J., (444) 107
Kolhe, D.S., (430) 111
Koll, L.C., (434) 269
Kollár, L., (441) 117; (445) 257
Kölle, U., (436) 333; (438) 309
Komiya, S., (428) 303; (433) 337
Kondo, T., (450) 197
Konieczny, S., (446) 73
Koridze, A.A., (441) 277
Kosan, B., (441) 177
Koschmieder, S.U., (449) 61
Köster, R., (434) 133
Kotani, S., (429) 403
Kottke, T., (434) 35
Kotzian, M., (431) 159
Koutsantonis, G.A., (449) 45
Kovač, S., (448) 181
Kovacs, I., (431) 1
Kowall, B., (437) 127; (439) 101
Kowalski, W.J., (448) 59
Krahl, J., (437) 279
Krämer, R., (441) 333
Kratky, C., (446) 83; (450) 185
Krause, J.A., (426) 121
Kreindlin, A.Z., (441) 109; (447) 277
Kreißl, F.R., (426) C8; (436) C17; (440) 335; (441) 75; (443) C33; (447) 251
Kreiter, C.G., (428) 345; (431) 159; (434) 79; (444) C31; (448) 107
Kremer, M., (429) 1
Kretschmer, W., (436) 231
Krishnamurthy, S.S., (438) 99, 241
Kristen, M.O., (450) C1
Kronseder, C., (437) C29
Krüger, C., (426) 131; (427) C21; (431) 297; (443) 93; (450) 1
Krumm, B., (446) 25
Krut'ko, D.P., (438) 265
Krylov, A.N., (434) 329; (447) 277
Kubicki, M.M., (433) 95; (445) C4
Kubo, A., (441) 309
Kubo, K., (428) 145; (439) C42
Kühl, O., (445) C6
Kuhn, N., (440) 289
Kuhs, W., (446) 51
Kuivila, H.G., (429) 311
Kumar Das, V.G., (430) 139, 149
Kummer, D., (446) 51
Kümmerlen, J., (427) 309
Kumobayashi, H., (428) 213
Kunai, A., (435) 249; (443) C3
Kunkely, H., (431) C42
Kurosawa, H., (428) 289
Küsthardt, U., (450) 165
Kwak, Y.-W., (439) 107
Kwetkat, K., (439) 127
Kwik, W.L., (435) 149; (448) 219
Kwon, H.A., (437) C13
Kwon, S.-C., (426) 71
Kwon, Y.-U., (449) 167
Kyd, G.O., (447) C14

Ladd, J.A., (427) 9
Ladna, B., (449) 19
Ladwig, M., (439) 79
Laghmari, M., (438) 213
Lagow, R.J., (427) 1
Laguna, A., (435) 235; (441) 339
Laguna, M., (435) 235; (441) 339
Lahoz, F.J., (431) 87; (435) 235
Lahuerta, P., (443) C14; (445) C10
Lai, R., (444) 115
Lancaster, S.J., (434) C1
Lance, M., (440) 53; (445) 99
Lanfranchi, M., (430) C39; (435) 55
Lang, H., (436) 265; (441) 389; (444) 53; (447) C1
Lang, R., (446) 79
Langhoff, H., (445) C15
Lapinte, C., (434) 89
Laporterie, A., (426) C1
Lappert, M.F., (437) 177; (444) 95
Larbig, H., (433) 115
Larsonneur, A.-M., (444) 83
Laschi, F., (435) 347
Lassacher, P., (450) 79
Lastra, E., (429) C19; (430) C39

Latorre, J., (445) C10
Latten, J.L., (435) 101
Latyaeva, V.N., (429) 13
Lau, P., (440) 41
Laurent, C., (439) 115
Laurent, P., (441) 99
Lautenschlager, H.-J., (428) 1
Lavender, M.H., (426) C28
Lay, U., (436) 265; (441) 389; (444) 53
Layeghi, H., (441) 355
Layer, T.M., (429) C41; (444) C57
Lazzaroni, R., (447) 153
Leandro de Oliveira, E., (426) C16; (433) C4
Le Berre-Cosquer, N., (427) 325
Le Bihan, J.-Y., (433) 261
Lee, G.-H., (437) 265; (439) 347; (445) 171
Lee, H.-K., (443) C39
Lee, J.-S., (445) 49
Lee, K.E., (449) 53
Lee, M.H., (436) 1
Lee, S.S., (436) 1
Lee, S.Y., (443) C22
Lee, T.-Y., (427) 101
Lee, W.-B., (450) 63
Leech, P.W., (449) 131
Le Gall, G., (441) 99
Lehnert, R., (446) 79
Lehr, K., (448) 107
Lei, X., (443) 229
Leise, M., (447) C1
Leitner, P., (443) 199
Le Maréchal, J.-F., (440) 53
Lemos, M.A.N.D.A., (434) C6; (438) 159
Lentz, D., (426) 35; (436) 185
Lerche, J., (450) 269
Leung, W.-P., (443) C39
Lewis, J., (426) C44; (429) C41; (433) 135; (434) C10; (436) 73; (440) 219; (443) C11; (444) C51, C53, C55, C57; (450) C12
Lewis, L.N., (427) 165; (448) 15
Lewis, Z.G., (430) C45; (438) 353
Li, B., (448) 9
Li, C.-K., (444) C55
Li, D., (430) 175
Liang, Y., (435) 311
Liang, Y.-Q., (443) 185
Liao, J., (446) 107
Liao, Y.-H., (443) 233
Liaw, C.-F., (446) C1
Lickiss, P.D., (427) 9; (444) 25
Liddell, M.J., (427) 263; (430) 221; (445) 187
Liepiņš, E., (435) 257
Lim, Y.Y., (441) 51
Lin, H.-J., (450) 63
Lin, H.-M., (426) 369; (427) 101
Lin, J.T., (431) 65
Lin, P.-J., (443) 115
Lin, R.-C., (439) 347
Lin, Y., (427) 141; (429) 269; (435) 311; (448) 215; (450) 121
Linden, A., (429) 87
Lindenberg, F., (435) 291
Lindner, E., (435) 109, 213; (441) 63
Lindsell, W.E., (439) 201
Lineva, A.N., (429) 13
Linn, K., (448) C6
Lis, T., (443) 85; (447) 159, 213
Liu, C.-S., (438) C9
Liu, H., (443) 229
Liu, J., (435) 311
Liu, J.-C., (437) 347
Liu, J.-Z., (443) 185
Liu, L.-K., (435) 43; (448) 131
Liu, S.-T., (445) 171
Liu, X.-M., (447) 189
Liu, Y.-J., (443) 185
Llamazares, A., (434) 123
Llebaria, A., (440) 79
Lo, K.M., (430) 149
Locke, K., (429) C27
Loim, N.M., (434) 329
Long, G.J., (427) 355
Long, N.J., (430) 117
Loos, D., (448) 5
López, C., (434) 261
López, G., (435) 193; (436) 121
López, J., (426) 383; (443) 221
López, M., (445) 287
Lopez-Mardomingo, C., (435) 55
Lopez-Mras, A., (446) 1
López Gallego-Preciado, M.C., (450) 237
Lorberth, J., (430) 269; (441) 27
Lorenz, I.-P., (428) 363; (440) 197
Louati, A., (438) 167
Low, J.N., (437) 111
Low, P.M.N., (448) 131
Lu, S., (447) 227
Lu, X., (428) 259; (447) 305
Lu, Z.-R., (446) 107
Lucas, D., (426) C4; (435) 55, C3; (441) 45
Lucas, R., (444) 25
Lucherini, A., (447) 291
Luck, L.A., (440) 91
Ludovici, K., (441) 363
Ludwig, W., (427) 395
Lugan, N., (426) 247
Luh, L.-H., (435) 43
Lukevics, E., (426) 41; (435) 257; (436) 277; (441) 381
Lumetta, G.J., (434) 253
Lumini, T., (434) 363; (438) 195
Luo, X., (444) 131
Lyčka, A., (426) 23; (436) 231
Lyons, J.E., (437) 165

Ma, S., (447) 305
Maas, J.J., (429) C33
Macchioni, A., (427) C37
Mach, K., (427) 49; (430) 317; (436) 143; (439) 341; (447) 221
Macías, A., (450) 41
MacInnes, A.N., (449) 95
Mackay, K.M., (441) 35; (444) 211
Mackey, O.N.D., (426) 279
Macomber, D.W., (433) 279
Madhukar, P., (433) 279
Maercker, A., (441) 1
Magee, R.J., (436) 155
Magull, S., (440) 263
Mahieu, B., (448) 75
Mahon, M.F., (430) 25; (435) 265, 319; (436) 11
Mahr, N., (444) C37
Maichle, C., (435) 213
Maier, R., (427) 33; (435) 275; (448) 119
Main, L., (430) 79
Majidi, A., (444) C7
Mak, T.C.W., (441) 51; (443) C39
Makhsumov, A.G., (431) 129
Malisch, W., (439) C11, C16, C20
Maloney, J.D., (449) 69
Maloney, S.D., (435) 377
Malouf, E.Y., (435) 347
Mamantov, G., (429) 119
Mamedyarova, I.A., (438) C26
Manassero, M., (436) 241
Mancuso, C., (428) C8
Mandal, S.K., (439) 53
Mandolesi, S.D., (434) 269
Manning, A.R., (438) 143
Manuel, G., (444) 37; (447) 167
Marchal, N., (445) 93
Marchand, A., (448) 19
Marciniec, B., (446) 15; (447) 163
Marcuzzi, A., (429) 87
Marder, T.B., (449) 27
Mardones, M.A., (439) C33; (449) C1
Maringgele, W., (434) 35
Markies, P.R., (430) 1
Markó, L., (444) 203
Marques, N., (448) 119
Márquez, A., (434) 235
Marquez, M., (436) 351
Marsmann, H., (441) 185; (450) 67
Martí, J.M., (436) 121
Martín, A., (429) C41; (444) C57
Martín, B.M., (429) C19
Martin, F., (447) 5
Martin, J.D., (449) 191
Martínez, A., (435) 193
Martínez-Ilarduya, J.M., (447) 145
Martínez-Ripoll, M., (435) 193
Martins, A.M., (440) 119; (445) 125
Maruyama, Y., (430) C60
Maryin, V.P., (441) 125, 241, 419
Mascetti, J., (444) 223
Masciocchi, N., (436) 241
Masdeu, A., (438) 213
Mashima, K., (428) 49, C5, 213
Masotti, H., (444) 41
Massa, W., (441) 27
Massarweh, G., (444) 67
Massey, A., (436) 73
Massey, A.D., (440) 219
Masuda, K., (428) C21
Mathes, M., (445) 39
Mathey, F., (444) C60
Mathiasch, B., (448) 39
Mathieu, R., (426) 247, C33
Mathur, P., (448) 211
Matias, P.M., (440) 119
Matsubayashi, G.-e., (445) 65

Matt, D., (438) 167
Matteoli, U., (450) 229
Mattern, G., (446) 51
Maury, F., (449) 159
Mauz, E., (427) 63
Mayer, H.A., (435) 109
Mays, M.J., (436) 83; (439) 327
Mažeika, I., (426) 41
Mazerolles, P., (439) 115
Mazid, M.A., (430) 117; (434) 115; (437) 191
McAlees, A.J., (430) C23
McArdle, P., (438) 143
McCarthy, D.A., (426) 121
McConville, D.H., (445) 245
McCrindle, R., (430) C23
McDaniel, K.F., (443) 107
McGlinchey, M.J., (435) 357
McGrath, K.J., (450) 85
McPartlin, M., (436) 83; (437) 157; (439) 327; (444) C53
McPhail, A.T., (449) 85
McQueen, A.E.D., (430) 43
McVicar, W.K., (429) 369
McWhinnie, S.L.W., (430) 37
McWhinnie, W.R., (430) 37
Mealli, C., (448) C6
Meese-Marktscheffel, J.A., (428) C27; (430) 299; (433) 241
Mehdi, A., (446) C6
Meidine, M.F., (436) 79; (438) 241
Meier-Brocks, F., (439) 65
Meier, K.J., (428) C44
Meier, W., (434) 63; (436) 313
Melis, S., (441) 197
Meller, A., (434) 35
Menchi, G., (450) 229
Mendoza, A., (431) 87
Mennie, D., (447) 5
Merlic, C.A., (431) 313
Mesnard, D., (440) 277
Metz, B., (426) 173
Metzler, M.R., (426) 213; (429) 41, 59; (431) 177
Meuret, J., (445) 19; (446) 113
Meyer, D., (448) 119
Meyer, U., (439) 279; (445) 229
Mezey, P.G., (444) 131
Mezzetti, A., (430) C15
Miah, A., (435) 157
Michaelis, S., (426) 131
Michelin, R.A., (431) 117
Miginiac, L., (440) 277; (450) 33
Miginiac, P., (440) 249
Miguel, D., (427) C33; (430) C19
Mikulcik, P., (446) 37
Milke, J., (445) 219
Miller, A.E., (449) 19
Miller, E.J., (440) 91
Miller, J.M., (448) 225
Miller, J.R., (431) C17
Milner, D.J., (447) 1
Minárik, M., (426) 23
Minghetti, G., (450) C15
Mingos, D.M.P., (433) 311; (441) 499; (447) C14
Minoja, A.P., (440) 175
Minyaev, R.M., (441) 479
Miravitlles, C., (441) 487; (444) C28
Mirskov, R.G., (433) 1
Mishra, D.D., (447) 9
Misiołek, A., (433) 231
Missling, C., (445) 219
Mitchell, T.N., (436) 43; (437) 127; (439) 101, 127
Mitsudo, T.-a., (450) 197
Miyahara, I., (431) C35
Miyamae, H., (429) 187
Miyamoto, T.K., (429) 287
Miyashita, A., (428) 239
Miyaura, N., (444) C1
Miyoshi, K., (428) 145; (439) C42
Mizobe, Y., (435) 85
Mkoyan, S.G., (435) 37
Modrego, J., (441) 155; (443) 249
Moïse, C., (426) 325; (433) 95
Mokal, V.B., (431) 283; (441) 215
Mol, J.C., (426) 351
Molinier, J., (426) C16; (433) C4
Molíns, E., (441) 487
Molins, E., (444) C28
Moll, M., (428) C44
Molloy, K.C., (430) 25; (435) 265, 319; (436) 11
Molosnova, N.E., (443) C26
Monari, M., (447) 271
Monge, A., (450) 237
Monge, M.A., (427) 193
Montoya, J., (426) 383
Moragas, R., (431) 359
Morandini, F., (430) C15
Morère, A., (431) 17; (443) 43
Moretó, J.M., (436) 189; (440) 79; (444) C28
Moreton, S., (439) 213
Morimoto, Y., (443) C8
Moritz, P., (427) 293
Morley, C.P., (426) 279; (444) 219; (450) 109
Moro-oka, Y., (447) 103
Morreall, R.A., (448) 59
Morris, M.J., (426) C28; (444) C34
Morton-Blake, D.A., (429) 257
Moss, J.R., (439) C25; (443) 233; (444) C51, C53
Motevalli, M., (445) 35; (449) 1
Motojima, S., (441) 373
Motoyama, I., (441) 309; (446) 177; (448) 167
Mountford, P., (438) C4
Moyano, A., (433) 305
Mozzon, M., (431) 117
Mugnier, Y., (426) C4; (435) 55, C3; (441) 45
Mulla, F., (439) C56
Müller, B., (441) 177
Müller-Becker, S., (444) C31
Muller, G., (429) 391
Müller, H., (445) 133
Müller, J., (427) C15; (448) 119
Müller, U., (427) 369
Mulvey, R.E., (439) 237
Murai, S., (445) C13
Murphy, V., (443) C37
Murray, C., (449) 105
Musco, A., (448) C6
Muzart, J., (433) 323
Myers, L.K., (434) 45
Mynott, R., (426) 131; (429) 135

Nagao, H., (430) C64
Nagashima, H., (428) C21
Nagendrappa, G., (430) 373
Nagl, A., (445) 163
Najdi, S.D., (431) 335
Naka, A., (439) 19
Nakadaira, Y., (441) 411
Nakamura, A., (428) 49, C5; (444) C25
Nakamura, N., (428) 207
Nakanishi, J., (445) C13
Nakano, K., (428) C21
Nakano, T., (428) 69
Nakashima, M., (428) 249
Nakashima, S., (448) 167
Nakayama, H., (428) 207
Nakazawa, H., (428) 145; (439) C42
Narayana, C., (440) 243
Narula, S.P., (430) 167
Nash, A., (443) 233
Nasim, M., (430) 269; (441) 27
Nasir, M.I., (437) C7
Nation, J.E., (441) 465
Naumann, D., (441) 355, 363
Needham, M., (447) 5
Nefedov, S.E., (429) 109; (443) 101; (444) 101
Nefedova, M.N., (438) C26
Neibecker, D., (426) 247
Neis, S., (430) C5
Nervi, C., (433) 287
Nestor, K., (437) C1
Nethaji, M., (438) 99
Nettelbeck, C., (439) 101
Neumann, B., (439) 279; (443) 175; (446) 139
Neumann, W.P., (437) 23; (446) 149; (450) 91
Neumüller, B., (440) 263
Neve, F., (427) 409; (438) 343; (448) 241
Neville, A.G., (436) 255
Nevodchikov, V.I., (429) 13
Newbound, T.D., (435) 73
Ng, S.W., (430) 139, 149
Nicasio, M.C., (444) 245
Nicholson, B.K., (430) 79; (440) 411; (441) 35; (444) 211
Nierlich, M., (440) 53; (445) 99
Nifant'ev, I.E., (435) 37
Nikol'skii, A.B., (433) 189
Nikolskyi, A.B., (426) 105
Nishiyama, H., (431) 227
Nixon, J.F., (430) C10; (433) C11; (436) 79; (438) 241; (444) C60
Nlate, S., (434) 89
Noe, R., (450) 137
Noiret, N., (450) 97
Nolte, M., (427) C21; (431) 297

Noltemeyer, M., (443) 35
Norman, N.C., (430) 205
Nothdurft, A., (435) 213
Nottemeyer, M., (426) 295
Nováková, J., (439) 341
Novotortsev, V.M., (443) 101; (444) 101
Nuber, B., (427) 57; (429) 153, 173; (431) 143, 171; (434) 63; (435) 275; (436) 207, 313; (444) 107; (448) 119
Nunn, C.M., (449) 61
Nürnberg, O., (440) 389; (445) 229
Nyulászi, L., (445) 29

Obendorf, D., (426) 109
Oberoi, M., (430) 197
O'Brien, P., (449) 1
Occhiucci, G., (433) 35
O'Connell, D., (447) C14
O'Connor, J.M., (428) 99
Odiaka, T.I., (438) 131
Ogasawara, M., (428) 155; (435) 133
Ogino, H., (428) 125; (430) 93
Ogoshi, S., (445) C13
O'Hare, D., (443) C37
Ohe, K., (445) C13
Ohki, H., (428) 207
Ohki, T., (428) 69
Okazaki, S., (439) 19
Okumachi, T., (430) C64
Olbrich-Deussner, B., (440) 145
Olbrich, F., (448) C10
Oliver, J.P., (431) 271
Olivier, H., (445) 93
Olmos, E., (435) 235
Olmstead, M.M., (431) 335
Olsen, P.N., (426) 195
Onaka, S., (429) 287
O'Neil, P.A., (439) 237
Operti, L., (433) 35
Opiela, S., (431) C29; (439) 279
Opromolla, G., (443) 199; (444) 179; (450) 193
Orazsakhatov, B., (444) 101
Orchin, M., (439) 53
Oro, L.A., (431) 87; (438) 229, 337; (441) 155; (443) 249; (445) 261, 267, 273
Orrell, K.G., (437) 191; (441) 255, 441
Orrin, R.H., (444) 199
Ortigueira, J.M., (426) 267
Osakada, K., (428) 69, 223
Osborne, A.G., (430) 117
Osella, D., (433) 287
Oshah, N., (447) 5
Osipov, M.V., (426) 105
Oskam, A., (426) 351; (430) 123; (444) 75
Ostermeier, J., (436) C17; (447) 251
Otero, A., (426) C4; (435) 55, C3; (441) 45
Otero, M., (427) 369
Otter, J.C., (434) 45
Ou, D.L., (445) 35
Ouahab, L., (441) 323
Ovchinnikov, Y., (446) 123
Ovejero, P., (438) 329
Overend, A.S., (444) C62
Owen, M.A., (434) 351
Ozaki, S., (428) 303; (433) 337
Ozawa, F., (428) 267
Ozawa, Y., (433) 183
Özkar, S., (428) 345; (431) 159; (434) 79

Pabel, M., (435) 109; (441) 63
Padiou, J., (429) 335
Padolik, L.L., (440) 153
Paganelli, S., (447) 153; (450) 229
Pain, G.N., (449) 131
Paine, R.T., (449) 39
Pakkanen, T.A., (436) 55; (440) 367
Pakkanen, T.T., (440) 367
Pal, C.K., (439) 91
Palin, J., (429) 245
Pan, Y., (450) 67
Paneque, M., (444) 245
Pankratov, L.V., (429) 13
Pannell, K.H., (430) 273; (438) 183; (447) 265; (450) 193
Panov, S.Y., (443) C19
Panunzi, A., (439) C49
Paquette, L.A., (450) 125
Pardi, L., (450) 193
Park, C., (449) 77
Park, J.T., (433) 295
Parrain, J.-L., (427) 201; (437) C19
Parri, O.L., (431) 81
Pastor, S.D., (429) 415
Pasynkiewicz, S., (429) 135; (437) 99; (440) 401; (443) 131
Pasynskii, A.A., (429) 109; (443) 101; (444) 101
Patorra, A., (438) 57, C1
Pauer, F., (438) 1
Pauson, P.L., (450) 177
Pavlik, I., (436) 231
Pawelke, G., (444) 5; (446) 25
Payá, J., (443) C14
Pedulli, G.F., (439) C46
Peiffer, G., (444) 41
Pellinghelli, M.A., (430) C56; (435) 55; (439) 309
Pellmann, A., (450) 67
Peña, E., (447) 265
Peng, S.-M., (439) 347; (445) 171
Peng, T.-S., (439) 163
Pennington, W.T., (445) 11
Pereira, M$^{a}$.T., (426) 267
Pereira, M.T., (445) 287
Perera, S.D., (428) 59
Peres, Y., (426) C16
Pereyre, M., (437) C13; (443) C1; (444) C18; (450) 97
Pérez-Briso, C., (447) 145
Pérez-Martínez, J.A., (427) C33
Pérez-Torrente, J.J., (445) 267, 273
Periasamy, M., (450) 47
Pericàs, M.A., (433) 305
Perichon, J., (444) 1
Peris, E., (445) C10
Perosa, A., (447) 153
Perrier, R.E., (435) 357
Pertierra, P., (429) C19
Peters, K., (426) 35; (437) C25; (438) 39, 117; (441) 185
Petit, N., (443) C1
Petrenz, R., (431) 297
Petrosyan, V.S., (430) 269; (438) 265; (441) 27
Petrovskii, P.V., (441) 109, 125; (443) C19
Peyrille, B., (426) C16; (433) C4
Pfeffermann, J., (440) 341
Pfister, H., (439) C11
Pflumm, D., (427) C9
Phillips, J., (430) C23
Pickardt, J., (433) 241
Pidcock, A., (427) 9
Piedade, M.F.M., (426) 195; (445) 125
Piel, H., (426) 35
Pieper, U., (446) 45
Pierens, R.K., (426) 331
Pietraszuk, C., (447) 163
Pietrzykowski, A., (440) 401; (443) 131
Piggott, B., (434) 351
Piniella, J.F., (433) 305
Pinilla, E., (427) 193; (450) 237
Piper, C., (429) 245, 257
Pires de Matos, A., (448) 119
Pizzotti, M., (448) 205
Plaquevent, J.-C., (448) 1
Plenio, H., (435) 21
Pluta, M., (444) C9
Podestá, J.C., (434) 269
Pogorzelec, P., (440) 191
Pohl, S., (450) 67
Pola, J., (426) 23; (437) 271; (446) 131
Poláček, J., (430) 317
Polborn, K., (441) 203, 333
Poleschner, H., (427) 213
Polzer, T., (438) 319
Pombeiro, A.J.L., (430) C56; (431) 117; (433) C14; (434) C6; (438) 159, C23; (447) C11; (450) C7
Pontellini, R., (448) C6
Popławska, M., (429) 135; (443) 131
Pörschke, K.R., (426) 131
Porta, F., (448) 205
Porzel, A., (441) 15
Povey, D.C., (426) 187; (430) 167; (437) 131
Powell, A.K., (428) 353
Powell, D.R., (446) 67
Powell, H., (441) 499
Powell, H.R., (436) 83
Power, M.B., (449) 95
Powroznyk, L., (437) 157
Prakasha, T.K., (438) 241
Prashar, S., (437) 177
Pregosin, P.S., (435) 225
Pressman, L.S., (448) 55
Preston, P.N., (439) 201
Preugschat, D., (436) 185
Preut, H., (441) 227
Priebsch, W., (426) 159
Priermeier, T., (429) 275
Pritzkow, H., (450) 9
Protchenko, A.V., (447) 209

Psaila, A.F., (441) 159
Pucci, D., (438) 343
Puddephatt, R.J., (437) 251; (449) 211
Punzi, A., (447) 311
Puranik, D.B., (447) 197
Pursiainen, J., (436) 55; (440) 367
Pye, P.L., (434) 351

Qian, C., (427) C29; (430) 175; (443) 79; (445) 79
Queau, R., (426) C16; (433) C4
Quintard, J.-P., (427) 201; (437) C19
Quirós Méndez, N., (450) 157

Radecki-Sudre, A., (429) 335
Radeglia, R., (427) 213
Rademacher, B., (427) 275; (443) 25
Rad'kov, Y.F., (429) 27
Ragaini, F., (428) 401
Rahoo, H., (437) 191; (441) 255, 441
Rai, A.K., (444) 47
Raithby, P.R., (426) C44; (429) C41; (433) 135; (434) C10; (439) 147; (440) 219; (443) C11; (444) C55, C57; (450) C12
Rajagopal, D., (438) 11
Rajkumar, A.B., (443) C41
Ramondo, F., (434) 19
Rapić, V., (448) 181
Rappoli, B.J., (429) 345; (450) 85
Rashid, R.S., (448) 211
Raston, C.L., (449) 45
Rau, A., (439) 263
Rausch, M.D., (450) 27
Ravasio, N., (447) 311
Ravera, M., (433) 287
Raynor, J.B., (439) 341
Razavi, A., (435) 299; (445) 111
Rebizant, J., (448) 119
Recknagel, A., (426) 295
Reddmann, H., (426) 307; (440) 317
Reddy, V.S., (438) 99
Rees, Jr., W.S., (449) 125
Réffy, J., (445) 29
Rehbaum, F., (443) 93
Rehder, D., (426) 159
Reichenbach, G., (427) C37
Reid, B.D., (438) 371
Reinhard, G., (427) 173
Reissig, H.-U., (427) C9
Rentsch, D., (429) 87
Rest, A.J., (444) 223
Rettig, S.J., (445) 245
Reuter, H., (427) 309
Reyé, C., (446) C6
Rheindorf, S., (443) 61
Rheingold, A.L., (431) 133, 199; (435) 9, 73; (450) 137
Rheinwald, G., (433) 167; (441) 295
Rhodes, C.J., (436) C5; (443) 19
Riahi, A., (433) 323
Ricart, S., (436) 189; (440) 79; (444) C28
Ricci, A., (443) C1
Rice, D.A., (439) 251; (443) 137
Rich, J.D., (448) 15
Richards, R.L., (434) C6; (447) C11
Richmond, M.G., (445) 163
Rickard, C.E.F., (426) 213; (431) 177; (433) 203
Rieckhoff, M., (447) 203
Riede, J., (446) 37
Rieger, B., (428) C33
Riera, A., (433) 305
Riera, V., (427) 363, C33; (430) C19; (434) 123; (441) 323
Ritschl, A., (437) C25; (438) 39
Rivarola, E., (447) 9
Rivera-Claudio, M., (447) 265
Rivière-Baudet, M., (431) 17; (443) 43
Rivière, P., (427) 91; (433) 49; (443) 51; (447) 123
Robert, F., (448) 151
Roberts, R.M.G., (430) 327; (431) C17
Robinson, B.H., (437) 323; (447) 281; (450) 219
Robinson, G.H., (445) 11
Robinson, K.D., (449) 45
Robinson, N.P., (430) 79
Robison, T.W., (443) 123
Robl, C., (448) 5
Rocamora, M., (429) 391
Rodríguez, G., (447) 51
Rodriguez, M$^{a}$.C., (426) 267
Rodríguez, M.J., (438) 337; (441) 155; (443) 249
Rodríguez-Ubis, J.C., (430) 335, 349
Rodríguez, V., (436) 121
Roger, C., (439) 163
Rogers, R.D., (445) 115; (449) 69; (450) 125
Roller, S., (427) 23
Rollin, Y., (444) 1
Román, E., (427) 369
Romão, C.C., (440) 119; (445) 125
Romero, A., (426) 383; (443) 221
Rondon, D., (433) C18
Roobeek, C.F., (430) 357
Ros, J., (426) 383; (440) 79
Rosenberg, E., (435) 157
Rosenberger, C., (448) 151
Rosenhein, L.D., (431) 327
Rosenthal, U., (426) C53; (439) C36
Rossi, M., (448) 75
Rossi, S., (436) 55; (440) 367
Rotem, M., (448) 189
Roth, T., (440) 145
Rotondo, E., (450) 245
Roulet, R., (434) 363; (438) 195
Rowe, R.S., (449) 131
Roy, M., (430) 197
Royo, P., (439) 147, 309; (444) 83; (447) 51
Royster, Jr., T.L., (434) 11
Rozema, M.J., (438) 11
Rozsondai, B., (436) 127
Rubinsztajn, S., (446) 91
Rudler, H., (431) C6
Rüegger, H., (435) 225
Ruel, G., (444) C18
Ruether, Th., (426) 99
Ruffo, F., (439) C49
Rufińska, A., (440) 327
Rühlmann, K., (441) 15; (446) 79; (450) 73
Ruiz, A., (443) 241
Ruiz, C., (444) 245
Ruiz, J., (436) 121
Ruiz, N., (443) 241
Ruppert, K., (445) 19; (446) 113
Rusyid, R., (440) 91
Rutledge, P.S., (426) 213; (429) 41, 59; (431) 177; (434) 97
Rybakov, V.B., (447) 221
Rybinskaya, M.I., (433) 189; (441) 109; (447) 277

Saak, W., (450) 67
Sabatino, P., (436) 73
Saburi, M., (428) 155; (435) 133
Saegusa, T., (429) C46
Safronov, A.I., (441) 479
Saha, A.K., (445) 137
Saharan, V.P., (434) C10; (443) C11
Sakai, H., (448) 167
Sakamoto, H., (427) C26; (435) 249; (439) 19; (443) C3
Sakurai, H., (441) 411
Salaün, J.-Y., (441) 99
Salem, G., (444) 147
Sales, J., (429) 391; (431) 359
Salmain, M., (445) 237
Salz, H., (443) 61; (445) 61
Samuel-Lewis, A., (437) 131
Samuels, J.A., (449) 191
Sanaú, M., (445) C10
Sánchez, A., (438) 29
Sánchez, F., (431) 233
Sánchez, G., (435) 193
Sánchez González, A., (434) 261; (435) 29
Sandhu, G.K., (430) 15; (436) 287
Sándor, P., (445) 257
Sandoval, A., (434) 1
Sano, H., (441) 309; (446) 177; (448) 167
Santamaria, M.C., (441) 155
Santiago, J., (433) 141
Santos, A., (426) 383; (443) 221
Sanz, J.F., (434) 235
Sappa, E., (444) 203; (448) 157
Sapre, N., (426) C12
Satgé, J., (427) 91; (433) 49; (440) 233; (447) 123
Sato, M., (430) 105; (444) 185
Sato, R., (441) 411
Sato, T., (426) 399
Saussine, L., (445) 93
Savignac, P., (440) 297
Schaeffer, Jr., C.D., (434) 45
Schäfer, M., (440) 263
Schäfers, M., (436) 95
Schaller, K., (438) 45
Schat, G., (430) 1
Scheck, T., (443) C16
Scheer, M., (434) 57; (435) 123; (437) 307; (440) 327; (447) 259
Schei, C.-C., (435) 43; (447) 107
Scheim, U., (441) 15; (446) 79; (450) 73

Schenk, K., (434) 363
Schenk, W.A., (440) 341; (450) C4
Schenzel, K., (435) 123
Scherer, W., (444) C21
Schier, A., (446) 37
Schiesser, C.H., (437) 165
Schilder, P.G.M., (426) 351
Schinnerling, P., (431) 41
Schlögl, K., (450) 185
Schmaucks, G., (446) 9
Schmid, S., (428) 363
Schmidbaur, H., (429) 1; (446) 37
Schmidt-Bäse, D., (426) 287
Schmidt, T., (430) C5
Schmidt, U., (440) 187
Schmidtberg, G., (440) 303; (450) 269
Schneider-Koglin, C., (448) 29, 39
Schnöckel, H., (448) 5
Schofield, P.J., (436) 11
Scholz, D., (441) 227
Scholz, J., (443) 93
Schönecker, B., (447) 131
Schore, N.E., (431) 335
Schottenberger, H., (426) 109; (436) 223; (441) 457
Schoufs, H.J.M., (441) 1
Schrage, C., (443) 61
Schrepfermann, M., (430) 61
Schubert, J., (434) 169
Schubert, U., (427) 173; (434) 169; (441) 7; (444) C12
Schultze, H., (429) C1
Schulz, A., (436) 179; (444) 121
Schulz, H., (426) 307; (440) 317; (443) 71
Schulz, M., (434) C19; (445) 261
Schulze, H.-J., (445) 157
Schumann, H., (428) C27; (429) 99; (430) 299; (433) 241; (436) 95; (445) 85, C1
Schumann, I., (443) 175
Schupp, O., (438) 117; (444) C37
Schürmann, M., (441) 227
Schütt, W., (436) C17; (441) 75; (443) C33; (447) 251
Schütte, S., (446) 45
Schwarz, W., (427) 275; (443) 145
Schwederski, B., (436) 367; (440) 145
Scott, P., (443) C37
Scouten, W.H., (431) 255
Scrivanti, A., (450) 229
Sebald, A., (427) 309; (437) 279
Sebbach, J., (426) 173
Sedmera, P., (436) 143
See, R.F., (450) 171
Seidel, W., (445) 133
Sekino, M., (444) 185
Selas, J.M., (439) 147
Self, M.F., (449) 85
Selvaratnam, S., (430) 149
Senechal, D., (433) 261
Senechal-Tocquer, M.-C., (433) 261
Senior, A.M., (439) 177
Serth, J.A., (440) 91
Severs, L.M., (434) 321
Seyferth, D., (446) 167
Seyler, J.W., (450) 157
Shao, L., (435) 133
Shapley, J.R., (437) 347
Shaposhnikova, A.D., (429) 109
Sharda, Y., (430) 167
Sharma, H., (430) 273
Sharma, H.K., (438) 183; (450) 193
Shaw, B.L., (428) 59
Shaw, G.B., (444) 147
Shaw, L.S., (437) 157
Shen, L.-F., (446) 107
Shen, Q., (427) 141; (450) 121
Shen, W., (428) 259
Shenai-Khatkhate, D.V., (430) 43
Shiina, K., (429) 403
Shilov, A.E., (428) 107
Shim, J.G., (443) C22
Shim, S.C., (443) C22
Shimada, M., (428) 199; (443) C8
Shimizu, I., (430) C60
Shore, S.G., (426) 121
Shubina, E.S., (434) 329; (447) 277
Shur, V.B., (426) C53; (439) 303; (443) C19
Shvo, Y., (448) 189
Shyu, S.-G., (443) 115
Siebald, H., (438) 83
Sieler, J., (436) 109; (447) 131
Siemeling, U., (426) C25; (429) C14
Siems, K., (431) 47
Šik, V., (437) 191; (441) 255, 441
Silaghi-Dumitrescu, I., (447) 203
Silver, J., (431) C17
Silvestru, C., (426) 49; (448) 75
Simon, D., (445) 39
Simpson, J., (437) 323; (447) 281; (450) 219
Simpson, S.J., (434) 341
Singh, U.P., (443) C16
Singh, Y.P., (444) 47
Singhal, A., (447) 317
Sinha, C., (427) 111; (439) 91
Sinou, D., (438) 213
Siria, J.W., (434) 253
Sironi, A., (440) 175
Siv, C., (444) 41
Sivik, M.R., (450) 125
Skelton, B.W., (429) 187, 207; (430) 139, 181, 245; (433) 213, 223; (444) C44; (445) C6, 187, 199, 211; (447) 91; (450) C9, 209
Slade, M.J., (444) 95
Smith, G.W., (430) 167
Smith, J.D., (437) 41; (446) 161
Smith, K.-T., (431) 55
Smith, P.J., (437) 131
Snatzke, G., (438) C26
Sobota, P., (443) 85; (447) 159, 213
Sohn, Y.S., (439) 23
Sokolov, V.I., (438) C26
Solans, X., (431) 359
Soliman, T.M., (430) 87
Solodova, E.V., (443) C19
Soloveichik, G.L., (440) 47
Sone, T., (428) 303
Song, F., (443) 79
Sonn, I., (427) C15
Sonogashira, K., (429) 403
Sordo, J., (434) 261; (435) 29; (438) 29; (450) 41
Soufiaoui, M., (427) 91; (447) 123
Soum, A., (448) 19
Sousa, L.R., (427) 125
Sowerby, D.B., (426) 49; (427) 39
Spalding, T.R., (447) C14
Spek, A.L., (430) 1
Spencer, G.M., (436) 23; (437) 111
Spencer, J.N., (431) 133; (448) 59
Speranza, M., (433) 35
Sperlich, J., (446) 1
Spielberger, A., (427) 161
Splendore, M., (433) 35
Sporzyński, A., (448) C1
Srebnik, M., (444) 15
Srivastava, G., (444) 47
Stalke, D., (431) C1, C21; (438) 1; (439) C6; (446) 45
Stammler, H.-G., (439) 279; (443) 175; (446) 139
Stammler, H.G., (444) 107
Stańczyk, W., (444) C9
Stang, P.J., (431) 247; (435) 185
Stanger, A., (430) 235
Starova, G.L., (433) 189
Steck, A., (444) 165
Steed, J.W., (444) C47
Stegmair, C.M., (447) 251
Stehr, J., (430) C1
Steigerwald, M.L., (449) 167
Steimann, M., (441) 63
Steiner, A., (431) C21; (439) C6
Stephens, E.B., (429) 301
Stevenson, J., (449) 141
Štíbr, B., (437) C1
Štíbr, B., (445) C15
Stiebahl, K., (437) C7
Stoccoro, S., (450) C15
Stoeckli-Evans, H., (433) 141, 149, 167; (441) 295
Strampfer, M., (427) C15
Streib, W.E., (449) 191
Struchkov, Y.T., (428) 107; (429) 13, 27, 109; (433) 189; (434) 329; (436) 79, 299; (441) 277; (443) 101, C19, C26; (444) 101; (446) 123; (447) 209
Stubbe, M., (450) C4
Stubenrauch, S., (440) 289
Stuczynski, S.M., (449) 167
Stufkens, D.J., (426) 351; (430) 123; (444) 75
Stüger, H., (431) 1; (433) 11; (450) 79
Styrkov, I.M., (438) 265
Su, Y., (428) 415
Suen, S.-C., (450) 63
Sugai, R.-j., (428) 239
Sugimori, A., (430) C64
Sugimoto, S., (428) 69; (447) 103
Sullivan, A.C., (445) 35
Sulzbach, W., (426) 59; (434) 287
Sum, V., (438) 89
Sun, H., (439) 45; (444) C41
Sun, N.-Y., (434) 341

Sun, Y., (449) 27
Sundermeyer, J., (427) C1; (444) C37
Sünkel, K., (436) 101; (445) 219
Suseela, Y., (450) 47
Süss-Fink, G., (433) 141, 149, 167; (437) 307; (441) 295
Süssmilch, F., (426) 159
Sutton, D., (439) 221
Suzuki, A., (444) C1
Suzuki, I., (443) C6
Swami, K., (429) 311
Sy, K.G., (427) 165
Sylwester, A.P., (449) 173
Symons, M.C.R., (443) C29
Szafert, S., (443) 85
Szczeciński, P., (447) 241
Szymoniak, J., (426) 325; (429) 335

Tabata, N., (450) 103
Tabei, T., (428) C1
Tacke, M., (444) 75
Tacke, R., (438) 45; (446) 1
Taghiof, M., (431) 271
Tagliavini, G., (437) 15
Takagi, S., (429) 287
Takahashi, S., (428) 199; (443) C8
Takahashi, T., (428) 155
Takanohashi, Y., (450) 103
Takaya, H., (428) 213
Takeda, S., (428) 207
Taketomi, T., (428) 213
Takeuchi, H., (428) 155; (435) 133
Takeuchi, K., (435) 133
Tamura, T., (435) 85
Tanaka, M., (428) 1
Tanaka, T., (428) C12
Tanase, T., (440) 1; (450) 103
Tarazano, D.L., (448) 139
Tashiro, K., (431) C35
Tatsumi, K., (444) C25
Taube, R., (428) 431; (445) 85
Tay, M.S., (441) 51
Taylor, N.J., (449) 27
Taylor, R., (437) 271; (446) 131
Tecklenburg, B., (426) 287
Teeter, M.M., (426) 71
Teo, S.-B., (439) 139
Teoh, S.-G., (439) 139
Terada, M., (447) 103
The, N.K., (444) C18
Theurig, M., (446) 135
Thewalt, U., (431) 41, 47; (445) 111; (447) 45, 221
Thiele, K.-H., (436) 231; (439) C6; (443) 93
Thomas, M., (431) C17
Thornton-Pett, M., (426) 267; (428) 59; (437) C1; (438) 89; (445) C15
Thurmann, U., (433) 63; (434) 159
Tiekink, E.R.T., (429) 207; (430) 15; (431) 283; (435) 101; (440) 411; (445) 187; (450) 209
Tikhonova, I.A., (443) C19
Tilset, M., (431) 55
Timofeeva, T.V., (434) 329
Tinder, J.R., (445) 143
Ting, C.-S., (427) 257
Tiripicchio, A., (430) C39, C56; (439) 309
Tláskal, J., (426) 23
Tobita, H., (428) 125; (430) 93
Tocher, D.A., (444) C47
Todres, Z.V., (438) C23; (439) C28, C46, C53; (441) 349, 479
Togni, A., (429) 415
Tolipova, M.A., (431) 129
Tomb, P.J., (439) 201
Toniolo, L., (444) C65
Tordo, P., (443) C29
Tortorelli, L.J., (429) 119
Toscano, R.A., (431) C6
Tour, J.M., (429) 301
Toyota, K., (431) C35
Traeger, J.C., (447) 59
Traill, P.R., (433) 213; (435) C8
Trapp, M., (450) 53
Treier, K., (433) 127
Tretner, C., (436) C1
Triki, S., (441) 323
Troll, C., (427) 77, C9
Troyanov, S.I., (427) 49; (430) 317; (447) 221
Trzeciak, A.M., (429) 239
Tsen, L.-H., (431) 65
Tsuda, T., (429) C46
Tsukahara, T., (428) 155
Tucker, C.E., (438) 11
Tucker, J.H.R., (448) 175
Tunali, N.K., (428) 345
Tunik, S.P., (426) 105; (433) 189
Turpeinen, U., (441) 109
Tyrra, W., (441) 355, 363

Ubeda, M.A., (445) C10
Uccello-Barretta, G., (447) 153
Uchida, Y., (428) 155
Uchimaru, Y., (428) 1
Uchiyama, T., (428) 249
Uemura, S., (443) 253
Ueno, K., (430) 93
Uguagliati, P., (438) 253
Uhl, W., (427) 151; (443) 9
Uhlig, W., (436) C1
Ullrich, N., (426) C8; (440) 335
Ullrich, W., (447) 251
Undeutsch, B., (427) 395
Urazowski, I.F., (435) 37
Usón, M.A., (447) 137
Usón, R., (447) 137
Utko, J., (447) 159, 213

Vaartstra, B.A., (449) 191
Vaglio, G.A., (433) 35
Vahrenkamp, H., (428) 353
Valle, G., (435) 29
Van den Winkel, Y., (446) 67
Van der Maelen, J.F., (434) 123
van Eldik, R., (438) 131; (440) 113
Van Leeuwen, P.W.N.M., (430) 357
Váquez-López, E.M., (438) 29
Varela, J.M., (450) 41
Varga, V., (447) 221
Vaughan, R.R., (444) 219
Vaultier, M., (435) 1
Veith, M., (443) 153
Velasco, L., (430) 273
Vener, M.V., (438) 265
Venkatachalam, T.K., (437) 85
Verdaguer, X., (433) 305
Verlhac, J.-B., (437) C13; (443) C1
Vester, A., (443) 9
Veszprémi, T., (445) 29
Vicente, C., (436) 121
Vicente, J., (434) 1; (436) C9; (441) 487
Vigner, J., (440) 53; (445) 99
Vila, J.M., (426) 267; (445) 287; (448) 233
Villa-García, M.A., (441) 323
Villafañe, F., (450) 145
Villiers, C., (440) 53; (445) 99
Viñas, J.M., (440) 79; (444) C28
Visseaux, M., (433) 95
Vitkovskii, V.Y., (433) 1
Vittal, J.J., (449) 211
Vlasov, A.V., (433) 189
Vogler, A., (431) C42
Vogler, C., (436) 367
Völkl, C., (434) 201; (438) C15
Volkonsky, A.Y., (443) C19
Volpe, P., (433) 35
Vol'pin, M.E., (426) C53; (439) 303; (443) C19
Von Philipsborn, W., (429) 87
von R. Schleyer, P., (426) 143
von Schnering, H.G., (426) 35; (437) C25; (438) 39, 117; (441) 185
Voronkov, M.G., (427) 289; (433) 1
Vrieze, K., (430) 357

Wache, S., (428) 431
Wachter, J., (427) 57; (431) 143, 151; (434) 63; (436) 313
Wada, M., (445) 65
Wadepohl, H., (450) 9
Wadgaonkar, P.P., (440) 243
Wagner, B., (426) 343
Wagner, C., (438) C15
Wagner, F.E., (436) 35
Wagner, J., (427) 151
Wagner, R., (446) 9
Wakabayashi, S., (428) 223
Wakatsuki, Y., (430) C60
Wallis, J.D., (426) 187
Wally, H., (450) 185
Walsh, J.R., (449) 1
Walsh, P.J., (428) 13
Walter, J.N., (447) 59
Walther, B., (437) 307
Walther, D., (427) 395; (436) 109; (447) 131
Walton, J.C., (430) 43
Walz, L., (438) 117
Wang, B., (427) C29; (440) 67
Wang, H., (444) C41
Wang, H.-E., (445) 171
Wang, M., (447) 227
Wang, Q., (439) C1

Wang, R., (444) C41
Wang, S., (448) 91
Wang, S.-H., (447) 189
Wang, S.-L., (431) 215
Wang, S.R., (431) 215
Wang, T.-F., (439) 155
Wang, X.-q., (428) C17
Wang, Y., (430) C56; (435) 311; (443) 185; (447) C11
Wang, Z., (440) 243; (443) 79
Wannagat, U., (443) 153
Wardell, J.L., (431) 27; (436) 23; (437) 111
Warren, M., (444) 21
Watanabe, K., (435) 249; (443) C3
Watanabe, M., (441) 309; (446) 177; (448) 167
Watanabe, T., (444) C1
Watanabe, Y., (450) 197
Waters, D.N., (430) 37
Watson, A.A., (445) 71
Watson, M.J., (441) 499
Watson, W.H., (445) 163
Watt, W., (434) 181
Watzlowik, P., (428) 187; (437) 363; (441) 265
Weber, K., (444) C37
Weber, L., (443) 175
Weber, W.P., (444) 37
Webster, D.E., (434) 53
Webster, P.M., (430) 205
Wecker, U., (438) 319
Weckler, G., (450) 53
Wedler, M., (426) 295; (431) C1
Wei, C., (430) 149
Wei, C.-H., (428) 85
Wei, G., (438) 289
Weidenbruch, M., (426) 35; (437) C25; (438) 39; (441) 185; (450) 67
Weidlein, J., (429) C27; (443) 145; (444) C4; (450) 53
Weigelt, C.A., (440) 91
Weinberger, M., (433) 21; (441) 397; (443) 167
Weinmann, M., (436) 265
Weisbeck, M.P., (446) 149
Weiss, E., (439) 65; (448) C10
Weissensteiner, W., (450) 185
Welch, A.J., (430) C45; (438) 353, 371; (447) C14
Wells, R.L., (449) 85
Wen, Y.-S., (439) 155; (443) 115; (448) 131
Wen, Y.S., (431) 65
Went, M.J., (439) 189
Werner, H., (434) C19; (435) 169; (438) 319; (440) 389; (444) 235, C37; (445) 229, 261
Werner, S., (450) 1
Wersig, R., (446) 9
West, B.O., (435) 101; (449) 131
West, R., (446) 67; (449) 105
Westerhausen, M., (427) 275; (443) 25
Weyand, O., (427) 245
Whang, D., (445) 49
White, A.H., (429) 187, 207; (430) 139, 181, 245; (433) 213, 223; (444) C44; (445) C6, 187, 199, 211; (447) 91; (450) C9, 209
White, D., (440) 15
Whitmire, K.H., (427) 355
Whittaker, S., (430) 25
Wickens, A.C., (445) 283
Widenhoefer, R.A., (428) 99
Widhalm, M., (450) 185
Wieland, E., (437) 279; (445) 55
Wienand, A., (427) C9
Wienken, S., (446) 149
Wieser, M., (441) 429
Wilcock, D.J., (447) 51
Wild, S.B., (444) 147; (445) 71
Williams, G.J.B., (430) C23
Williams, I.D., (449) 27
Williams, R.A., (429) 143
Willis, A.C., (444) 147; (445) 71
Willison, D., (450) 177
Wilson, D.R., (435) 73
Wilson, S.R., (437) 347; (449) 203
Windisch, H., (445) 85
Windmüller, B., (435) 169
Wocadlo, S., (441) 27
Wöhrle, T., (447) 45
Wojnowski, W., (446) 73
Wolf, J., (444) 235
Womack, G.B., (446) 167
Wong, W.-T., (444) C55, C57
Wong, W.T., (434) C10; (440) 219; (443) C11; (450) C12
Woodgate, P.D., (426) 213; (429) 41, 59; (431) 177; (434) 97
Woodward, S., (439) 319
Wormsbächer, D., (431) C11
Worth, G.H., (450) 219
Wrackmeyer, B., (436) 313; (443) C16
Wróblewska, M., (447) 159
Wrzesień, K., (446) 73
Wu, G., (427) C29; (443) 79
Wu, Y.-D., (426) 143
Wu, Z.-Z., (431) 289
Wurst, K., (435) 109
Wyatt, J., (443) C29
Wyrwa, R., (441) 169

Xiang, M., (448) 215
Xu, S., (444) C41

Yalpani, M., (434) 133
Yamaguchi, M., (428) 145
Yamamoto, J.-i., (428) 239
Yamamoto, K., (428) C1
Yamamoto, T., (428) 223; (429) C46
Yamamoto, Y., (440) 1; (443) C6
Yamanaka, Y., (428) C5
Yamano, A., (426) 71
Yamashita, H., (426) 399
Yamazaki, H., (428) 169; (430) C60
Yan, X., (439) 221
Yan, Y.K., (448) 131
Yáñez, R., (440) 79
Yang, C.S., (431) 215
Yang, G.K., (450) 151
Yang, Z.-Y., (447) 189
Yanovsky, A.I., (429) 109; (441) 277; (443) 101, C19, C26; (444) 101
Yao, X., (444) C41
Yasuda, H., (428) C5
Ye, Z., (448) 91
Yeap, G.-Y., (439) 139
Yeh, W.-Y., (427) 257
Yellowlees, L.J., (447) C14
Yi, C.S., (443) 111
Yin, Y., (439) 45
Yoder, C.H., (431) 133; (434) 45; (448) 59
Yoshida, T., (428) C12
Yoshifuji, M., (431) C35
Youinou, M.-T., (441) 143
Young, P.I., (434) 45
Yousfi, A., (426) C33
Yu, Y., (447) 113; (448) 91
Yu, Z.-K., (447) 189
Yuan, Z., (449) 27
Yue, D., (449) 19
Yuldasheva, K., (431) 129
Yun, S.-S., (433) 295
Yusof, H., (434) 53

Zachara, J., (447) 241
Zaitseva, G.S., (430) 269; (441) 27
Zakharov, L.N., (429) 13, 27; (436) 299; (443) C26; (447) 209
Zammit, G.S.A., (437) C1
Zanello, P., (435) 347; (443) 199; (444) 179; (450) 193
Zanetti, E., (431) 27
Zanotti, V., (447) 271
Zapata, A.J., (448) 69
Zdanovich, I.V., (429) 13
Zeier, B., (440) 389
Zelchan, G.I., (426) 41
Zenk, R., (433) 107
Zenneck, U., (440) 187
Zhang, C., (444) 131
Zhang, S.-W., (450) 197
Zhang, X., (428) 213; (439) 221
Zharkikh, A.A., (444) 101
Zheng, P., (427) C29; (443) 79
Zhiltsov, S.F., (443) C26
Zhou, X., (444) C41
Zhou, X.-G., (431) 289
Zhou, Y., (429) 269
Zhou, Z., (429) 379
Zhou, Z.-Y., (441) 51; (443) C39
Zhu, D., (430) 175; (445) 79
Zhu, X., (429) 269; (448) 215
Zhu, X.-H., (439) 1
Zhu, Y., (439) 45
Zhuo, R.-X., (446) 107
Ziche, W., (426) 1

Ziegler, M.L., (427) 57; (429) 153, 173; (431) 143, 171; (434) 63; (436) 207, 313; (444) 107; (448) 119
Ziegler, U., (440) 303
Ziegler, W., (426) 261; (427) 379; (431) C11
Ziemkowska, W., (437) 99
Ziessel, R., (441) 143; (444) 191
Ziller, J.W., (444) 61; (450) 115
Ziltsov, S.F., (436) 299
Ziółkowski, J.J., (429) 239
Zsolnai, L., (439) 33; (440) 41; (445) 181; (447) C1, 233
Zucca, A., (450) C15
Zylber, J., (444) 1
Zylber, N., (444) 1

*Journal of Organometallic Chemistry, 450* (1993) C41–C92



# Cumulative Subject Index of Volumes 426 (1992)–450 (1993)


## Actinides

Molekülstruktur und Ladungsverteilung der 4*f*- und 5*f*-Elemente. III . Dipolmomente und Ladungsverteilung der 1:1-Addukte der Tris(cyclopentadienyl)lanthanoide(III) bzw. -actinoide(III) mit Tetrahydrofuran; Röntgenstrukturanalyse von $(C_5H_5)_3Dy \cdot THF$ (R. Maier, B. Kanellakopulos, C. Apostolidis und B. Nuber), (435) 275

## Aluminium

Die Reaktion des Tri(isobutyl)alans mit Kalium—eine Neuuntersuchung; Kristallstruktur des Kalium[tetra(isobutyl)alanats] (W. Uhl and J. Wagner), (427) 151

Planar tetracoordinate carbon stabilized in a dimetallic hafnium/aluminium compound: formation and crystal structure of $Cp_2Hf[\mu\text{-}\eta^1:\eta^2\text{-}MeCC(C_6H_{11})][\mu\text{-}CC(C_6H_{11})]AlMe_2$ (M. Albrecht, G. Erker, M. Nolte and C. Krüger), (427) C21

Methylation of bis(oxazolinyl)pyridinerhodium(III) chlorides with trimethylaluminum (H. Nishiyama, T. Hirai and K. Itoh), (431) 227

Synthesis and characterization of alkylaluminum and -gallium derivatives of thiomorpholine. Molecular structures of $Me_3Al \cdot N(H)C_4H_8S$ and $[Et_2Al(\mu\text{-}NC_4H_8S)]_2$ (M. Taghiof, D.G. Hendershot, M. Barber and J.P. Oliver), (431) 271

Alkylidenedinitrosylmolybdenum complexes. Preparation, characteristics and metathesis activity of dicarboxylatoethylidenedinitrosylmolybdenum complexes (A. Keller), (436) 199

Reactions of trimethylaluminium with 2-[methyl-bis(trimethylsiloxy) silyl]but-2-ene-1,4-diol: synthesis and structure of $[Al(CH_3)][OCH_2(Si0Me(OSiMe_3)_2)C{=}C(H)CH_2O]_2[Al(CH_3)_2]_2$ (S. Pasynkiewicz and W. Ziemkowska), (437) 99

Stereoselective opening of chiral $\alpha$-stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Kinetically stable adduct of samarocene with aluminium deuteride $(\eta\text{-}C_5H_3{}^tBu_2)_2Sm(\mu_2\text{-}D)_2AlD \cdot Me_2NC_2H_4NMe_2$ (Y.K. Gun'ko, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (440) 47

Etude de la fixation du groupe tertiaire *gem*-diméthylpropynyle $HC{\equiv}CC(CH_3)_2$ par voie organométallique; applications (F. Barbot et P. Miginiac), (440) 249

Allénylsilanes fonctionnels. II. Synthèse par voie organoaluminique du 2-triméthylsilylbuta-2,3-diénal et application a la synthèse d'alcools secondaires $\alpha$-alléniques triméthylsilylés (D. Mesnard et L. Miginiac), (440) 277

Die Reaktion des Tetrakis[bis(trimethylsilyl)methyl]dialans(4) mit Schwefelkohlenstoff: Molekülstrukturen mit Al–S–Al- und Al–$CS_2$–Al-Fragment (W. Uhl, A. Vester und W. Hiller), (443) 9

Reaction of $Me_3Ga$ and $Me_3Al$ with the tertiary-tetraaza analog of adamantane, hexamethylenetetramine ($N_4$-Ada). Syntheses and molecular structures of $[(Me_3M)_n \cdot N_4\text{-Ada}]$ ($n$ = 1–4, M = Ga or Al) (J.B. Hill, S.J. Eng, W.T. Pennington and G.H. Robinson), (445) 11

Dimethylsiloxy-aluminiumdihalide dimers. Molecular structures of $[Me_2HSiOAlX_2]_2$ (X = Cl, I) and $[Me_3SiOAl(BH_4)_2]_2$ (P. Bissinger, P. Mikulcik, J. Riede, A. Schier and H. Schmidbaur), (446) 37

The crystal structure and properties of $[1,3,5\text{-}C_6H_3(CO_2Me)_3\ 3AlCl_3]$ (J. Utko, M. Wróblewska, T. Lis and P. Sobota), (447) 159

The systems $LiAlH_4/NH_4X$ and $N_2H_5Cl$ as precursor sources for AlN (J.F. Janik and R.T. Paine), (449) 39

Tertiary phosphine adducts of alane and gallane (F.M. Elms, M.G. Gardiner, G.A. Koutsantonis, C.L. Raston, J.L. Atwood and K.D. Robinson), (449) 45

Synthesis and characterization of bridged dimeric and trimeric Group 13/15 complexes containing primary phosphido $[(^tBu)PH]^-$ and arsenido $[(^tBu)AsH]^-$ units (D.A. Atwood, A.H. Cowley, P.R. Harris, R.A. Jones, S.U. Koschmieder and C.M. Nunn), (449) 61

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), (450) 53

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), (450) C1

## Antimony

Strukturen von $[Me_4Sb]_2[MeSbI_4]$, $MeSbI_2$, und $[Me_4Sb]I$. Darstellung von $Me_3Sb \cdot MeSbI_2$ und Farbwechsel bei $Me_4Sb_2 \cdot Me_2SbBr$ (H.J. Breunig, K.H. Ebert, S. Gülec, M. Dräger, D.B. Sowerby and M.J. Begley), (427) 39

Primary and secondary trimethylsilylmethylstibines. Synthesis, characterization and chemical vapor deposition properties (D.G. Hendershot and A.D. Berry), (449) 119

Antimony sources for MOCVD. The use of $Et_4Sb_2$ as a p-type dopant for $Hg_{1-x}Cd_xTe$ and crystal structure of the adduct $[Et_4Sb_2 \cdot 2CdI_2]_n$ (R.S. Dickson, K.D. Heazle, G.N. Pain, G.B. Deacon, B.O. West, G.D. Fallon, R.S. Rowe, P.W. Leech and M. Faith), (449) 131

## Arsenic

Metallorganische Verbindungen der Lanthanoide. LXIX. Intramolekulare Stabilisierung der Lanthanoid–Kohlenstoff-$\sigma$-Bindung in Mono(cyclopentadienyl)lanthanoidkomplexen (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich und J. Pickardt), (433) 241

$\eta^1$- und $\eta^2$-Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammler), (439) 279

Synthesis of the first diarsadigalletane (D.A. Atwood, A.H. Cowley, R.A. Jones and M.A. Mardones), (439) C33

Synthesen und photochemische Untersuchungen von *ortho*- und *meta*-substituierten Bis(phenyl)[$\eta^2$-1,2-bis(diphenylarsino)ethan bzw. -ethen]platin(II)-Verbindungen (H.-A. Brune, E. Hupfer, G. Schmidtberg und U. Ziegler), (440) 303

Bis(diisopropylgalliumdiisopropylphosphid) und -arsenid. Kristallstruktur des Phosphidderivats— ein "angedeuteter" butterfly (G.G. Hoffmann, R. Fischer, U. Schubert und B. Hirle), (441) 7

Stereoselektive Additionsreaktionen von Komplex-gebundenen Phosphanen und Arsanen an Alkine (H. Lang und U. Lay), (441) 389

Additionsreaktionen von $(CO)_5CrEPhH_2$ (E = P, As) an Di(ethinyl)-Phosphane und Stannane; Stufenweise Darstellung von Komplex-gebundenen 1,4-Dihetero-cyclohexa-2,5-dienen (H. Lang, U. Lay und W. Imhof), (444) 53

Reactions of coordinated phosphines and arsines: stereoselective reactions at the chlorophosphine-*P* stereocentre in the complex [($R^*$), ($R^*$, $R^*$)]-(±)-[($\eta^5$-$C_5H_5$){1,2-$C_6H_4$(PMePh)$_2$}- Fe(PClMePh)]$PF_6 \cdot CH_2Cl_2$ (G. Salem, G.B. Shaw, A.C. Willis and S.B. Wild), (444) 147

Atropisomerism in (±)-7-methyl- and -phenyl-substituted dinaphtho[2,1-*b*;1′,2′-*d*]phospholes and dinaphth[2,1-*b*;1′,2′-*d*]-arsoles (A.A. Watson, A.C. Willis and S.B. Wild), (445) 71

Verbrückte Diarsinidenkomplexe {[Cp′(CO)$_2$Mn]$_2$As}$_2$E (E = O, S, Se) und deren nukleophile Spaltung (C. Emmerich, G. Huttner und A. Asam), (447) 71

Substitution, nukleophile und oxidative Addition an Arsinidenkomplexe. Zur Reaktion von [Cp′(CO)$_2$Mn]$_2$AsCl mit PhSeH und verwandten Chalkogenverbindungen (C. Emmerich und G. Huttner), (447) 81

Reaktionen von [Cp′(CO)$_2$Mn]$_2$AsCl mit Kohlenstoff-Nukleophilen (C. Emmerich und G. Huttner), (448) 83

Synthesis and characterization of bridged dimeric and trimeric Group 13/15 complexes containing primary phosphido [($^t$Bu)PH]$^-$ and arsenido [($^t$Bu)AsH]$^-$ units (D.A. Atwood, A.H. Cowley, P.R. Harris, R.A. Jones, S.U. Koschmieder and C.M. Nunn), (449) 61

Synthesis, isolation, and characterization of dimeric compounds containing two different exocyclic ligands on the Group 13 center. X-Ray crystal structures of [R(Me$_3$SiCH$_2$)InE(SiMe$_3$)$_2$]$_2$ (R = Ph, E = As; R = Me, E = As, P; R = Cl, E = P) (R.L. Wells, A.T. McPhail, L.J. Jones III and M.F. Self), (449) 85

Aspects of the chemistry of vinylarsenic compounds. The preparation of divinylarsinic acid, tetravinyldiarsine oxide, and tetravinyldiarsine, and the X-ray crystal structure of the helical divinylarsinic acid (V.L. Goedken, L.F. Brough and W.S. Rees, Jr.), (449) 125

Reaktive Arsen-Heterocyclen. II. 3-Arsolene als Arsiniden-Quelle (W.A. Schenk und M. Stubbe), (450) C4

## Barium

Reaction of organocalcium and -barium complexes with pyrazines. X-ray structural characterization of [(Me$_5$C$_5$)$_2$Ba]$_2$($\mu$-$C_4H_4N_2$) (R.A. Williams, T.P. Hanusa and J.C. Huffman), (429) 143

## Bismuth

Manganese carbonyl complexes of 2,5-dimethylbismolyl. The crystal and molecular structure of ($\eta^1$-2,5-dimethylbismolyl) manganese pentacarbonyl (A.J. Ashe, III, J.W. Kampf and D.B. Puranik), (447) 197

## Boron

Polyazolyl chelate chemistry. IV. Dihydrobis(benzotriazolyl)borato complexes of ruthenium(II) (J. Cartwright and A.F. Hill), (429) 229

Sterically induced opening of a *closo* carbametallaborane: synthesis and characterisation of 1,2-Ph$_2$-3-($\eta$-$C_5Me_5$)-3,1,2-*pseudocloso*-$RhC_2B_9H_9$ (Z.G. Lewis and A.J. Welch), (430) C45

Derivatives of tetrahedral boronic acids (M. Biedrzycki, W.H. Scouten and Z. Biedrzycka), (431) 255

Carbonylation of >B–H-boranes; evidence for a Fischer–Tropsch type reaction (M. Yalpani and R. Köster), (434) 133

A simple convenient preparation of $\omega$-aminoboronic acids and esters (J.M. Jego, B. Carboni and M. Vaultier), (435) 1

Synthesis and solution properties of the boron-containing clusters $HM_4(CO)_{12}BAu_2$(dppf) (M = Fe or Ru) and the competitive formation of {$HM_4(CO)_{12}BHAu$}$_2$(dppf) for M = Ru (dppf = 1,1′-bis(diphenylphosphino)ferrocene). Molecular structure of $HRu_4(CO)_{12}BAu_2$(dppf) · 2 $CHCl_3$ (S.M. Draper, C.E. Housecroft and A.L. Rheingold), (435) 9

Synthesis and structural characterization of cycloborasiloxanes: the X-ray crystal structures of *cyclo*-1,3,3,5,5-pentaphenyl-1-bora-3,5-disiloxane and *cyclo*-1,3,3,5,7,7-hexaphenyl-1,5-dibora-3,7-disiloxane (B.J. Brisdon, M.F. Mahon, K.C. Molloy and P.J. Schofield), (436) 11

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the {$C_2B_8H_9X$} ligand, where X = H and Ph (J.D. Kennedy, K. Nestor, B. Štíbr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

Indenyl carbametallaboranes. III. The synthesis and characterization of novel rhodium carbaborane compounds with 3-($C_2B_9$)-8-{($C_9H_6$)Rh($C_9H_7$)}-3,1,2-*closo*-$RhC_2B_9$, 10-{($C_9H_6$)Rh($C_9H_7$)}-7,8-*nido*-$C_2B_9$, 9-{($C_9H_6$)Rh($C_9H_7$)}-7,8-*nido*-$C_2B_9$ and 3-($\eta$-$C_9H_7$)-3,1,2-*closo*-$RhC_2B_9$ structures (Z.G. Lewis and A.J. Welch), (438) 353

Methylphenylborohydride salts and methylphenylborane: new reagents for preparing methylphenylborane derivatives (Z. Wang, C. Narayana, P.P. Wadgaonkar and G.W. Kabalka), (440) 243

Sodium tetraphenylborate as a phenylating reagent in the palladium-catalyzed phenylation of alkenes and acid chlorides (C.S. Cho, K. Itotani and S. Uemura), (443) 253

Asymmetric catalysis. LXXX. An optically-active tetrakispyrazolylborate: Synthesis and use in Cu-catalysed enantioselective cyclopropanation (H. Brunner, U.P. Singh, T. Boeck, S. Altmann, T. Scheck and B. Wrackmeyer), (443) C16

A new type of stabilized carbonucleophiles with a carboranyl group (S.C. Shim, J.G. Shim, S.Y. Chae, S.Y. Lee and V.N. Kalinin), (443) C22

B–C bond formation by ene-type reactions of dimethylaminobis(trifluoromethyl)borane with nitriles and carbonyl compounds. Crystal structure of ($NCCH_2$)($CF_3$)$_2$B · $NHMe_2$ (A. Ansorge, D.J. Brauer, H. Bürger, T. Hagen and G. Pawelke), (444) 5

Trisubstituted alkenes from alkynes and aryl iodides by boron-to-zinc transmetallation and palladium(0) catalyzed cross coupling (K.A. Agrios and M. Srebnik), (444) 15

Photochemistry of tris(dimethylpyrazolyl)-boratorhodium dicarbonyl and bis(dimethylpyrazolyl)-boratorhodium dicarbonyl complexes in low temperature media at 12–298 K: some insights into C–H activation processes (P.E. Bloyce, J. Mascetti and A.J. Rest), (444) 223

Stereoselective synthesis of allylic boronates via palladium-catalyzed cross-coupling reaction of Knochel's (dialkoxyboryl)methylzinc reagents with 1-halo-1-alkenes (T. Watanabe, N. Miyaura and A. Suzuki), (444) C1

Formation and instability of an $\alpha$-acetoxyborane (J.L. Hubbard), (445) 7

Synthesis, molecular structure and NMR behaviour of [9,9-($PMe_2Ph$)$_2$-*arachno*-9,6,8-$PtS_2B_7H_7$]: Direct evidence for the ten-vertex borane vertex-flip mechanism of isomerization (J.H. Jones, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett, B. Štíbr and H. Langhoff), (445) C15

The ammine complex of tris(trifluoromethyl)borane, and some N-acyl derivatives. Crystal structure of $(CF_3)_3B \cdot NH_3$ and $(CF_3)_3B \cdot NH{=}CHN(CH_3)_2$ (A. Ansorge, D.J. Brauer, H. Bürger, B. Krumm and G. Pawelke), (446) 25

Synthesis and second-order nonlinear optical properties of three coordinate organoboranes with diphenylphosphino and ferrocenyl groups as electron donors: crystal and molecular structures of $(E)$-D–CH=CH–B(mes)$_2$ and D–C≡C–B(mes)$_2$ [D = P(C$_6$H$_5$)$_2$, ($\eta$-C$_5$H$_5$)Fe($\eta$-C$_5$H$_4$); mes = 2,4,6-(CH$_3$)$_3$C$_6$H$_2$] (Z. Yuan, N.J. Taylor, Y. Sun, T.B. Marder, I.D. Williams and L.-T. Cheng), (449) 27

Convenient method for the preparation of catecholborane and promotion of the formation of alkenyl catecholborane using $BH_3$ complexes (Y. Suseela and M. Periasamy), (450) 47

Crystal structure of Fe($\eta^6$-C$_5$H$_5$BCMe$_3$)$_2$, a "problem structure" (M.R. Churchill and R.F. See), (450) 171

## Cadmium

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of Zn[C(SiMe$_3$)$_2$(SiMe$_2$OCOCF$_3$)]$_2$ and Cd[C(SiMe$_3$)$_2$(SiMe$_2$OMe)]$_2$ (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

Chiral cyclopentadiene–cyclopentadienyl complexes of cobalt (V.P. Maryin and P.V. Petrovskii), (441) 125

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

Synthesis of phenyl(perfluoroorgano)mercury derivatives C$_6$H$_5$Hg($R_f$) [$R_f$ = C$_n$F$_{2n+1}$ ($n$ = 1–4 or 6) or C$_6$F$_5$] by the reactions of bis(perfluoroorgano)cadmium compounds with phenylmercury chloride (H. Layeghi, D. Naumann and W. Tyrra), (441) 355

Structural studies of some Group 12 metal alkyl adducts: the X-ray crystal structures of Me$_2$Zn[Me$_2$N(CH$_2$)$_2$NMe$_2$], Me$_2$Cd[Me$_2$N(CH$_2$)$_2$NMe$_2$], (Me$_3$CCH$_2$)$_2$Zn[Me$_2$N(CH$_2$)$_2$NMe$_2$] and (Me$_3$CCH$_2$)$_2$Cd[Me$_2$N(CH$_2$)$_2$NMe$_2$] (P. O'Brien, M.B. Hursthouse, M. Motevalli, J.R. Walsh and A.C. Jones), (449) 1

Low-temperature organometallic synthesis of crystalline and glassy ternary semiconductors $M^{II}M^{IV}P_2$ where $M^{II}$ = Zn and Cd, and $M^{IV}$ = Ge and Sn (S.C. Goel, W.E. Buhro, N.L. Adolphi and M.S. Conradi), (449) 9

Synthesis and characterization of sterically encumbered Li, Na, and K aryl tellurolates, and some Pt(II), Ir(I), and Cd(II) derivatives (Ph.J. Bonasia and J. Arnold), (449) 147

## Calcium

Reaction of organocalcium and -barium complexes with pyrazines. X-ray structural characterization of [(Me$_5$C$_5$)$_2$Ba]$_2$($\mu$-C$_4$H$_4$N$_2$) (R.A. Williams, T.P. Hanusa and J.C. Huffman), (429) 143

Characterization of 1 : 1 heterobimetallic complexes of ($\eta^5$-C$_5$Me$_5$)Ir(CO)$_2$ with zinc, cadmium and mercury(II) chloride and the X-ray structure determination of the 1:2 mercury complex (F.W.B. Einstein, X. Yan, X. Zhang and D. Sutton), (439) 221

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), (450) C1

## Cerium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Neue Cyclooctatetraenyl-lanthanid(III)-Komplexe (U. Kilimann und F.T. Edelmann), (444) C15

## Cesium

The preference of 1-methylallyl polar organometallics and carbanions for *cis* rather than for *trans* geometries (P. von R. Schleyer, J. Kaneti, Y.-D. Wu and J. Chandrasekhar), (426) 143

## Chalcogenides

Zur Addition von Schwefel und Selen an Dicarbonyl($\eta^5$-cyclopentadienyl)[$\eta^2$-(methylthio)methylcarben]wolfram-tetrafluoroborat (F.R. Kreißl and N. Ullrich), (426) C8

Structure and dynamics of [C$_5$H$_5$Fe(CO)$_2$(E(CH$_3$)$_2$)]BF$_4$ (E = S, Se, Te) complexes studied by $^{13}$C solid state NMR spectroscopy (A.P.M. Kentgens, H. Karrenbeld, E. De Boer and H. Schumann), (429) 99

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Trigonal-planar koordiniertes Selen bzw. Tellur in [Cp′(CO)$_2$Mn]$_2$E-Mes$^+$ (E = Se, Te): Verbindungen vom "Iniden"-Typ (P. Lau, G. Huttner und L. Zsolnai), (440) 41

Cyclopentadienyl chromium chalcogenide complexes. Synthesis of [CpCr(EPh)]$_2$E (E = S, Se) and their Cr(CO)$_5$ adducts. Crystal structures of [CpCr(SePh)]$_2$Se · 1/2C$_6$H$_6$ and [CpCr(SePh)]$_2$Se[Cr(CO)$_5$] (L.Y. Goh, M.S. Tay, Y.Y. Lim, W. Chen, Z.-Y. Zhou and T.C.W. Mak), (441) 51

Umsetzungen der lithiierten Halbsandwich-Chalkogenole, (CO)$_3$MC$_5$H$_4$–ELi (M = Mn, Re; E = S, Se, Te) (M. Herberhold und M. Biersack), (443) 1

Stereochemistry of the compounds [Fe$_3$(CO)$_9$XY]. Crystal and molecular structures of the mixed triiron carbonyl compounds [Fe$_3$(CO)$_9$XY] (X, Y = S, Se, or Te) (G. Gervasio), (445) 147

Verbrückte Diarsinidenkomplexe {[Cp′(CO)$_2$Mn]$_2$As}$_2$E (E = O, S, Se) und deren nukleophile Spaltung (C. Emmerich, G. Huttner und A. Asam), (447) 71

Substitution, nukleophile und oxidative Addition an Arsinidenkomplexe. Zur Reaktion von [Cp′(CO)$_2$Mn]$_2$AsCl mit PhSeH und verwandten Chalkogenverbindungen (C. Emmerich und G. Huttner), (447) 81

The use of phosphine chalcogenides in the preparation of cobalt chalcogenides (S.M. Stuczynski, Y.-U. Kwon and M.L. Steigerwald), (449) 167

## Chromium

Metall-$\pi$-Komplexe von Benzolderivaten. XXXVIX. Di[1,4-bis(diphenylphosphano)-$\eta^6$-benzol]chrom: ein Baustein für polynukleare Bimetallkomplexe? (Ch. Elschenbroich, J. Sebbach, B. Metz and G. Heikenfeld), (426) 173

Synthesis of isomeric benchrotrenic alkenes by Ti-induced carbonyl coupling reaction (J. Besançon, J. Szymoniak and C. Moïse), (426) 325

A study of polarities, polarisabilities and infrared spectra of LM(CO)$_5$ complexes (M = Cr, Mo or W; L = trimethylamine, quinuclidine, pyridine, *p*-methyl- or *p*-t-butylpyridine) and of the X-ray crystal structure of quinuclidine-Cr(CO)$_5$: evidence for $\pi$-acceptor behaviour of coordinated pyridine (M.J. Aroney, R.M. Clarkson, T.W. Hambley and R.K. Pierens), (426) 331

Metallorganische Lewis-Säuren. XLIV. Rheniooxy(organyl)carben-Komplexe von Chrom, Molybdän und Wolfram (P.M. Fritz, J. Breimair, B. Wagner and W. Beck), (426) 343

Synthese und Kristallstrukturanalyse von Alkinylcarbenkomplexverbrückten Dicobalthexacarbonylkomplexen (A. Wienand, H.-U. Reissig, H. Fischer, D. Pflumm and C. Troll), (427) C9

Reaktionen von Nitrosylkomplexen. XI. Überführung von $\mu$-NO- in $\mu$-$NH_2$-Liganden durch katalytische Hydrierung am Beispiel von $[Cp'Co(\mu\text{-}NO)]_2$ sowie von $[CpCr(\mu\text{-}NO)NO]_2$ (J. Müller, I. Sonn and M. Strampfer), (427) C15

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XXXIX. Synthese und dynamisches Verhalten von Tetracarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-metall(0)- und Dicarbonyl-bis($\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (S. Özkar, N.K. Tunali and C.G. Kreiter), (428) 345

Synthèse de chalcones à base de tétrathiafulvalène: RC(=O)CH=C($CH_3$)TTF, TTFC(=O)CH=C($CH_3$)R (R = TTF: $C_6H_3S_4$; Bct: $C_6H_5Cr(CO)_3$; Fc: $C_5H_4FeC_5H_5$). Propriété conductrice d'un nouveau complexe de transfert de charge TTFC(=O)CH=C($CH_3$)TTF · TCNQ (J. Besançon, A. Radecki-Sudre, J. Szymoniak and J. Padiou), (429) 335

Vapor-phase electronic absorption spectrum of ($\eta^5$-cyclopentadienyl)($\eta^5$-cycloheptatrienyl)chromium (S.Y. Ketkov), (429) C38

Synthese und strukturelle Charakterisierung von bcpm-Metallcarbonyl-Dimeren (bcpm = Biscyclopentadienylmethan) mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, J. Wachter, B. Nuber and M.L. Ziegler), (431) 143

Untersuchungen zum Einfluß des Biscyclopentadienylmethanliganden auf die Bildung von Cyclopentadienylchromsulfiden (H. Brunner, R. Graßl and J. Wachter), (431) 151

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XL. Synthese und dynamisches Verhalten von Tricarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-trimethylphosphit-metall(0)- und Dicarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-bis(trimethylphosphit)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (C.G. Kreiter, M. Kotzian, S. Özkar and I. Abu-Mour), (431) 159

Dihydropyridine-induced reductions of methyl(ethoxy)carbene complexes of chromium and tungsten: formation and X-ray crystal structure of the adduct between pyridine and the corresponding ethylidene carbene complexes (F. Cohen, R. Goumont, H. Rudler, J.C. Daran and R.A. Toscano), (431) C6

Mono et dinitrosation en position benzylique des complexes du benzène chrometricarbonyle. Synthèse directe d'oximes et d'hydroximates (M.-C. Senechal-Tocquer, D. Senechal, J.-Y. Le Bihan, D. Gentric, B. Caro, M. Gruselle et G. Jaouen), (433) 261

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Einfluß verschiedenartig substituierter Cyclopentadienylliganden auf die Chemie schwefelreicher Organometallkomplexe mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, W. Meier, J. Wachter, B. Nuber und M.L. Ziegler), (434) 63

Übergangsmetall-Stannyl-Komplexe. V. Darstellung der anionischen Stannyl-Komplexe K[($\pi$-Aromat)$(CO)_2CrSnPh_3$] und Reaktion mit Organozinnhalogeniden zu Bis(stannyl)-Komplexen ($\pi$-Aromat)$(CO)_2Cr(SnPh_3)(SnR_3)$ ($\pi$-Aromat = $C_6H_{6-n}Me_n$) (U. Schubert und J. Schubert), (434) 169

Synthese und Charakterisierung von Hydridotrispyrazolylborat-Heterobimetall-Komplexen mit Titan und Molybdän (J. Ipaktschi und W. Sulzbach), (434) 287

Symmetric *versus* unsymmetric ligand orientations in (pentadienyl)Cr(I or II)$(L)_2(L')$ species, and a spontaneous reduction of $Cr^{II}$ to $Cr^{I}$ (T.D. Newbound, A.M. Arif, D.R. Wilson, A.L. Rheingold and R.D. Ernst), (435) 73

Pentacarbonylchromium complexes containing the fluorinated isocyanide ligands $H_2FCNC$ and $HF_2CNC$ (D. Lentz and D. Preugschat), (436) 185

Reactions of silyl enol ethers with [ethoxy(phenylethynyl) carbene]chromium and -tungsten complexes (F. Camps, L. Jordi, J.M. Moretó, S. Ricart, A.M. Castaño and A.M. Echavarren), (436) 189

Oxidative addition reactions of $[Os_3(CO)_{10}(MeCN)_2]$ with 2-imine-substituted derivatives of furan, thiophene, selenophene and pyrrole (A.J. Arce, Y. De Sanctis, L. Hernandez, M. Marquez and A.J. Deeming), (436) 351

Static and dynamic structures of pentacarbonyl-chromium(0) and -tungsten(0) complexes of dithioether ligands. I. Symmetrical dithioether complexes and X-ray crystal structure of $[W(CO)_5$ ($^tBuSCH_2S^tBu$)] (E.W. Abel, K.G. Orrell, H. Rahoo, V. Šik, M.A. Mazid and M.B. Hursthouse), (437) 191

{$\eta^6$-aren$(CO)_2Cr$} als metallorganische 16-Elektronenkomplexfragmente: Synthese und Eigenschaften von Stibinidenkomplexen [{$\eta^6$-aren$(CO)_2Cr\}_2SbX$] (F. Bringewski, G. Huttner, W. Imhof und L. Zsolnai), (439) 33

Reaktionen von Komplexliganden. LII. Sechsgliedrige Aminocarben-Chelatkomplexe: Synthese, Alkin/Carben-Verknüpfung und Carbenanellierung (K.H. Dötz, A. Rau und K. Harms), (439) 263

$\eta^1$- und $\eta^2$-Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammler), (439) 279

Studies on olefin-coordinating transition metal carbene complexes. XIX. Synthesis and structural characterization of the cycloalkene ligated carbonyl-chromium and -tungsten carbene complexes (J. Chen and B. Wang), (440) 67

Conjugate additions to alkynylalkoxycarbenemetal (Cr or W) complexes (A. Llebaria, J.M. Moretó, S. Ricart, J. Ros, J.M. Viñas and R. Yáñez), (440) 79

Wittig and Reformatsky chemistry of the formyl and acetyl derivatives of ($\eta^5$-$C_5H_5$)$Mn(CO)_3$, ($\eta^5$-$C_5H_5$)$Re(CO)_3$ and ($\eta^6$-$C_6H_6$)$Cr(CO)_3$ (T.E. Bitterwolf and X. Dai), (440) 103

Electron transfer catalyzed substitution in carbonyl complexes. VI. Highly variable rates of substitution by tetracyanoethylene (B. Schwederski, W. Kaim, B. Olbrich-Deussner and T. Roth), (440) 145

$P_4$-Liganden mit maximaler Elektronendonorfähigkeit. III. Zum Reaktionsverhalten von Phosphankomplexen des Platins mit $P_4$-Phosphor (M. Scheer, M. Dargatz und A. Rufińska), (440) 327

Cyclopentadienyl chromium chalcogenide complexes. Synthesis of $[CpCr(EPh)]_2E$ (E = S, Se) and their $Cr(CO)_5$ adducts. Crystal structures of $[CpCr(SePh)]_2Se \cdot 1/2C_6H_6$ and $[CpCr(SePh)]_2Se$ $[Cr(CO)_5]$ (L.Y. Goh, M.S. Tay, Y.Y. Lim, W. Chen, Z.-Y. Zhou and T.C.W. Mak), (441) 51

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

Static and dynamic structures of pentacarbonyl-chromium(0) and -tungsten(0) complexes of dithioether ligands. II. Unsymmetrical dithioether ligand complexes of general type $[M(CO)_5(MeSCH_2$ SR)] (E.W. Abel, K.G. Orrell, H. Rahoo and V. Šik), (441) 255

Stereoselektive Additionsreaktionen von Komplex-gebundenen Phosphanen und Arsanen an Alkine (H. Lang und U. Lay), (441) 389

Kohlenwasserstoffverbrückte Komplexe. XXVI. Reaktionen von anionischen Aromatenkomplexen $[(OC)_3Cr(Ar)]^-$ mit metallorganischen Elektrophilen. Darstellung von $(OC)_3Cr(\mu\text{-}\eta^6:\eta^6\text{-}C_6H_5\text{–}C_7H_7)M(CO)_3$ (M = Cr, Mo), $(OC)_3Cr(\mu\text{-}\eta^6:\eta^5\text{-}C_6H_5\text{–}C(O)C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, $(OC)_3Cr(\mu\text{-}\eta^6:\eta^6\text{-}C_8H_5S\text{–}C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu\text{-}\eta^6:\eta^6\text{-}C_9H_7\text{–}C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu\text{-}\eta^6:\eta^6\text{-}C_{13}H_9\text{–}C_7H_7)M(CO)_3$ und $(OC)_3Cr(\mu\text{-}\eta^6:\eta^6\text{-}C_{13}H_{11}\text{–}C_7H_7)M(CO)_3$ (M = Cr, Mo, W) (J. Breimair, M. Wieser und W. Beck), (441) 429

Static and dynamic structures of pentacarbonyl-chromium(0) and tungsten(0) complexes of dithioether ligands. III. 1,3-Metallo-

tropic shifts of sulphur coordination sites (E.W. Abel, K.G. Orrell, H. Rahoo and V. Šik), (441) 441

Antiferromagnetic complexes with metal–metal bonds. XXVI. Synthesis, molecular structure and magnetic properties of mixed-metal triangular clusters, $Cp_2Cr_2(\mu\text{-}SR)(\mu_3\text{-}S)_2FeCp$(R = $CMe_3$ or Ph), and linear mixed-metal chain $CpCr(\mu\text{-}SPh)_3Fe(\mu\text{-}SPh)_3CrCp$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, G.S. Gasanov, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky and Y.T. Struchkov), (443) 101

Synthesis, structure, and chemistry of heterobimetallic phosphido-bridged complexes $CpFe(CO)_2(\mu\text{-}PPh_2)M(CO)_5$ (M = Cr, Mo, W) (S.-G. Shyu, P.-J. Lin and Y.-S. Wen), (443) 115

Übergangsmetall-substituierte Diphosphene. XXX. $\eta^1$- und $\eta^2$-Komplexe der Metallodiphosphene $(\eta^5\text{-L})(CO)_2Fe\text{–}P{=}P\text{–}Mes^*$ (L = $C_5Me_5$, $C_5Me_4Et$, $C_5Me_4{}^nBu$, 1,3-$^tBu_2C_5H_3$; $Mes^*$ = 2,4,6-$^tBu_3C_6H_2$). Röntgenstrukturanalyse von $Pt\{\eta^2\text{-}[(\eta^5\text{-}C_5Me_4Et)(CO)_2Fe\text{–}P{=}P\text{–}Mes^*]\}(PPh_3)_2$ (L. Weber, I. Schumann, H.-G. Stammler and B. Neumann), (443) 175

Synthesis and characterization of some new cobaloximes, including the first members of a new class of heterobimetallic cobaloxime complexes. Crystal structure of $[\{\eta^6\text{-}C_6H_5CH_2Co(DH)_2(py)\}Cr(CO)_3]$ (M.R. Domingo, A. Irving, Y.-H. Liao, J.R. Moss and A. Nash), (443) 233

Additionsreaktionen von $(CO)_5CrEPhH_2$ (E = P, As) an Di(ethinyl)-Phosphane und Stannane; Stufenweise Darstellung von Komplex-gebundenen 1,4-Dihetero-cyclohexa-2,5-dienen (H. Lang, U. Lay und W. Imhof), (444) 53

Subvalent Group 14 metal compounds. XV. Germanium and tin amides $M(NR_2)_2$ as ligands in carbonylchromium(0) chemistry. The crystal structure of the compounds *cis*-$[Cr(CO)_4\{Sn(NR'_2)_2\}_2]$ [M = Ge or Sn, R′ = $SiMe_3$ or $NR_2$ = $\overline{NCMe_2(CH_2)_3CMe_2}$] (S.L. Ellis, P.B. Hitchcock, S.A. Holmes, M.F. Lappert and M.J. Slade), (444) 95

Antiferromagnetic complexes with metal–metal bonds. XXVII. Synthesis, molecular structures and magnetic properties of Cr,Re-clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_3\text{-}S)Re_2(CO)_9$ and $Cp_2Cr_2(\mu_3\text{-}SCMe_3)_2(\mu_3\text{-}S)_2Re_2(CO)_6$ (A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, B. Orazsakhatov, A.A. Zharkikh, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky and Y.T. Struchkov), (444) 101

Umsetzungen von Metallorganylen mit dem capto-dativ substituierten Ethylen $H_2C{=}C(CN)(S^tButyl)$ (J. Herbig, J. Köhler, B. Nuber, H.G. Stammler und M.L. Ziegler), (444) 107

Trapping of a carbanionic intermediate in the reaction of alkynyl-alkoxy carbene metal (Cr) complexes and ethyl diethoxyacrylate (L. Jordi, J.M. Moretó, S. Ricart, J.M. Viñas, E. Molins and C. Miravitlles), (444) C28

Dichromastibacumulenium-Ionen [$\eta^6$-aren = $(CO)_2Cr{=}Sb{=}Cr(CO)_2$ aren-$\eta^6$]$^+$: Stabilität in Abhängigkeit von $\eta^6$-gebundenen Arenliganden am Chromatom (F. Bringewski, G. Huttner und L. Zsolnai), (447) 233

$^{13}C$ and $^{19}F$ NMR study on the structure and conformation of tricarbonylchromium complexes of biphenyl derivatives (P. Szczeciński and J. Zachara), (447) 241

Group IV metal–chromium complexes bridged by a benzoate group (H.-M. Gau, C.-T. Chen, T.-T. Jong and M.-Y. Chien), (448) 99

## Cobalt

Neuartige Synthesen monosubstituierter Nickelocene als Zugang zu mehrkernigen Metallocensystemen (H. Schottenberger, G. Ingram and D. Obendorf), (426) 109

Selective homolytic reactions of alkylcobaloxime with nitrogen monoxide (M. Kijima, H. Yamashita and T. Sato), (426) 399

Synthese und Kristallstrukturanalyse von Alkinylcarbenkomplexverbrückten Dicobalthexacarbonylkomplexen (A. Wienand, H.-U. Reissig, H. Fischer, D. Pflumm and C. Troll), (427) C9

Reaktionen von Nitrosylkomplexen. XI. Überführung von $\mu$-NO- in $\mu$-$NH_2$-Liganden durch katalytische Hydrierung am Beispiel von $[Cp'Co(\mu\text{-}NO)]_2$ sowie von $[CpCr(\mu\text{-}NO)NO]_2$ (J. Müller, I. Sonn and M. Strampfer), (427) C15

Charge-transfer salts of carbonylmetalates as outer-sphere ion pairs in photochemical and thermal electron transfer (C.-H. Wei, T.M. Bockman and J.K. Kochi), (428) 85

Preparation and properties of inclusion compounds of cobalt cluster complexes with $\gamma$-cyclodextrin (M. Shimada, A. Harada and S. Takahashi), (428) 199

Two-dimensional nutation $^{59}Co$ NMR of solid $Co_4(CO)_{12}$ (T. Eguchi, H. Nakayama, H. Ohki, S. Takeda, N. Nakamura, S. Kernaghan and B.T. Heaton), (428) 207

Rupture of the triple C≡C and C≡O bonds in the mixed-metal clusters with $Ni_2Mo_2$ and $Mo_4Co_3$ cores. Synthesis and molecular structures of $Cp_4Ni_2Mo_2(\mu_3\text{-}CPh)_2(\mu_3\text{-}CO)_2$ and $Cp_4Mo_4(\mu_3\text{-}OH)(\mu_3\text{-}CPh)_2(\mu_6\text{-}C)Co_3(\mu\text{-}CO)_3(CO)_3$ (A.D. Shaposhnikova, M.V. Drab, G.L. Kamalov, A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, Y.T. Struchkov and A.I. Yanovsky), (429) 109

Organoerdmetallkomplexe von *d*-Block-Elementen. IV. "Ein-Topf-Synthese" flüchtiger Organogalliocobalt-Komplexe, Molekülstruktur von {$\mu$-[3-(Diethylamino)propyl]gallio}- [bis(tetracarbonylcobalt)] (R.A. Fischer, J. Behm and T. Priermeier), (429) 275

Metal-metal bonds extended over a porphyrin ring. III. Syntheses and spectral studies of new metal–metal bonded indium porphyrin complexes, (TBPP)In–ML and (5FP)In–ML (S. Takagi, Y. Kato, H. Furuta, S. Onaka and T.K. Miyamoto), (429) 287

Synthesis, characterization, crystal structure, and solution conformation of $(-)_{436}$-($S_{Co}$,$S_C$)- $(\eta^5\text{-}C_9H_7)Co^*(C_3F_7)I(Ph_2PNHC^*H(CH_3)Ph)$, an easily resolvable chiral-at-metal complex (C. Jablonski, Z. Zhou and J.N. Bridson), (429) 379

Photochemical and thermal disproportionation of $[(CO)_4CoM(CO)_3(LL)]$ (M = Mn, Re; LL = 2,2′-bipyridine, 2-pyridinecarbaldehyde *N*-isopropylimine) complexes (H. Knoll, W.J.G. De Lange, H. Hennig, D.J. Stufkens and A. Oskam), (430) 123

Sulphur dioxide insertion into organocobaloximes: a true insertion or a case of radical chain process? (B.D. Gupta, M. Roy, M. Oberoi and V. Dixit), (430) 197

Further synthetic and structural studies on cobalt carbonyl containing antimony complexes (N.C. Norman, P.M. Webster and L.J. Farrugia), (430) 205

$S_2CPR_3$ adducts as bridging ligands in tricobalt clusters. X-Ray structure of $[Co_3(CO)_7(\mu_3\text{-}CH)(\mu_2\text{-}S_2CPCy_3)]$ (B. Alvarez, D. Miguel, V. Riera and S. García-Granda), (430) C19

Adduct between quadricyclane and ($\eta^5$-cyclopentadienyl)(1,2-benzenedithiolato)cobalt(III): formation and structure (M. Kajitani, H. Hatano, T. Fujita, T. Okumachi, H. Nagao, T. Akiyama and A. Sugimori), (430) C64

Optically active complexes of transition metals ($Rh^I$, $Ru^{II}$, $Co^{II}$ and $Ni^{II}$) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins (A. Corma, M. Iglesias, C. Del Pino and F. Sánchez), (431) 233

Use of metal complexation in the synthesis of medium-ring acetylenic lactones (S.D. Najdi, M.M. Olmstead and N.E. Schore), (431) 335

Camphor-derived alcohols as chiral auxiliaries for asymmetric Pauson–Khand bicyclizations. Enantioselective synthesis of $\alpha$-methoxyenones (X. Verdaguer, A. Moyano, M.A. Pericàs, A. Riera, A.E. Greene, J.F. Piniella and A. Alvarez-Larena), (433) 305

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Reactivity of main-group–transition-metal bonds. X. The kinetics of iodination of compounds containing one, two, three or four tin–cobalt bonds (J.R. Chipperfield, D.E. Webster and H. Yusof), (434) 53

Mercury-bridged transition-metal clusters. Synthesis of pentanuclear $Ru_3HgM$ (M = Mo, W, or Co) clusters and X-ray structure of [{$Ru_3(\mu_3,\eta^2$-ampy)$(CO)_9$}- ($\mu_3$-Hg)$Co(CO)_4$] (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123

Reactions of 1,3,5-trithiacyclohexane with tetrahedral ruthenium–cobalt clusters (S. Rossi, J. Pursiainen and T.A. Pakkanen), (436) 55

Crystal and molecular structure of [$Co(\eta^5$-$C_5H_5)(CO)_2$] (M.Y. Antipin, Y.T. Struchkov, A.N. Chernega, M.F. Meidine and J.F. Nixon), (436) 79

The reaction of diphenylphosphine, $PPh_2H$, with an alkyne-bridged dicobalt carbonyl complex; the synthesis crystal structure and reactivity of the complex [$Co_2${$\mu$-C($CO_2$Me)=CH$CO_2$Me}($\mu$-$PPh_2$)$(CO)_4$] (A.J.M. Caffyn, M.J. Mays, G. Conole, M. McPartlin and H.R. Powell), (436) 83

Cobaltcarbonyl-Komplexe von Alkinyl-Silanen (H. Lang, U. Lay und M. Weinmann), (436) 265

Alkylcobalamins: formation by enantioselective alkylation of cob(I)alamin, $^1$H NMR spectra, and conformational analysis of the alkyl group (R.J. Anderson, R.M. Dixon and B.T. Golding), (437) 227

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: [$(CO)_4$Fe($\mu$-P$^t$$Bu_2$)Rh(CO)L](Fe–Rh) (L = CO, HP$^t$$Bu_2$), [$(CO)_3$Co($\mu$-H)($\mu$-P$^t$$Bu_2$)Rh(CO)(HP$^t$$Bu_2$)](Co–Rh) (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Syntheses and characterization of tri-metal cluster compounds; X-ray structure determination of [$Co_2Mo(\mu_3$-$CC_6H_5)Br(CO)_8$(bipy)] (bipy = $\alpha$,$\alpha$-dipyridyl) (Y. Yin, H. Sun, D. Jin and Y. Zhu), (439) 45

The synthesis of dimetallic thioalkyne complexes of cobalt and molybdenum (S.C. Bennett, A. Gelling and M.J. Went), (439) 189

Synthesis and characterization of cobalt and molybdenum complexes derived from linear conjugated diynenes, triynedienes and tetraynetrienes (W.E. Lindsell, P.N. Preston and P.J. Tomb), (439) 201

Cycloadditionsreaktionen von Organometall-Komplexen. XV. [2 + 3]- und [2 + 1]-Cycloadditionsreaktionen von Carbonylrhodium- und Carbonylcobalt-Komplexen mit Nitriloxiden und Aziden. Die Kristall- und Molekülstruktur von $C_5H_5$(P$^i$$Pr_3$)RhC(O)ONC($C_6H_5$) (H. Werner, U. Brekau, O. Nürnberg und B. Zeier), (440) 389

The preparation and structures of two Ge–Co–Fe anionic clusters; [$GeCoFe_3(CO)_{14}$]$^-$ and [$Ge_2Co_5Fe_2(CO)_{22}$]$^-$ (S.G. Anema, G.C. Barris, K.M. Mackay and B.K. Nicholson), (441) 35

Chiral cyclopentadiene–cyclopentadienyl complexes of cobalt (V.P. Maryin and P.V. Petrovskii), (441) 125

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

Stereoselektive Additionsreaktionen von Komplex-gebundenen Phosphanen und Arsanen an Alkine (H. Lang und U. Lay), (441) 389

A low-valence cobalt cluster formed via capture of sulphur atom from ethanedithiol – synthesis and crystal structure of [$Co_7$($\mu_4$-S)$_3$($\mu_3$-S)$_3$($PPh_3$)$_6$Br]·$CH_3OH$ (F. Jiang, X. Lei, M. Hong, Z. Huang, B. Kang and H. Liu), (443) 229

Synthesis and characterization of some new cobaloximes, including the first members of a new class of heterobimetallic cobaloxime complexes. Crystal structure of [{$\eta^6$-$C_6H_5CH_2$Co$(DH)_2$(py)}$Cr(CO)_3$] (M.R. Domingo, A. Irving, Y.-H. Liao, J.R. Moss and A. Nash), (443) 233

Preparation and properties of cyclodextrin–metal carbonyl inclusion compounds (M. Shimada, Y. Morimoto and S. Takahashi), (443) C8

Synthesis and X-ray structure of a highly-hindered *N*-functionalized alkyl-cobalt(II) complex *trans*-[Co{C($SiMe_3$)$_2$$C_5H_4$N-2}$_2$] (W.-P. Leung, H.-K. Lee, Z.-Y. Zhou and T.C.W. Mak), (443) C39

Umsetzungen von Metallorganylen mit dem capto-dativ substituierten Ethylen $H_2C$=C(CN)(S$^t$Butyl) (J. Herbig, J. Köhler, B. Nuber, H.G. Stammler und M.L. Ziegler), (444) 107

Ein- bis dreikernige Metall-$\pi$-Derivate von Hericen mit ($Me_3P$)$_3$Fe- und CpCo-Fragmenten (F.H. Köhler und A. Steck), (444) 165

Formation of ($\eta^2$-$O_2$)Co(CO) and ($\eta^2$-$O_2$)$Co(CO)_2$ by photolysis of $Co_2(CO)_8$ in dioxygen matrices at 20 K (M.J. Almond and R.H. Orrin), (444) 199

Synthesis and crystal structure of [$Co_2(CO)_4${PhC≡CC(O)$CH_3$}$_3$]. Its role in the cyclotrimerization of 1-phenylbut-1-yn-3-one to 1,3,5-triphenyltris(carboxymethyl)benzene (G. Gervasio, E. Sappa and L. Markó), (444) 203

Synthesis of the square-bipyramidal cluster [$Co_4$($\mu_4$-SiMe)$_2$$(CO)_{11}$] by two routes and its reaction with $GeMe_2H_2$. The crystal structures of [$Co_4$($\mu_4$-SiMe)$_2$$(CO)_{11}$] and [$Co_4$($\mu_4$-SiMe)$_2${$\mu$-$GeMe_2$}$(CO)_{10}$] (S.G. Anema, S. Kim Lee, K.M. Mackay and B.K. Nicholson), (444) 211

Ligand exchange in cyclopentadienylcobalt diselenolenes. Isolation and characterization of the $Se_3$-chelate, $C_5H_5$Co[($SeC_8H_{12}$)$_2$Se] (C.P. Morley and R.R. Vaughan), (444) 219

Neue Cyclooctatetraenyl-lanthanid(III)-Komplexe (U. Kilimann und F.T. Edelmann), (444) C15

1,1′-Bis(diphenylphosphino)ferrocene ligand substitution in the benzylidyne-capped cluster $PhCCo_3(CO)_9$. Synthesis, X-ray structure, and redox reactivity of $PhCCo_3(CO)_7$(dppf) (W.H. Watson, A. Nagl, S. Hwang and M.G. Richmond), (445) 163

Coordination of a tripodal phosphine sulphide $P_2S$ towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), (445) 171

Synthetic pathways for selective introduction of a dicobalt hexacarbonyl cluster into a polyfunctional molecule: methotrexate (M. Salmain and G. Jaouen), (445) 237

Sterically crowded $PhCCo_3(CO)_9$ derivatives: X-ray structures of the mono- and bis-diphenylphosphinomethane substitution products (A.J. Downard, B.H. Robinson and J. Simpson), (447) 281

Relative metal-ion affinities of alkylamines in the gas-phase (L.-Z. Chen and J.M. Miller), (448) 225

Formation of a high surface area, regular porous solid from the cluster of clusters, $Zn_4^{II}O[(CO)_9Co_3CCO_2]_6$ (W. Cen, B. Ladna, T.P. Fehlner, A.E. Miller and D. Yue), (449) 19

Study of CoGa deposition from the single source precursor $(CO)_4CoGaCl_2$ (THF) (F. Maury, L. Brandt and H.D. Kaesz), (449) 159

The use of phosphine chalcogenides in the preparation of cobalt chalcogenides (S.M. Stuczynski, Y.-U. Kwon and M.L. Steigerwald), (449) 167

Reactivity of tri- and tetra-nuclear ethylidyne cyclopentadienylcobalt clusters towards protonic acids (H. Wadepohl and H. Pritzkow), (450) 9

Formation of the unusual alkynyl carboxamide complex, $C_2H_5$N(H)C(O)C≡C[$Co_2(CO)_6$]$CCo_3(CO)_9$ (G.H. Worth, B.H. Robinson and J. Simpson), (450) 219

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), (450) 229

## Copper

Substitution of the acetoxy groups of dialkoxymethylacetates by organometallic reagents: a route to allyl-, propargyl-, homoallyl-, homopropargyl- and $\alpha$-stannylacetals (I. Beaudet, A. Duchêne, J.-L. Parrain and J.-P. Quintard), (427) 201

Fast-atom bombardment (FAB) mass spectra of coordination complexes: aggregation processes in the mass spectra of Group 11 alkynyl complexes (M.I. Bruce and M.J. Liddell), (427) 263

Chemie polyfunktioneller Moleküle. CIX. Synthese, Molekül- und Kristallstruktur des über (NH $\cdots$ O)- und (OH $\cdots$ NC)-Wasserstoffbrückenbindungen verknüpften tetraedrischen Chelatkomplexes $[Cu(CN)(Ph_2P–NH–PPh_2)PPh_3]\cdot CH_3OH$ (J. Ellermann, F.A. Knoch, K.J. Meier and M. Moll), (428) C44

Trimethylsilylcyclooctadiene-transition metal complexes: metal-catalysed protodesilylation of cyclic vinylsilanes, and transfer hydrogenation promoted by the displaced silyl group (B.S. Bandodakar and G. Nagendrappa), (430) 373

Palladium- and light-enhanced ring-opening of oxiranes by copper chloride (J. Muzart and A. Riahi), (433) 323

Ethinylferrocene durch direkte Einführung von Acetylenen (M. Buchmeiser und H. Schottenberger), (436) 223

Chemistry of iridium carbonyl cluster complexes. Synthesis, chemical characterization and solid state structure of the mixed-metal carbonyl cluster $[PPh_4][Ir_6(\mu\text{-}CO)_3(CO)_{12}\{\mu_3\text{-}Cu(NCMe)\}]\cdot CH_2Cl_2$ and its conversion to the dianion $[Ir_{12}(CO)_{26}]^{2-}$ (R. Della Pergola, L. Garlaschelli, F. Demartin, M. Manassero and N. Masciocchi), (436) 241

Stereoselective opening of chiral $\alpha$-stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Synthesis, electrochemistry and complexation studies of new redox active bisferrocene acyclic and macrocyclic thioethers (P.D. Beer, J.E. Nation, M.E. Harman and M.B. Hursthouse), (441) 465

Asymmetric catalysis. LXXX. An optically-active tetrakispyrazolylborate: Synthesis and use in Cu-catalysed enantioselective cyclopropanation (H. Brunner, U.P. Singh, T. Boeck, S. Altmann, T. Scheck and B. Wrackmeyer), (443) C16

Exclusive $\beta$-hydrosilylation of acrylates catalyzed by copper-tetramethylethylenediamine (P. Boudjouk, S. Kloos and A.B. Rajkumar), (443) C41

A novel high nuclearity bimetallic cluster: the crystal structure of $[N(PPh_3)_2][Ag_6Cu_7(C_2Ph)_{14}]$ (M.S. Hussain and O.M. Abu-Salah), (445) 295

Chemistry of copper(I) $\beta$-diketonate complexes. VI. Synthesis, characterization and chemical vapor deposition of 2,2-dimethyl-6,6,7,7,8,8,8-heptafluoro-3,5-octanedione (fod), copper(I)L complexes and the solid state structure of (fod)Cu($PMe_3$) (K.M. Chi, T.S. Corbitt, M.J. Hampden-Smith, T.T. Kodas and E.N. Duesler), (449) 181

A comparison of heterometallic alkoxide molecules containing copper(I) or copper(II) and zirconium (B.A. Vaartstra, J.A. Samuels, E.H. Barash, J.D. Martin, W.E. Streib, C. Gasser and K.G. Caulton), (449) 191

## Erbium

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXIII. Esteraddukte des Grundkörpers Tris($\eta^5$-cyclopentadienyl)-lanthan(III)—ideale Wirtsgitter für einkristalloptische Untersuchungen von Lanthanoid-Ionen in metallorganischer Umgebung (H. Schulz und H.-D. Amberger), (443) 71

## Europium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

The first examples of intermolecular weak (agostic) $\gamma$-methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of $[\{Yb(\eta\text{-}Cp'')_2\}_\infty]$ and $[\{Eu(\eta\text{-}Cp'')_2\}_\infty]$ [$Cp'' = C_5H_3(SiMe_3)_2$-1,3] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

## Gadolinium

Synthesis and crystal structure of $(C_9H_7GdCl_2\cdot 3THF)THF$ (F. Gao, G. Wei, Z. Jin and W. Chen), (438) 289

## Gallium

Organoerdmetallkomplexe von *d*-Block-Elementen. IV. "Ein-Topf-Synthese" flüchtiger Organogalliocobalt-Komplexe, Molekülstruktur von {$\mu$-[3-(Diethylamino)propyl]gallio}- [bis(tetracarbonylcobalt)] (R.A. Fischer, J. Behm and T. Priermeier), (429) 275

Unusual intramolecular hydrogen bonding in $Cy_2GaBrNH_2Ph$. The first structurally characterized dialkyl gallium halide primary amine adduct (D.A. Atwood, A.H. Cowley and R.A. Jones), (430) C29

Synthesis and characterization of alkylaluminum and -gallium derivatives of thiomorpholine. Molecular structures of $Me_3Al\cdot N(H)C_4H_8S$ and $[Et_2Al(\mu\text{-}NC_4H_8S)]_2$ (M. Taghiof, D.G. Hendershot, M. Barber and J.P. Oliver), (431) 271

Ligand redistribution reactions of $Me_2Ga(C_5H_5)$ and $MeGa(C_5H_5)_2$ (O.T. Beachley, Jr., T.L. Royster, Jr. and J.R. Arhar), (434) 11

Primary amide and amine complexes of gallium and indium: X-ray crystal structures of $[Me_2Ga(\mu\text{-}NH(^tBu))]_2$, $Me_3Ga\cdot NH_2(^tBu)$ and $Me_3In\cdot NH_2(^tBu)$ (D.A. Atwood, R.A. Jones, A.H. Cowley, S.G. Bott and J.L. Atwood), (434) 143

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl($\eta^5$-cyclopentadienyl)nickel] zum Carbonyl($\eta^5$-cyclopentadienyl)nickel-Anion durch $C_8K$. Synthese und Struktur von $(\eta^5\text{-}C_5H_5)(CO)Ni–Ga[CH_2C(CH_3)_3]_2(OC_4H_8)$ (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Organometallic precursors to the formation of GaN by MOCVD: structural characterisation of $Me_3Ga\cdot NH_3$ by gas-phase electron diffraction (M.J. Almond, C.E. Jenkins, D.A. Rice and K. Hagen), (439) 251

Synthesis of the first diarsadigalletane (D.A. Atwood, A.H. Cowley, R.A. Jones and M.A. Mardones), (439) C33

Bis(diisopropylgalliumdiisopropylphosphid) und -arsenid. Kristallstruktur des Phosphidderivats— ein "angedeuteter" butterfly (G.G. Hoffmann, R. Fischer, U. Schubert und B. Hirle), (441) 7

Synthesis and properties of pentafluorophenylgallium derivatives. The preparation of tris(pentafluorophenyl)gallium and its adducts, and of bis(pentafluorophenyl)gallium bromide, pentafluorophenylgallium dibromide, and tetrabutylammonium tetrakis(pentafluorophenyl)gallate (K. Ludovici, W. Tyrra and D. Naumann), (441) 363

Organometallic precursors for the formation of gallium nitride by metal organic chemical vapour deposition. Thermal decomposition of trineopentyl gallium and of its adducts with ammonia, dimethylamine and t-butylamine (M.J. Almond, C.E. Jenkins and D.A. Rice), (443) 137

Darstellung und Eigenschaften der t-Butylgalliumbromide und -iodide. Struktur von Di(t-butyl)galliumiodid (G.G. Hoffmann, D. Hellert und M. Warren), (444) 21

Reaction of $Me_3Ga$ and $Me_3Al$ with the tertiary-tetraaza analog of adamantane, hexamethylenetetramine ($N_4$-Ada). Syntheses and molecular structures of $[(Me_3M)_n \cdot N_4\text{–Ada}]$ ($n$ = 1–4, M = Ga or Al) (J.B. Hill, S.J. Eng, W.T. Pennington and G.H. Robinson), (445) 11

Tertiary phosphine adducts of alane and gallane (F.M. Elms, M.G. Gardiner, G.A. Koutsantonis, C.L. Raston, J.L. Atwood and K.D. Robinson), (449) 45

Synthesis, characterization, and reactivity of new alkylgallium acetylides (K.E. Lee and K.T. Higa), (449) 53

Synthesis and characterization of bridged dimeric and trimeric Group 13/15 complexes containing primary phosphido $[(^tBu)PH]^-$ and arsenido $[(^tBu)AsH]^-$ units (D.A. Atwood, A.H. Cowley, P.R. Harris, R.A. Jones, S.U. Koschmieder and C.M. Nunn), (449) 61

Gallium and indium compounds containing three different substituents. Crystal and molecular structure of $[(Me_3CCH_2)ClGa\text{-}PPh_2]_3$ (O.T. Beachley, Jr., J.D. Maloney and R.D. Rogers), (449) 69

Study of CoGa deposition from the single source precursor $(CO)_4CoGaCl_2$ (THF) (F. Maury, L. Brandt and H.D. Kaesz), (449) 159

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), (450) 53

## Germanium

Fast atom bombardment mass spectra of silatranes and silocanes (I. Mažeika, S. Grīnberga, A.P. Gaukhman, G.I. Zelchan and E. Lukevics), (426) 41

Tetra-*p*-tolyl-Verbindungen *p*-$Tol_4Si$ und *p*-$Tol_4Ge$: ein Beitrag zur Konfiguration der Tetraaryl-Methan-Analoga $Ar_4M$ (M = C, Si, Ge, Sn, Pb) (M. Charissé, S. Roller and M. Dräger), (427) 23

Synthesis and reactivity of germyliron complexes $[Ph_2HGeFe(\eta^5\text{-}C_5H_5)(CO)_2]$ and $[RH_2GeFe(\eta^5\text{-}C_5H_5)(CO)_2]$ (R = Ph or 2,4,6-$Me_3C_6H_2$) (A. Castel, P. Rivière, M. Ahbala, J. Satgé, M. Soufiaoui and N. Knouzi), (427) 91

Reactions of pentafluorophenyl germanium hydrides with nickelocene (L.V. Pankratov, V.I. Nevodchikov, L.N. Zakharov, M.N. Bochkarev, I.V. Zdanovich, V.N. Latyaeva, A.N. Lineva, A.S. Batsanov and Y.T. Struchkov), (429) 13

Sur la stabilisation d'une germa-imine par effet stérique et mésomérie (M. Rivière-Baudet and A. Morère), (431) 17

Si-, Ge- and Sn-diine derivatives in 1,3-dipolar cycloaddition reactions (A.D. Jurayev, A.G. Makhsumov, K. Yuldasheva and M.A. Tolipova), (431) 129

Gas phase ion-molecule reactions in methylgermane/oxygen, /ammonia, and /unsaturated hydrocarbon systems (L. Operti, M. Splendore, G.A. Vaglio, P. Volpe, M. Speranza and G. Occhiucci), (433) 35

Nouveaux aryldihydrogermyllithium (A. Castel, P. Rivière, J. Satgé et D. Desor), (433) 49

Multinuclear NMR spectroscopic studies of some organometallic N-substituted anilines (B.K. Barr, A.J. Herman, L.K. Myers, P.I. Young, C.D. Schaeffer, Jr., H.J. Eppley, J.C. Otter and C.H. Yoder), (434) 45

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Amination of vinylsilanes and vinylgermanes containing an activated double bond (V. Dirnens, D.I. Barabanov, E. Liepiņš, L.M. Ignatovich and E. Lukevics), (435) 257

Addition of sulphenyl halides to alkenyl–metal compounds. III. Arenesulphenyl chloride additions to triethoxy- and triphenylvinylsilanes and to triphenylvinylgermanium. Crystal structure of $(4\text{-Me-2-}O_2NC_6H_3S)CH(SiPh_3)CH_2Cl$ (R.A. Howie, G.M. Spencer, J.L. Wardell and J.N. Low), (437) 111

Excimer laser photolysis of tetramethylgermane (J. Pola and R. Taylor), (437) 271

Verbindungen des Germaniums und Zinns. XII. Ein Telluratrigermetan durch Tellur-Insertion in ein Cyclotrigerman (M. Weidenbruch, A. Ritschl, K. Peters und H.G. von Schnering), (437) C25

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl($\eta^5$-cyclopentadienyl)nickel] zum Carbonyl($\eta^5$-cyclopentadienyl)nickel-Anion durch $C_8K$. Synthese und Struktur von $(\eta^5\text{-}C_5H_5)(CO)Ni\text{–}Ga[CH_2C(CH_3)_3]_2(OC_4H_8)$ (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Verbindungen des Germaniums und Zinns. XI. Neue viergliedrige Ringe: Thiatrigermetan, Selenatrigermetan und *N*-Phenyltrigermacyclobutanimin (M. Weidenbruch, A. Ritschl, K. Peters und H.G. von Schnering), (438) 39

Bis(4-fluorophenyl)methyl(1*H*-1,2,4-triazol-1-yl-methyl)germane, a germanium analogue of the agricultural fungicide flusilazole: synthesis and biological properties (R. Tacke, B. Becker, D. Berg, W. Brandes, S. Dutzmann and K. Schaller), (438) 45

Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115

$^{13}C$ NMR studies of silyl and germyl complexes of rhodium and iridium containing carbonyl ligands (E.A.V. Ebsworth and S. Moreton), (439) 213

The preparation and structures of two Ge–Co–Fe anionic clusters; $[GeCoFe_3(CO)_{14}]^-$ and $[Ge_2Co_5Fe_2(CO)_{22}]^-$ (S.G. Anema, G.C. Barris, K.M. Mackay and B.K. Nicholson), (441) 35

Cleavage of Si–C and Ge–C bonds in heterylsilanes and -germanes by organolithium reagents (V. Gevorgyan, L. Borisova and E. Lukevics), (441) 381

Synthesis of stanna- and germa-cycloheptatrienes (Y. Nakadaira, R. Sato and H. Sakurai), (441) 411

Etude comparative des réactions par transfert monoélectronique entre les germylamines primaires, secondaires et tertiaires et la 3,5-di-tert-butylorthoquinone (M. Riviere-Baudet, A. Morere et A. Khallaayoun), (443) 43

Etude du transfert monoélectronique entre des germylanions et des piégeurs de spin dia et paramagnétiques (P. Rivière, A. Castel, D. Desor et C. Abdennadher), (443) 51

Sila-Riechstoffe und Riechstoffisostere. XII. Geruchsvergleiche homologer Organoelementverbindungen der vierten Hauptgruppe (C, Si, Ge, Sn) (U. Wannagat, V. Damrath, V. Huch, M. Veith und U. Harder), (443) 153

Subvalent Group 14 metal compounds. XV. Germanium and tin amides $M(NR_2)_2$ as ligands in carbonylchromium(0) chemistry. The crystal structure of the compounds *cis*-$[Cr(CO)_4\{Sn(NR'_2)_2\}_2]$ [M = Ge or Sn, R' = $SiMe_3$ or $NR_2$ = $\overline{NCMe_2(CH_2)_3CMe_2}$] (S.L. Ellis, P.B. Hitchcock, S.A. Holmes, M.F. Lappert and M.J. Slade), (444) 95

Synthesis of the square-bipyramidal cluster $[Co_4(\mu_4\text{-}SiMe)_2(CO)_{11}]$ by two routes and its reaction with $GeMe_2H_2$. The crystal structures of $[Co_4(\mu_4\text{-}SiMe)_2(CO)_{11}]$ and $[Co_4(\mu_4\text{-}SiMe)_2\{\mu\text{-}GeMe_2\}(CO)_{10}]$ (S.G. Anema, S. Kim Lee, K.M. Mackay and B.K. Nicholson), (444) 211

Über gemischte Gruppe 14–Gruppe 14-Bindungen. V. Sechs Perphenylierte Propan-Analoga $Ph_3M\text{–}M'Ph_2\text{–}M''Ph_3$ (M, M', M'' = Si/Ge): ein Beitrag zum Elektronegativitätsunterschied zwischen Silicium und Germanium (M. Charissé, M. Mathes, D. Simon und M. Dräger), (445) 39

Chemistry of heavy carbene analogues $R_2M$ (M = Si, Ge, Sn). XVII. Reactions of free dimethylgermylene with H-acidic compounds and donors (B. Klein, W.P. Neumann, M.P. Weisbeck and S. Wienken), (446) 149

Complexes du fer hydro-digermaniés: $[R_2HGeGeR_2Fe(\eta^5\text{-}C_5H_5)(CO)_2]$ (R = Et, Ph) — étude photolytique (A. Castel, P.

Rivière, M. Ahbala, J. Satgé, M. Soufiaoui et N. Knouzi), (447) 123

Sila et germacyclopentanes *C*-bifonctionnels. I. 1-Sila et 1-germacyclopentan-2,3 et 3,4-diols (G. Manuel et R. Boukherroub), (447) 167

Über gemischte Gruppe 14–Gruppe 14-Bindungen. VII. Ein Inkrementsystem für $^{13}$C-NMR chemische Verschiebungen bei arylierten Gruppe 14-Verbindungen (C. Schneider-Koglin, B. Mathiasch und M. Dräger), (448) 39

Substitution of fluorine in $C_6F_5X$ (X = COOMe, $CF_3$, CN, $NO_2$) and pentafluoropyridine by the triethylgermyl group (V.V. Bardin, L.S. Pressman and G.G. Furin), (448) 55

Low-temperature organometallic synthesis of crystalline and glassy ternary semiconductors $M^{II}M^{IV}P_2$ where $M^{II}$ = Zn and Cd, and $M^{IV}$ = Ge and Sn (S.C. Goel, W.E. Buhro, N.L. Adolphi and M.S. Conradi), (449) 9

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), (450) 53

Chemie der schweren Carben-Analogen $R_2M$, M = Si, Ge, Sn. XVIII. Eine unerwartete Ge–C-Spaltung des als Dimethylgermylen-Speicher dienenden 7,7-Dimethyl-7-germanorbornadiens (B. Klein und W.P. Neumann), (450) 91

## Gold

Metal-ion dependent reactivity of 2-(2′-thienyl)pyridine (Hthpy) (E.C. Constable and L.R. Sousa), (427) 125

Übergangsmetall-Silyl-Komplexe. XLII. Einfluß des Phosphan-Liganden auf Bildung, Struktur und Stabilität der Hetero-Zweikernkomplexe $(CO)_3(R'_3P)(R_3Si)Fe–ML_n$ (M = Cu, Ag, Au, Hg) (G. Reinhard, B. Hirle and U. Schubert), (427) 173

Fast-atom bombardment (FAB) mass spectra of coordination complexes: aggregation processes in the mass spectra of Group 11 alkynyl complexes (M.I. Bruce and M.J. Liddell), (427) 263

Chemistry of hexaruthenium carbidocarbonyl cluster complexes. Syntheses and X-ray crystal structures of $Ru_6C(CO)_{15}(\mu\text{-SePh})(\mu\text{-AuPPh}_3)$, $Ru_6C(CO)_{14}(\mu\text{-SePh})_2$, and $Ru_6C(CO)_{14}(\mu\text{-SePh})(\mu,\eta^3\text{-}C_3H_5)$ (T. Chihara and H. Yamazaki), (428) 169

Synthesis, structure and properties of dimethyl(alkoxycarbonyl)gold(III) complexes having a triphenylphosphine ligand (S. Komiya, T. Sone, S. Ozaki, M. Ishikawa and N. Kasuga), (428) 303

The gold(I)-catalyzed aldol reaction utilizing chiral ferrocenylamine ligands: synthesis of *N*-benzyl-substituted ligands (S.D. Pastor, R. Kesselring and A. Togni), (429) 415

Stereoselective formation and reactions of tetraalkylaurates(III) (S. Komiya, S. Ozaki, I. Endo, K. Inoue, N. Kasuga and Y. Ishizaki), (433) 337

Asymmetrical monocationic or neutral gold(II) complexes: X-ray crystal structure of $[(C_6F_5)Au(CH_2PPh_2CH_2)_2AuPPh_3]ClO_4 \cdot 0.5CH_2Cl_2$ (A. Laguna, M. Laguna, J. Jiménez, F.J. Lahoz and E. Olmos), (435) 235

The synthesis and characterization of $\sigma$-bonded gold carbaborane compounds: *closo*-carbaboranes as good $\sigma$-donor ligands (B.D. Reid and A.J. Welch), (438) 371

The use of bis(diphenylphosphinoacetylene) and its digold derivative as linking groups in osmium cluster chemistry. Crystal structures of $[\{Os_3(CO)_{11}\}_2(dppa)]$, $[Os_3(CO)_{10}(dppa)]_2$ and $[Os_4H(CO)_{12}Au(dppa)]_2$ (dppa = $Ph_2PC{\equiv}CPPh_2$) (A.J. Amoroso, B.F.G. Johnson, J. Lewis, A.D. Massey, P.R. Raithby and W.T. Wong), (440) 219

Syntheses of gold–manganese and gold–rhenium clusters, $[(Ph_3PAu)_3M(CO)_4]$ and $[(Ph_3PAu)_4M(CO)_4]^+$ (M = Mn, Re), and the crystal structure of $[(Ph_3PAu)_4Mn(CO)_4]BF_4$ (B.K. Nicholson, M.I. Bruce, O. Bin Shawkataly and E.R.T. Tiekink), (440) 411

Neutral or cationic ($\mu$-methylene)bisylide digold(III) complexes (M. Bardají, M.C. Gimeno, J. Jiménez, A. Laguna, M. Laguna and P.G. Jones), (441) 339

Synthesis and structural characterisation of some triangular and tetrahedral mixed metal platinum–gold clusters (C.M. Hill, D.M.P. Mingos, H. Powell and M.J. Watson), (441) 499

Monomeric to polymeric gold(I) complexes from bifunctional ligands $R_2PC{\equiv}CH$ (G. Jia, R.J. Puddephatt and J.J. Vittal), (449) 211

## Hafnium

Planar tetracoordinate carbon stabilized in a dimetallic hafnium/aluminium compound: formation and crystal structure of $Cp_2Hf[\mu\text{-}\eta^1:\eta^2\text{-}MeCC(C_6H_{11})][\mu\text{-}CC(C_6H_{11})]AlMe_2$ (M. Albrecht, G. Erker, M. Nolte and C. Krüger), (427) C21

Agostic interaction in early transition metal alkyls and their role in catalytic activity for olefin polymerizations (K. Mashima and A. Nakamura), (428) 49

Base-free cationic 14-electron alkyls of Ti, Zr and Hf as polymerisation catalysts: a comparison (M. Bochmann and S.J. Lancaster), (434) C1

Preparation and crystal structures of the complexes $(\eta^5\text{-}C_5H_4CMe_2\text{-}\eta^5\text{-}C_{13}H_8)MCl_2$ (M = Zr, Hf) and their role in the catalytic formation of syndiotactic polypropylene (A. Razavi and J. Ferrara), (435) 299

Ferrocenhaltige Liganden in der Lanthanid-Chemie: Alkoxide und Thiolate (H. Gornitzka, F.T. Edelmann und K. Jacob), (436) 325

Condensation of primary silanes in the presence of $Cp_2MCl_2/{}^nBuLi$ (M = Ti, Zr, Hf) (J.Y. Corey and X.-H. Zhu), (439) 1

Heterozyklen als Liganden. XVI. $(2,5\text{-}C_4{}^tBu_2RHN)MCl_3$ (M = Ti, Zr, Hf; R = H, $SiMe_3$)—Azacyclopentadienyl-Komplexe der Gruppe 4-Metalle (N. Kuhn, S. Stubenrauch, R. Boese und D. Bläser), (440) 289

## Holmium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

## Indium

Metal-metal bonds extended over a porphyrin ring. III. Syntheses and spectral studies of new metal–metal bonded indium porphyrin complexes, (TBPP)In–ML and (5FP)In–ML (S. Takagi, Y. Kato, H. Furuta, S. Onaka and T.K. Miyamoto), (429) 287

Die Molekül- und Kristallstruktur von $(CH_3)_2InN_2C_3H_3$ (H.-D. Hausen, K. Locke and J. Weidlein), (429) C27

Primary amide and amine complexes of gallium and indium: X-ray crystal structures of $[Me_2Ga(\mu\text{-}NH({}^tBu))]_2$, $Me_3Ga \cdot NH_2({}^tBu)$ and $Me_3In \cdot NH_2({}^tBu)$ (D.A. Atwood, R.A. Jones, A.H. Cowley, S.G. Bott and J.L. Atwood), (434) 143

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl($\eta^5$-cyclopentadienyl)nickel] zum Carbonyl($\eta^5$-cyclopentadienyl)nickel-Anion durch $C_8K$. Synthese und Struktur von $(\eta^5\text{-}C_5H_5)(CO)Ni–Ga[CH_2C(CH_3)_3]_2(OC_4H_8)$ (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Synthese und Charakterisierung von $^iPr_2InF$ und $[K(15\text{-Krone-}5)_2][^iPr_2InCl_2]$. Die Kristallstrukturen von $[^iPr_2InCl]_\infty$ und $[K(15\text{-Krone-}5)_2][^iPr_2InCl_2]$ (B. Neumüller, F. Gahlmann, M. Schäfer und S. Magull), (440) 263

$(CH_3)_3In \cdot 1,4\text{-}X_2C_4H_8$ (mit X = O, S), zwei stabile Addukte mit Kettenstruktur (J. Blank, H.-D. Hausen, W. Schwarz und J. Weidlein), (443) 145

Die Kristallstruktur von $[(CH_3)_2InCN]_\infty$ (J. Blank, H.-D. Hausen und J. Weidlein), (444) C4

Gallium and indium compounds containing three different substituents. Crystal and molecular structure of $[(Me_3CCH_2)ClGaPPh_2]_3$ (O.T. Beachley, Jr., J.D. Maloney and R.D. Rogers), (449) 69

Raman spectroscopic studies of gas phase $Me_3In$, $Et_3In$ and $EtMe_2In$ (Z.S. Huang, C. Park and T.J. Anderson), (449) 77

Synthesis, isolation, and characterization of dimeric compounds containing two different exocyclic ligands on the Group 13 center. X-Ray crystal structures of $[R(Me_3SiCH_2)InE(SiMe_3)_2]_2$ (R = Ph, E = As; R = Me, E = As, P; R = Cl, E = P) (R.L. Wells, A.T. McPhail, L.J. Jones III and M.F. Self), (449) 85

Indium tert-butylthiolates as single source precursors for indium sulfide thin films: is molecular design enough? (A.N. MacInnes, M.B. Power, A.F. Hepp and A.R. Barron), (449) 95

An indium-phosphorus heterocubane as a new type of indium phosphide precursor (D.A. Atwood, A.H. Cowley, R.A. Jones and M.A. Mardones), (449) C1

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), (450) 53

## Iridium

Synthesis and X-ray structure of the heteronuclear cluster, $(\mu\text{-}H)_2(\eta^5\text{-}C_5H_5)IrOs_3(CO)_{10}$ (L.-Y. Hsu, W.-L. Hsu, D.A. McCarthy, J.A. Krause, J.-H. Chung and S.G. Shore), (426) 121

Chemoselective asymmetric hydrogenation of $\alpha,\beta$-unsaturated carbonyl compounds to allylic alcohols catalysed by [Ir(binap)(cod)]$BF_4$–aminophosphine (K. Mashima, T. Akutagawa, X. Zhang, H. Takaya, T. Taketomi, H. Kumobayashi and S. Akutagawa), (428) 213

Hydride addition to and reduction of $Cp^*Ir(\eta^6\text{-}BT)^{2+}$ and $Cp^*Ir(\eta^6\text{-}DBT)^{2+}$, where BT = benzo[*b*]thiophene and . DBT = dibenzothiophene (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), (428) 415

Spectroscopic investigations of catalytic iridium carbonyl species in sodium chloroaluminate melts (L.J. Tortorelli, P.A. Flowers, B.L. Harward, G. Mamantov and L.N. Klatt), (429) 119

A convenient lactonization of diols to $\gamma$- and $\delta$-lactones catalyzed by transition metal polyhydrides (Y. Lin, X. Zhu and Y. Zhou), (429) 269

Binuclear hydroxo-, methoxo-, and pyrazolate-bridged complexes of ruthenium(II). Molecular structure of $[\{(p\text{-cymene})Ru\}_2(\mu\text{-pz})(\mu\text{-OH})_2]BF_4$ (*p*-cymene = *p*-$MeC_6H_4CHMe_2$, pz = pyrazolate) (D. Carmona, A. Mendoza, J. Ferrer, F.J. Lahoz and L.A. Oro), (431) 87

Reactivity studies of square planar platinum, iridium, and rhodium triflate complexes with alkynols (P.J. Stang and Y.-H. Huang), (431) 247

Geometrical isomerism arising from oxidative addition of an *o*-quinone monoimide to $IrCl(CO)(PPh_3)_2$ (P.J. Brothers, G.R. Clark, C.E.F. Rickard and H.W. Heine), (433) 203

Coordination chemistry of $[CH\{P(S)Ph_2\}_2]^-$: X-ray diffraction studies of *S,S*-chelate complexes of iridium and rhodium (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilts), (434) 241

Ligand redistribution reactions of some organometallic rhodium and iridium complexes (P.J. Stang and Y.-H. Huang), (435) 185

Surface organometallic chemistry: formation of $[Ir_8(CO)_{22}]^{2-}$ on magnesium oxide (S.D. Maloney, M.J. Kelley and B.C. Gates), (435) 377

Chemistry of iridium carbonyl cluster complexes. Synthesis, chemical characterization and solid state structure of the mixed-metal carbonyl cluster $[PPh_4][Ir_6(\mu\text{-}CO)_3(CO)_{12}\{\mu_3\text{-}Cu(NCMe)\}] \cdot CH_2Cl_2$ and its conversion to the dianion $[Ir_{12}(CO)_{26}]^{2-}$ (R. Della Pergola, L. Garlaschelli, F. Demartin, M. Manassero and N. Masciocchi), (436) 241

Decarboxylation syntheses of transition metal organometallics. VI. Preparations of polyfluorophenyliridium(I) compounds (G.B. Deacon and S.J. Faulks), (437) 239

Carbon monoxide activation by poly(1-pyrazolyl)boratoiridium complexes (M.J. Fernandez, M.J. Rodriguez and L.A. Oro), (438) 337

Electronic structure of catalytic intermediates for production of $H_2$: $(C_5Me_5)Ir(bpy)$ and its conjugated acid (M. Ladwig and W. Kaim), (439) 79

$^{13}C$ NMR studies of silyl and germyl complexes of rhodium and iridium containing carbonyl ligands (E.A.V. Ebsworth and S. Moreton), (439) 213

Characterization of 1 : 1 heterobimetallic complexes of $(\eta^5\text{-}C_5Me_5)Ir(CO)_2$ with zinc, cadmium and mercury(II) chloride and the X-ray structure determination of the 1:2 mercury complex (F.W.B. Einstein, X. Yan, X. Zhang and D. Sutton), (439) 221

Synthesis and molecular structure of new families of iridium(III)-Cp* and rhodium(III)-Cp* complexes derived from 1,2-dicyanoethene-1,2-dithiolate, 2,2′-biimidazole or 2,2′-bithiazole. Single crystal structures of $[(\eta^5\text{-}Me_5C_5)Ir(biimH_2)Cl]Cl$ and $[(\eta^5\text{-}Me_5C_5)Rh(dcdt)]$ (R. Ziessel, M.-T. Youinou, F. Balegroune and D. Grandjean), (441) 143

Carbon monoxide activation in $[Ir(HBPz_3)(CO)_2]$: formation of carbamoyl complexes by direct reaction with amines (M.J. Fernandez, J. Modrego, M.J. Rodriguez, M.C. Santamaria and L.A. Oro), (441) 155

Synthesis and nuclear magnetic resonance studies of some ethylene and ethyltris(pyrazolyl)boratoiridium complexes (M.A. Ciriano, M.J. Fernández, J. Modrego, M.J. Rodríguez and L.A. Oro), (443) 249

Chloro-, Methyl- und Hydrido-Iridiumkomplexe mit $Ph_2CN_2$ und anderen Diazoalkan-Liganden (L. Brandt, J. Wolf und H. Werner), (444) 235

Synthesis, structure and hydrogenation of $\eta^3$-benzyl diphosphine complexes of rhodium and iridium (M.D. Fryzuk, D.H. McConville and S.J. Rettig), (445) 245

$IrCl_2H(P^iPr_3)_2$ as catalyst precursor for the reduction of unsaturated substrates (H. Werner, M. Schulz, M.A. Esteruelas and L.A. Oro), (445) 261

Synthesis and reactivity of binuclear 7-azaindolate complexes of iridium. I. Characterization of isomers by H,H-COSY NMR spectroscopy (M.A. Ciriano, J.J. Pérez-Torrente and L.A. Oro), (445) 267

Synthesis and reactivity of binuclear 7-azaindolate complexes of iridium. II. Oxidative-addition reactions of halogens and halocarbons to $[\{Ir(\mu\text{-aza})(CO)_2\}_2]$ (M.A. Ciriano, J.J. Pérez-Torrente and L.A. Oro), (445) 273

The synthesis of ionic iridium(III) carbene complexes of the type $[Ir\{=CR\text{–}NHMe\}Cl(OSO_2CF_3)(CO)(PPh_3)_2]^+[O_3SCF_3]^-$ (B.L. Booth and A.C. Wickens), (445) 283

Dehydrogenative silation, isomerization and the control of *syn- vs. anti*-addition in the hydrosilation of alkynes (C.-H. Jun and R.H. Crabtree), (447) 177

Transition metal polyhydrides-catalyzed addition of activated nitriles to aldehydes and ketones via Knoevenagel condensation (Y. Lin, X. Zhu and M. Xiang), (448) 215

Synthesis and characterization of sterically encumbered Li, Na, and K aryl tellurolates, and some Pt(II), Ir(I), and Cd(II) derivatives (Ph.J. Bonasia and J. Arnold), (449) 147

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahy-

dropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), (450) 229

Ethylene hydrogenation by the hydride alkoxide species $Ir(H)_2(OCH_2CF_3)(P^tBu_2Ph)_2$. Ethylene-induced reductive elimination of alcohol from $Ir^{III}$ (B. Hauger and K.G. Caulton), (450) 253

## Iron

Synthesis and characterization of various coordination modes of 1,1′-bis(diphenylphosphino)ferrocene in iron carbonyl complexes. X-Ray crystal structures of $(\eta^1$-BPPF)$Fe(CO)_4$, $(\mu,\eta^2$-BPPF)$(Fe(CO)_4)_2$, and $(\mu,\eta^2$-BPPF)$Fe_3(CO)_{10}$ (T.-J. Kim, S.-C. Kwon, Y.-H. Kim, N.H. Heo, M.M. Teeter and A. Yamano), (426) 71

Aminsubstituenten als Elektronendonatoren in Clustern (B. Eber, G. Huttner, W. Imhof, J.C. Daran and Y. Jeannin), (426) 87

Synthesis and evaluation of the catalytic properties of homo- and hetero-bimetallic complexes containing bridging diphenylphosphido ligands (Z. He, N. Lugan, D. Neibecker, R. Mathieu and J.-J. Bonnet), (426) 247

Metallorganische Lewis-Säuren. XLIV. Rheniooxy(organyl)carben-Komplexe von Chrom, Molybdän und Wolfram (P.M. Fritz, J. Breimair, B. Wagner and W. Beck), (426) 343

The thermal dissociation process of metal carbonyls on the heated Re surface: $Fe(CO)_5$ and $Mn_2(CO)_{10}$ (T. Fujii, K. Kakizaki and H. Ishii), (426) 361

Electron transfer in asymmetric mixed-valence 3,1‴-(propane-1,3-diyl)-1,1′-biferrocenium triiodide (T.-Y. Dong and H.-M. Lin), (426) 369

Synthesis and reactivity of germyliron complexes $[Ph_2HGeFe(\eta^5$-$C_5H_5)(CO)_2]$ and $[RH_2GeFe(\eta^5$-$C_5H_5)(CO)_2]$ (R = Ph or 2,4,6-$Me_3C_6H_2$) (A. Castel, P. Rivière, M. Ahbala, J. Satgé, M. Soufiaoui and N. Knouzi), (427) 91

The effect of interannular bridge on electron-transfer rate in mixed-valence biferrocenium triiodide salts (T.-Y. Dong, T.-Y. Lee and H.-M. Lin), (427) 101

Übergangsmetall-Silyl-Komplexe. XLII. Einfluß des Phosphan-Liganden auf Bildung, Struktur und Stabilität der Hetero-Zweikernkomplexe $(CO)_3(R'_3P)(R_3Si)Fe–ML_n$ (M = Cu, Ag, Au, Hg) (G. Reinhard, B. Hirle and U. Schubert), (427) 173

Di(tertiobutylcyclopentadienyl)zircona[1]ferrocenophane precurseur de zirconocenes disubstitues dissymetriquement (R. Broussier, A. Da Rold and B. Gautheron), (427) 231

Structure and Mössbauer effect study of $[Et_4N]_2[Fe_2(CO)_8]$ (J.M. Cassidy, K.H. Whitmire and G.J. Long), (427) 355

Charge-transfer salts of carbonylmetalates as outer-sphere ion pairs in photochemical and thermal electron transfer (C.-H. Wei, T.M. Bockman and J.K. Kochi), (428) 85

Mono- and binuclear $\sigma$-aryl iron–lithium hydrides; synthesis and molecular structure (T.A. Bazhenova, L.M. Kachapina, A.E. Shilov, M.Y. Antipin and Y.T. Struchkov), (428) 107

Photoreactions of silyliron(II) complexes $Cp^*Fe(CO)_2SiMe_3$ ($Cp^*$ = $\eta^5$-$C_5H_5$, $\eta^5$-$C_5Me_5$) in the presence of trihydrosilanes (Y. Kawano, H. Tobita and H. Ogino), (428) 125

Isolation of cationic cyclopentadienyl iron complexes containing phosphinite and formation of metallaphosphineoxide complexes by the Arbuzov-like dealkylation reaction (H. Nakazawa, M. Yamaguchi, K. Kubo and K. Miyoshi), (428) 145

Synthese und Charakterisierung von 1,3-disubstituierten Decamethylcyclohexasilanen (E. Hengge and M. Eibl), (428) 335

Cluster mit $Fe_6Cd$- und $Fe_6Hg$-Baueinheiten (W. Deck, A.K. Powell and H. Vahrenkamp), (428) 353

Synthese, Struktur und Reaktivität der Ferriophosphonium-Salze $[CpFe(CO)(L)(PPh_2CH_2R')]BF_4$ (L = CO, $CH_3CN$, $P^nBu_3$; R′ = Ph, CN, COOEt, $PPh_2$, $SiMe_3$); Kristallstrukturen von $[CpFe(CO)_2PPh_2CH_2SiMe_3]BF_4$ und $[CpFe(PPh_2CH_2Ph)CpFe(CO)](\mu$-$CO)_2$ (C. Klasen, I.-P. Lorenz, S. Schmid and G. Beuter), (428) 363

Darstellung $\mu_3$-Chalkogenverbrückter dreikerniger Carbonyleisencluster durch die Reaktionsfolge $XCN^-$, $Et_3O^+$. Aufbau und Dynamik von $(\mu_3$-X)$(\mu_3$-PR)$Fe_3(CO)_7L_2$ (X = S, Se, Te; L = CO, EtNC, $P(OMe)_3$) (W. Imhof, G. Huttner, B. Eber and D. Günauer), (428) 379

$[Rh(CO)_4]^-$, $[Rh_5(CO)_{15}]^-$, and bimetallic clusters as catalysts for the carbonylation of nitrobenzene to methyl phenylcarbamate (F. Ragaini, S. Cenini, A. Fumagalli and C. Crotti), (428) 401

Thermolysis of $Cp(CO)_nM–CH(CH_3)C_6H_5$ ($n$ = 2, M = Fe, Ru; $n$ = 3, M = Mo, W). Some vertical trends in transition metal–alkyl bond dissociation energies (C. Mancuso and J. Halpern), (428) C8

Resolution of $[(\eta^4$-benzylideneacetone)$Fe(CO)_3]$. Structure and configurational stability of $[(pS)$-(benzylideneacetone)$Fe(CO)_2L^*]$ ($L^*$ = (+)-neomenthyldiphenylphosphine) (A. Marcuzzi, A. Linden, D. Rentsch and W. Von Philipsborn), (429) 87

Structure and dynamics of $[C_5H_5Fe(CO)_2(E(CH_3)_2)]BF_4$ (E = S, Se, Te) complexes studied by $^{13}C$ solid state NMR spectroscopy (A.P.M. Kentgens, H. Karrenbeld, E. De Boer and H. Schumann), (429) 99

Synthèse de chalcones à base de tétrathiafulvalène: RC(=O)CH=C$(CH_3)$TTF, TTFC(=O)CH=C$(CH_3)$R (R = TTF: $C_6H_3S_4$; Bct: $C_6H_5Cr(CO)_3$; Fc: $C_5H_4FeC_5H_5$). Propriété conductrice d'un nouveau complexe de transfert de charge TTFC(=O)CH=C$(CH_3)$TTF · TCNQ (J. Besançon, A. Radecki-Sudre, J. Szymoniak and J. Padiou), (429) 335

Facile conversion of $(\eta^5$-$C_5R_5)M(CO)_2$–halide complexes to halomethyl, alkoxymethyl, and cyanomethyl derivatives (R = H, $CH_3$; M = Fe, Ru; halide = Cl, Br, I) (J.L. Hubbard and W.K. McVicar), (429) 369

The gold(I)-catalyzed aldol reaction utilizing chiral ferrocenylamine ligands: synthesis of *N*-benzyl-substituted ligands (S.D. Pastor, R. Kesselring and A. Togni), (429) 415

Intramolecular nucleophilic attack on cationic iron(II) vinylidene complexes: synthesis and crystal structure of the alkenyl $[Fe(C{=}CMe^tBu)(\eta$-$C_5H_5)(Ph_2P)_2CH]$ containing an unprecedented bicyclopentane ring system (M.P. Gamasa, J. Gimeno, E. Lastra, B.M. Martín, A. Aguirre, S. García-Granda and P. Pertierra), (429) C19

*In-situ* intercalative oxidation of some pyridine derivatives within the cavity of the three-dimensional polymeric host $[(Me_3Pb)_3Fe(CN)_6]_\infty$ (A.M.A. Ibrahim, S.E.H. Etaiw and T.M. Soliman), (430) 87

Silicon–silicon interaction in bis(silylene)iron, disilanyliron, and bis(silyl)iron complexes (K. Ueno, H. Tobita and H. Ogino), (430) 93

Synthesis and some properties of diferrocenyl thioketones and dynamic behavior of some [1.1]ferrocenophane derivatives (M. Sato and M. Asai), (430) 105

Organometalloidal derivatives of the transition metals. XXX. Mass spectrometry of transition metal substituted disilanes (A. Guerrero, J. Gómez-Lara, J. Cervantes, L. Velasco, H. Sharma and K.H. Pannell), (430) 273

Synthesis of new *N*-substituted imidazolyl and 1*H*-1,2,4-triazolyl derivatives of $(\eta^6$-arene)$(\eta^5$-cyclopentadienyl)iron(II) salts (R.M.G. Roberts), (430) 327

Penta- and hexaphospha ferrocenes as ligands: crystal and molecular structures of $[Fe(\eta^5\text{-}P_3C_2{}^tBu_2)_2W(CO)_5]$, $[Fe(\eta^5\text{-}P_3C_2{}^tBu_2)(\eta^5\text{-}P_2C_3{}^tBu_3)W(CO)_5]$ and the novel triruthenium carbonyl cluster complex $[Fe(\eta^5\text{-}P_3C_2{}^tBu_2)_2Ru_3(CO)_{10}]$ containing two interlinked $\eta^5\text{-}P_3C_2{}^tBu_2$ ring systems (R. Bartsch, A. Gelessus, P.B. Hitchcock and J.F. Nixon), (430) C10

Reactions of cationic vinylidene complexes $[Fe\{=C=C(R^1)R^2\}(\eta\text{-}C_5H_5)(dppm)]^+$ [dppm = bis(diphenylphosphino)methane] with nucleophiles: stereoselective synthesis and crystal structure of the alkenyl complex (*E*)-$[Fe\{C(H)=C(Me)Ph\}(\eta\text{-}C_5H_5)(dppm)]$ (M.P. Gamasa, J. Gimeno, E. Lastra, M. Lanfranchi and A. Tiripicchio), (430) C39

The synthesis and polymerisation of some new 1,1′-substituted vinylferrocenes of the type $[Fe(\eta^5\text{-}C_5H_4X)\{\eta^5\text{-}C_5H_4(CH=CH_2)\}]$ (X = Cl, Br, CN or $CONH_2$) (S. Afeworki, P.K. Baker, O.L. Parri and C. D'Silva), (431) 81

Synthesis and structure of $[NEt_4]Fe(CO)_3(\mu\text{-}SPh)_2Mo(CO)_3(SPh)$: a heterodinuclear compound with bridging and terminal thiolate ligands (L.D. Rosenhein and P.E. Fanwick), (431) 327

Interesting magnetic effects caused by bulky substituents in ferrocenium salts. Zero applied-field magnetic hyperfine interactions in 1,1′,3,3′-tetrakis(trimethylsilyl)ferrocenium triflate (A. Houlton, R.A. Brown, J.R. Miller, R.M.G. Roberts, J. Silver and M. Thomas), (431) C17

Ein neues Verfahren zur Synthese von Metall-funktionalisierten Diphosphenen, Arsaphosphenen und Tetraphospha-bicyclobutanen (P. Jutzi and S. Opiela), (431) C29

Photolysis of $Fe(CO)_4{}^{2-}$ in an aqueous NaOH glass at 77 K. Formation of solvated electrons (H. Kunkely and A. Vogler), (431) C42

Synthesis and characterisation of a bulky chelating bis(phosphine) ligand, 1,2-bis(di$^n$butylphosphino)ethane (DBPE), and its iron metal coordinated complexes, $Fe(DBPE)_2Cl_2$ and $Fe(DBPE)_2(-C\equiv C-C_6H_5)_2$ (J. Lewis, M.S. Khan, A.K. Kakkar, P.R. Raithby, K. Fuhrmann and R.H. Friend), (433) 135

HPLC studies of $Fe_2(CO)_6$(ligand) complexes (D. Osella, O. Gambino, C. Nervi and M. Ravera), (433) 287

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

One-electron reduction of the iron carbene complexes $[Fe(Cp^*)(CO)_2(=C(OMe)R)]^+$ (R = H or Me) and hydrogen-atom *vs.* alkyl-radical transfer in the 19-electron intermediates (S. Nlate, V. Guerchais and C. Lapinte), (434) 89

Functionalization of chlorobenzenes via their $CpFe^+$ salts: a synthesis of substituted diphenyl ethers (R.C. Cambie, S.J. Janssen, P.S. Rutledge and P.D. Woodgate), (434) 97

The constitution of a ferrocenyl diketone: solution and solid state NMR spectroscopy. Crystal structure of 1-ferrocenyl-3-hydroxybut-2-en-1-one (W. Bell, J.A. Crayston, C. Glidewell, M.A. Mazid and M.B. Hursthouse), (434) 115

Synthesis and solution properties of the boron-containing clusters $HM_4(CO)_{12}BAu_2(dppf)$ (M = Fe or Ru) and the competitive formation of $\{HM_4(CO)_{12}BHAu\}_2(dppf)$ for M = Ru (dppf = 1,1′-bis(diphenylphosphino)ferrocene). Molecular structure of $HRu_4(CO)_{12}BAu_2(dppf)\cdot 2\ CHCl_3$ (S.M. Draper, C.E. Housecroft and A.L. Rheingold), (435) 9

Synthesis and characterization of Group IV metal–iron complexes bridged by carboxylate substituted cyclopentadienyl group. The structure of $Cp_2Ti[(\mu\text{-}O_2CC_5H_4)Fe(CO)_2(CH_2C_6H_5)]_2$ (H.-M. Gau, C.-C. Schei, L.-K. Liu and L.-H. Luh), (435) 43

$P_4$-Liganden mit maximaler Elektronendonorfähigkeit II. $[\{Fe(CO)_4(\mu\text{-}P_2)\}_2\{\mu\text{-}Fe_2(CO)_6\}_2]$—ein Komplex mit einer ungewöhnlich stabilisierten $P_4$-Einheit (M. Scheer, M. Dargatz, K. Schenzel und P.G. Jones), (435) 123

Electrochemistry of acetylide complexes of iron (L.D. Field, A.V. George, F. Laschi, E.Y. Malouf and P. Zanello), (435) 347

An X-ray crystallographic and high field NMR study of [7-dehydrocholesteryl acetate]$Fe(CO)_3$: synthesis of a B-ring cyclohexadienyl cationic complex (R.E. Perrier, C.S. Frampton and M.J. McGlinchey), (435) 357

Umsetzungen von Molybdän-Arsen-Tetrahedranen mit $Fe_2(CO)_9$ und $Fe_3(CO)_{12}$ (M. Gorzellik, B. Nuber und M.L. Ziegler), (436) 207

Ethinylferrocene durch direkte Einführung von Acetylenen (M. Buchmeiser und H. Schottenberger), (436) 223

Chelatstabilisierung von Lanthanid(III)-Organylen: Über 2-(Dimethylaminomethyl)ferrocenyl-Komplexe ausgewählter Seltener Erden (K. Jacob, W. Kretschmer, K.-H. Thiele, H. Gornitzka, F.T. Edelmann, I. Pavlik, A. Lyčka und J. Holeček), (436) 231

Ferrocenhaltige Liganden in der Lanthanid-Chemie: Alkoxide und Thiolate (H. Gornitzka, F.T. Edelmann und K. Jacob), (436) 325

$\sigma$-Ferrocenyl-Komplexe des Rutheniums (M. Herberhold, W. Feger und U. Kölle), (436) 333

The reactivity of bridging hydride ligands at the di-iron centre. Synthesis and reactivity towards alkynes of $[Fe_2(CO)_6(\mu\text{-}H)(\mu\text{-}CO)(\mu\text{-}dppm)][BF_4]$. X-ray crystal structure of $[Fe_2(CO)_6(\mu\text{-}PhC=CH_2)(\mu\text{-}dppm)][BF_4]$ (J. Boothman and G. Hogarth), (437) 201

Catalytic de-ligation of bis(arene)iron dications upon electro-reduction (Z.J. Karpinski and J.K. Kochi), (437) 211

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: $[(CO)_4Fe(\mu\text{-}P^tBu_2)Rh(CO)L](Fe–Rh)$ (L = CO, $HP^tBu_2$), $[(CO)_3Co(\mu\text{-}H)(\mu\text{-}P^tBu_2)Rh(CO)(HP^tBu_2)](Co–Rh)$ (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Synthesis, structure and redox chemistry of ferrocenylsilylmethylidinetricobaltnonacarbonyl complexes, $FcSi(R)_2CCo_3(CO)_9$, 1,1′-$Fc'[Si(R)_2CCo_3(CO)_9]_2$ (R = Me, Et, Ph) and their derivatives (J. Borgdorff, E.J. Ditzel, N.W. Duffy, B.H. Robinson and J. Simpson), (437) 323

Significance of entropies and volumes of activation for the addition of 4-formylpyridine to tricarbonyl(1–5-$\eta$-dienyl)iron(II) complexes (dienyl = $C_6H_7$, 2-$MeOC_6H_6$ and $C_7H_9$) (T.I. Odiaka and R. van Eldik), (438) 131

A reinvestigation of the reaction of $[Fe_2(\eta\text{-}C_5H_5)_2(CO)_{4-n}(CNR)_n]$ ($n$ = 1 or 2) with strong alkylating agents (G. Cox, C. Dowling, A.R. Manning, P. McArdle and D. Cunningham), (438) 143

Electrochemical behaviour of *trans*-$[FeH(CNR)(dppe)_2]^+$. Kinetic parameters determined by digital simulation of cyclic voltammetry (M.A.N.D.A. Lemos and A.J.L. Pombeiro), (438) 159

Anodic oxidation of the ferrocenyl-derived $\beta$-ketophosphine $[Ph_2PCH_2C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)]$ and of two of its palladium complexes. Ferricinium-mediated oxidation of palladium(II)–phosphine complexes (A. Louati, M. Gross, L. Douce and D. Matt), (438) 167

The reaction between ferrocenyllithium and trimethylacetylchloride to form either trimethylacetylferrocene or 1,1′-bis(ferrocenyl)-2,2′-dimethylpropan-1-ol, an unusual hydrogen bonded dimer (H.K. Sharma, F. Cervantes-Lee and K.H. Pannell), (438) 183

First optically active ferricinium salts: a circular dichroism study (V.I. Sokolov, I.A. Mamedyarova, M.N. Nefedova and G. Snatzke), (438) C26

$Fe(CO)_2[P(OMe)_3]_2L$, Dicarbonylbis(trimethylphosphit)eisen-Komplexe mit den Liganden L = Ethen, Diphenylethin und $SO_2$ (F. Meier-Brocks, R. Albrecht und E. Weiss), (439) 65

$\eta^1$- und $\eta^2$-Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter

Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammler), (439) 279

Ferrocenliganden in der Lanthanid-Chemie: Chelatstabilisierung des ersten Diorganyllanthanid(III)-halogenids (H. Gornitzka, A. Steiner, D. Stalke, U. Kilimann, F.T. Edelmann, K. Jacob und K.-H. Thiele), (439) C6

Phosphenium-Übergangsmetallkomplexe. XX. Stabilisierung von Mesitylphosphiniden durch ein $Cp(CO)_2W$- und ein $Cp(CO)_2Fe$-Fragment (U.-A. Hirth und W. Malisch), (439) C16

Protophilic isotopic hydrogen exchange of 1-ferrocenyl-2-(nitrophenyl)ethylenes (Z.V. Todres and D.S. Ermekov), (439) C28

A new reaction of $[Cp(CO)_2Fe(PPh_2H)]PF_6$ with $NaBH_4$ to give $Cp(CO)(H)Fe(PPh_2H)$ via $Cp(CO)_2FeH$ and $PPh_2H$ (H. Nakazawa, K. Kubo, C. Kai and K. Miyoshi), (439) C42

High resolution EPR spectra of ferrocenyl(nitrophenyl)ethylene anion-radicals (G.F. Pedulli and Z.V. Todres), (439) C46

*Cis / trans* isomerization of $\beta$-ferrocenylacrylonitrile during protophylic isotope hydrogen exchange (Z.V. Todres, D.S. Ermekov and I.A. Garbuzova), (439) C53

An investigation of steric effects along a cyclopentadienyl substituent: a study by $^1H$, $^{13}C$ and $^{29}Si$ NMR spectroscopy of bis(trimethylsilyl)cyclopentadienyl iron complexes (D. White, L. Carlton and N.J. Coville), (440) 15

The Wittig reaction in the generation of organometallic compounds containing alkenes as side groups (E.J. Miller, C.A. Weigelt, J.A. Serth, R. Rusyid, J. Brenner, L.A. Luck and M. Godlewski), (440) 91

Methylisocyanide derivatives of molybdenocene and tungstenocene: preparation, reactivity and electronic structure: crystal structures of $[(\eta^5\text{-}C_5H_5)_2WBr(CNMe)]Br$ and $[(\eta^5\text{-}C_5H_5)_2\overline{MoC\{N(H)\text{-}CH_3\}N(H)C}\{N(H)CH_3\}][BF_4]_2 \cdot CH_3CN$ (M.J. Calhorda, A.R. Dias, M.T. Duarte, A.M. Martins, P.M. Matias and C.C. Romão), (440) 119

Katalytische Cocyclisierungen von Ethin mit Nitrilen an Bis($\eta^2$-ethen)($\eta^6$-toluol)eisen als Katalysator (U. Schmidt und U. Zenneck), (440) 187

Schwefel(IV)-Verbindungen als Liganden. XVII. Übergangsmetallvermittelte Insertion von Schwefeldioxid in die C–O-Einfachbindung (W.A. Schenk und J. Pfeffermann), (440) 341

The synthesis of phosphine derivatives of $[Fe_4N(CO)_{12}]^-$: crystal structures of $[Fe_4N(CO)_9(NO)(PPh_3)_2]$, $[HFe_4N(CO)_{11}(PPh_3)]$ and $[(PPh_3)_2N][Fe_4N(CO)_{11}(PMe_2Ph)]$ (A. Gourdon and Y. Jeannin), (440) 353

The preparation and structures of two Ge–Co–Fe anionic clusters; $[GeCoFe_3(CO)_{14}]^-$ and $[Ge_2Co_5Fe_2(CO)_{22}]^-$ (S.G. Anema, G.C. Barris, K.M. Mackay and B.K. Nicholson), (441) 35

Das Verhalten von stereoisomeren Bistriflaten des Tetrahydrofurans gegenüber ein- und zweiwertigen Carbonylmetallaten (E. Lindner, M. Pabel, R. Fawzi und M. Steimann), (441) 63

Coupling reactions of ynamines. Syntheses, structural characterization and electrochemistry of some *nido* and *closo* ferracyclopentadiene complexes (B. Heim, J.C. Daran, Y. Jeannin, B. Eber, G. Huttner and W. Imhof), (441) 81

Synthesis, reactivity of the $[(CO)_3(L)Fe(CO_2R)_2]$ dialkoxycarbonyl carbonyl iron complexes (L = CO or $PPh_3$; R = $CH_3$, $C_2H_5$), and an easy access to $[(CO)_5Fe(CO_2Me)]^+$ (J.-Y. Salaün, G. Le Gall, P. Laurent and H. Des Abbayes), (441) 99

On the problem of stabilization of $\alpha$-metallocenylcarbocations. Synthesis, $^1H$ and $^{13}C$ NMR spectra of metallocenyldiphenylmethyl hexafluorophosphates and X-ray investigation of $(C_5H_5OsC_5H_4CPh_2)^+PF_6^-$ (U. Turpeinen, A.Z. Kreindlin, P.V. Petrovskii and M.I. Rybinskaya), (441) 109

Highly selective hydroformylation and dimerization reactions of 2-ferrocenylpropene (L. Kollár and B. Floris), (441) 117

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

Crystal and molecular structure of bis($\mu_3$-tellurido)-decacarbonyltriiron, $[Fe_3(CO)_{10}Te_2]$ (G. Gervasio), (441) 271

Reaction of $Ru_3(CO)_{12}$ with ferrocenylacetylene. Crystal and molecular structure of $Ru_2(CO)_6[C_4H_2(C_5H_4FeC_5H_5)_2]$ (A.A. Koridze, A.I. Yanovsky and Y.T. Struchkov), (441) 277

Substituted cyclopentadienyl complexes. X. An absolute integrated infrared intensity study of $[(\eta^5\text{-}C_5H_4R)Fe(CO)(L)I]$ (K.E. Du Plooy, T.A. Ford and N.J. Coville), (441) 285

Kohlenwasserstoffverbrückte Komplexe. XXVI. Reaktionen von anionischen Aromatenkomplexen $[(OC)_3Cr(Ar)]^-$ mit metallorganischen Elektrophilen. Darstellung von $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_6H_5\text{–}C_7H_7)M(CO)_3$ (M = Cr, Mo), $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^5\text{-}C_6H_5\text{–}C(O)C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_8H_5S\text{–}C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_9H_7\text{–}C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_{13}H_9\text{–}C_7H_7)M(CO)_3$ und $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_{13}H_{11}\text{–}C_7H_7)M(CO)_3$ (M = Cr, Mo, W) (J. Breimair, M. Wieser und W. Beck), (441) 429

Synthesis and reactivity of tricarbonyl($\eta^5$-4-triethylsilyl-1-methylpentadienyl)iron(+1) cation (W.A. Donaldson, P.T. Bell and M.-J. Jin), (441) 449

Neue Derivierungswege ethinylsubstituierter Metallocene (M. Buchmeiser und H. Schottenberger), (441) 457

Synthesis, electrochemistry and complexation studies of new redox active bisferrocene acyclic and macrocyclic thioethers (P.D. Beer, J.E. Nation, M.E. Harman and M.B. Hursthouse), (441) 465

Electronic structure of ferrocenylacrylonitrile ion radicals (Z.V. Todres, A.I. Safronov, D.S. Ermekov and R.M. Minyaev), (441) 479

Antiferromagnetic complexes with metal–metal bonds. XXVI. Synthesis, molecular structure and magnetic properties of mixed-metal triangular clusters, $Cp_2Cr_2(\mu\text{-}SR)(\mu_3\text{-}S)_2FeCp$(R = $CMe_3$ or Ph), and linear mixed-metal chain $CpCr(\mu\text{-}SPh)_3Fe(\mu\text{-}SPh)_3CrCp$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, G.S. Gasanov, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky and Y.T. Struchkov), (443) 101

Synthesis, structure, and chemistry of heterobimetallic phosphido-bridged complexes $CpFe(CO)_2(\mu\text{-}PPh_2)M(CO)_5$ (M = Cr, Mo, W) (S.-G. Shyu, P.-J. Lin and Y.-S. Wen), (443) 115

Solvent, *N*-alkyl substituent and coordination effects on the electrochemistry of 2,11-diaza-5,8-dithia[12](1,1′)ferrocenophanes (R.A. Holwerda, J.S. Kim, T.W. Robison, R.A. Bartsch and B.P. Czech), (443) 123

Übergangsmetall-substituierte Diphosphene. XXX. $\eta^1$- und $\eta^2$-Komplexe der Metallodiphosphene $(\eta^5\text{-}L)(CO)_2Fe\text{–}P{=}P\text{–}Mes^*$ (L = $C_5Me_5$, $C_5Me_4Et$, $C_5Me_4{}^nBu$, 1,3-$^tBu_2C_5H_3$; $Mes^*$ = 2,4,6-$^tBu_3C_6H_2$). Röntgenstrukturanalyse von $Pt\{\eta^2\text{-}[(\eta^5\text{-}C_5Me_4Et)(CO)_2Fe\text{–}P{=}P\text{–}Mes^*]\}(PPh_3)_2$ (L. Weber, I. Schumann, H.-G. Stammler and B. Neumann), (443) 175

The redox behaviour of ferrocene derivatives. I. 1,2,3-Tritellura[3]ferrocenophane and 1,3-ditellura[3]ferrocenophanes (P. Zanello, G. Opromolla, M. Casarin, M. Herberhold and P. Leitner), (443) 199

Oxidatively induced nucleophilic capture *vs.* degradation of cyclopentadienyl iron derivatives of simple carboxylic acids and of $\alpha$-amino acids. A comparative study (C. Amiens, G. Balavoine and F. Guibé), (443) 207

Preparation and properties of cyclodextrin–metal carbonyl inclusion compounds (M. Shimada, Y. Morimoto and S. Takahashi), (443) C8

Umsetzungen von Metallorganylen mit dem capto-dativ substituierten Ethylen $H_2C{=}C(CN)(S^tButyl)$ (J. Herbig, J. Köhler, B. Nuber, H.G. Stammler und M.L. Ziegler), (444) 107

Regioselectivity of nucleophilic additions to cyclopentadienyliron complexes of substituted benzenes: a novel theoretical approach based on Boltzmann probabilities (X. Luo, G.A. Arteca, C. Zhang and P.G. Mezey), (444) 131

Stereoselectivity in the formation of tricarbonyliron complexes of some dihydrobiphenyls (B.M.R. Bandara, A.J. Birch and B. Chauncy), (444) 137

An investigation of the barriers to trimethylenemethane (TMM) rotation in compounds of the type $\eta^4$-TMMFe(CO)$_2$L (L = $^t$BuNC, $AsPh_3$, tertiary phosphines); examples of coordinated tertiary phosphine rotational isomerism (L. Girard and M.C. Baird), (444) 143

Reactions of coordinated phosphines and arsines: stereoselective reactions at the chlorophosphine-*P* stereocentre in the complex [($R^*$), ($R^*$, $R^*$)]-(±)-[($\eta^5$-$C_5H_5$){1,2-$C_6H_4$(PMePh)$_2$}- Fe(PClMePh)]$PF_6 \cdot CH_2Cl_2$ (G. Salem, G.B. Shaw, A.C. Willis and S.B. Wild), (444) 147

Übergangsmetallkomplexe von Diazenen. XXXI. Orthometallierte Diazenkomplexe von Molybdän, Eisen und Ruthenium: Struktur und Umsetzung zu 2,3-Diphenylindol (D. Garn, F. Knoch und H. Kisch), (444) 155

Ein- bis dreikernige Metall-$\pi$-Derivate von Hericen mit $(Me_3P)_3$Fe- und CpCo-Fragmenten (F.H. Köhler und A. Steck), (444) 165

The redox behaviour of ferrocene derivatives. II. 8-Ferrocenyl-2-hydroxytricyclo[7.3.1.0$^{2,7}$]tridecan-13-one and 2,2-dimethylpropylferrocene (A. Cinquantini, G. Opromolla, P. Zanello and G. Giorgi), (444) 179

Übergangsmetall-Silyl-Komplexe. XLV. Erzeugung von Fluorsilyl-Liganden durch selektive Spaltung metallgebundener Si–Ph-Gruppen (S. Gilbert und U. Schubert), (444) C12

Synthesis of $Me_2Si$-$\eta^5$-$C_5H_4$(CO)Fe(CO)$_2$Fe(CO)-$\eta^5$-$C_5H_4SiMe_2$ and a novel reaction between its Si–Si and Fe–Fe bonds (H. Sun, S. Xu, X. Zhou, H. Wang, R. Wang and X. Yao), (444) C41

Zur Chemie des Dimesityleisens. VI. Die Struktur von Tetramesityldieisen (H. Müller, W. Seidel und H. Görls), (445) 133

The preparation, polymerization and copolymerization of ($\eta^5$-vinylcyclopentadienyl)dicarbonylmethyliron monomer (A.K. Saha and M.M. Hossain), (445) 137

The reaction of iron-alkyls with triethyloxonium tetrafluoroborate: formation of iron ethoxycarbene complexes (J.R. Tinder, R.R. Kohl, R.S. Bly and M.M. Hossain), (445) 143

Stereochemistry of the compounds [$Fe_3(CO)_9XY$]. Crystal and molecular structures of the mixed triiron carbonyl compounds [$Fe_3(CO)_9XY$] (X, Y = S, Se, or Te) (G. Gervasio), (445) 147

Synthesis of 1-alkynyl(phthalocyaninato)iron(II) and -ruthenium(II) complexes (M. Hanack, S. Knecht and H.-J. Schulze), (445) 157

1,1′-Bis(diphenylphosphino)ferrocene ligand substitution in the benzylidyne-capped cluster $PhCCo_3(CO)_9$. Synthesis, X-ray structure, and redox reactivity of $PhCCo_3(CO)_7$(dppf) (W.H. Watson, A. Nagl, S. Hwang and M.G. Richmond), (445) 163

Coordination of a tripodal phosphine sulphide $P_2S$ towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), (445) 171

Enantiomerically pure $C_2$-symmetric bridged ferrocene and titanocene derivatives (K.-L. Gibis, G. Helmchen, G. Huttner and L. Zsolnai), (445) 181

Un nouveau type de ferrocénophane, premier exemple de structure dimère (R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron), (445) C4

Mixed ($\mu$-alkane- and arenethiolato)($\mu$-phosphido)hexacarbonyldiiron complexes. Synthesis and P–Cl reactivity (D. Seyferth, K.S. Brewer, G.B. Womack and C.M. Archer), (446) 167

$^1$H, $^{13}$C NMR spectroscopic studies of iodoferrocenylruthenocenium$^+$ salts (M. Watanabe, T. Iwamoto, H. Sano and I. Motoyama), (446) 177

Umsetzung von Alkinylphosphanen mit Hauptgruppenelement-verbrückten Eisencarbonylclustern (W. Imhof, B. Eber, G. Huttner und C. Emmerich), (447) 21

Photochemisch induzierte Addition von Alkinen und Phosphaalkinen an die Cluster $Fe_3(CO)_9(\mu_3$-PR)($\mu_3$-X) (X = Se, Te; R = $^i$Pr, $^t$Bu) (W. Imhof und G. Huttner), (447) 31

Photochemical head-to-head (R = H) *vs.* head-to-tail dimerization (R = Ph) of iron acetylide complexes ($\eta^5$-$C_5Me_5$)Fe(CO)$_2$–C≡C–R leading to a dimetallacyclopentenone and a $\mu$-vinylidene complex (M. Akita, S. Sugimoto, M. Terada and Y. Moro-oka), (447) 103

Electron transfer in mixed-valence 1′,1‴-bis(*m*-bromobenzyl)biferrocenium triiodide (T.-Y. Dong and C.-C. Schei), (447) 107

Studies on olefin-coordinating transition metal carbene complexes. XX. Synthesis of 1,3-cyclohexadiene(dicarbonyl)[ethoxy(aryl)carbene]iron complexes and their phosphine adducts. Crystal structure of $C_6H_8(CO)_2FeC(OC_2H_5)C_6H_4CH_3$-*o* (J. Chen, Y. Yu, L. Hu and Z. Jin), (447) 113

Complexes du fer hydro-digermaniés: [$R_2HGeGeR_2Fe(\eta^5$-$C_5H_5)(CO)_2$] (R = Et, Ph) — étude photolytique (A. Castel, P. Rivière, M. Ahbala, J. Satgé, M. Soufiaoui et N. Knouzi), (447) 123

Organometalloidal derivatives of the transition metals. XXXIII. Reactions of ferrocenylcarboxaldehyde with base and trimethylsilylcyanide. A new high yield reaction for the formation of cyanoamines or silylethers (E. Peña, M. Rivera-Claudio, R.N. Kapoor and K.H. Pannell), (447) 265

Zur Reaktion von metallkoordinierten 1-Molybda-2-phospha-1,3-dienen mit Alkinen (H. Lang, M. Leise und L. Zsolnai), (447) C1

Synthesis of the heterodinuclear Fe-Pt complex [(OC)$_3$Fe{$\mu$-CN(2,6-xylyl)}($\mu$-dppm)Pt($PPh_3$)] containing a bridging isonitrile ligand and electrophilic additions leading to $\mu$-aminocarbyne complexes (M. Knorr, T. Faure and P. Braunstein), (447) C4

Synthesis and solution dynamics of [$Cp(CO)_2Fe]_2(CH{=}CH_2)^+BF_4^-$, a $\mu$-($\eta^1$:$\eta^2$) vinyl complex not containing a metal–metal bond (D.L. Tarazano, T.W. Bodnar and A.R. Cutler), (448) 139

A rare example of three C–H activations of the methyl group: synthesis and crystal structure of [$Fe_3(CO)_9${$\mu_3$-C=N$(CH_3)_2$}($\mu_3$-$CC_2H_5$)] (S. Jeannin, Y. Jeannin, F. Robert and C. Rosenberger), (448) 151

Heterometallic clusters in homogeneous catalysis. Hydrogenation of diphenylacetylene and isomerization of *cis*-stilbene in the presence of [$Fe_2Ru(CO)_{12}$], [$FeRu_2(CO)_{12}$], [$H_2FeRu_3(CO)_{13}$], [$H_2Ru_4(CO)_{13}$], and related compounds. Identification of organometallic complexes and a discussion of their role (R. Giordano and E. Sappa), (448) 157

$^1$H, $^{13}$C-NMR and $^{57}$Fe-Mössbauer spectroscopic studies of $\alpha$,$\alpha$-ferrocenylruthenocenylmethylium$^+$ ion (M. Watanabe, T. Iwamoto, S. Nakashima, H. Sakai, I. Motoyama and H. Sano), (448) 167

The complexation of $Y^{3+}$ by 1,1′-(1,4,10-trioxa-7,13-diazacyclopentadecane-7,13-diyldicarbonyl)ferrocene (C.D. Hall, J.H.R. Tucker and S.Y.F. Chu), (448) 175

Ferrocene compounds. XX. Synthesis and reactions of some ferrocene fulvenes (S. Kovač, V. Rapić and N. Filipović-Marinić), (448) 181

Triphenylphosphanchalkogenide als selektive Reagentien zum Aufbau von $\mu_3$-Chalkogenverbrückten Eisencarbonylclustern (W. Imhof und G. Huttner), (448) 247

Synthesis and second-order nonlinear optical properties of three coordinate organoboranes with diphenylphosphino and ferrocenyl groups as electron donors: crystal and molecular structures of (*E*)-D–CH=CH–B(mes)$_2$ and D–C≡C–B(mes)$_2$ [D = P($C_6H_5$)$_2$,

($\eta$-$C_5H_5$)Fe($\eta$-$C_5H_4$); mes = 2,4,6-$(CH_3)_3C_6H_2$] (Z. Yuan, N.J. Taylor, Y. Sun, T.B. Marder, I.D. Williams and L.-T. Cheng), (449) 27

A facile synthetic route to ($\eta^5$-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), (450) 27

Crystal structure of Fe($\eta^6$-$C_5H_5BCMe_3)_2$, a "problem structure" (M.R. Churchill and R.F. See), (450) 171

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), (450) 177

Ferrocene derivatives, LXXI; Stereochemistry of metallocenes, LVI. Synthesis and structure of optically active ferrocenylaminoalcohols (H. Wally, C. Kratky, W. Weissensteiner, M. Widhalm and K. Schlögl), (450) 185

The redox behaviour of ferrocene derivatives. III. Ferrocenylacyl complexes ($\eta^5$-$C_5H_5$) Fe($\eta^5$-$C_5H_4$–$COER_3$), E = C, Si or Ge; R = Me or Ph (P. Zanello, G. Opromolla, L. Pardi, K.H. Pannell and H.K. Sharma), (450) 193

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), (450) C1

## Lanthanides

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Molekülstruktur und Ladungsverteilung der 4*f*- und 5*f*-Elemente. III . Dipolmomente und Ladungsverteilung der 1:1-Addukte der Tris(cyclopentadienyl)lanthanoide(III) bzw. -actinoide(III) mit Tetrahydrofuran; Röntgenstrukturanalyse von $(C_5H_5)_3Dy \cdot THF$ (R. Maier, B. Kanellakopulos, C. Apostolidis und B. Nuber), (435) 275

Chelatstabilisierung von Lanthanid(III)-Organylen: Über 2-(Dimethylaminomethyl)ferrocenyl-Komplexe ausgewählter Seltener Erden (K. Jacob, W. Kretschmer, K.-H. Thiele, H. Gornitzka, F.T. Edelmann, I. Pavlik, A. Lyčka und J. Holeček), (436) 231

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXIII. Esteraddukte des Grundkörpers Tris($\eta^5$-cyclopentadienyl)-lanthan(III)—ideale Wirtsgitter für einkristalloptische Untersuchungen von Lanthanoid-Ionen in metallorganischer Umgebung (H. Schulz und H.-D. Amberger), (443) 71

## Lanthanum

Molekülstruktur und Ladungsverteilung in metallorganischen Verbindungen der 4*f*- und 5*f*-Elemente. II. Dielektrische Untersuchungen an metallorganischen Komplexen der 4*f*- und Übergangselemente mit $C_{3v}$- und $D_{3h}$-Molekülsymmetrie (R. Maier, B. Kanellakopulos and C. Apostolidis), (427) 33

Studies on organolanthanide complexes. XLII. Synthesis of the unsolvated monomeric complexes $(MeOCH_2CH_2C_5H_4)_3Ln$ (Ln = La, Pr) and X-ray structure of $(MeOCH_2CH_2C_5H_4)_3Pr$ (C. Qian, B. Wang, D. Deng, G. Wu and P. Zheng), (427) C29

Metallorganische Verbindungen der Lanthanoide. LXXI. Synthese und Röntgenstrukturanalyse von $CpLa(C_5H_4PPh_2)_2(THF)$, einem zweizähnigen Liganden zur Herstellung heterobimetallischer Lanthanoidkomplexe (H. Schumann, J.A. Meese-Marktscheffel, B. Gorella and F.H. Görlitz), (428) C27

Metallorganische Verbindungen der Lanthanoide. LXX. Bis(cyclopentadienyl)seltenerdkomplexe: Synthese und Röntgenstrukturanalyse von dem intramolekular stabilisierten Lutetiumalkyl $Cp_2Lu(CH_2)_3NMe_2$ und dem monomeren basenfreien Yttriumcarboxylat $Cp_2Y[\eta^2$-$O_2C(CH_2)_3NMe_2]$ (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich and F.H. Görlitz), (430) 299

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXIII. Esteraddukte des Grundkörpers Tris($\eta^5$-cyclopentadienyl)-lanthan(III)—ideale Wirtsgitter für einkristalloptische Untersuchungen von Lanthanoid-Ionen in metallorganischer Umgebung (H. Schulz und H.-D. Amberger), (443) 71

Komplexkatalyse. XL. Darstellung und Kristallstruktur des Tetra(allyl)lanthanat(III)-Komplexes $[Li(\mu$-$C_4H_8O_2)_{3/2}][La(\eta^3$-$C_3H_5)_4]$, eines Katalysators für die stereospezifische Butadienpolymerisation (R. Taube, H. Windisch, F.H. Görlitz und H. Schumann), (445) 85

Metallorganische Verbindungen der Lanthanoide. LXXIV. Tris(tetramethylcyclopentadienyl)komplexe der Lanthanoide (H. Schumann, M. Glanz und H. Hemling), (445) C1

## Lead

Tetra-*p*-tolyl-Verbindungen *p*-$Tol_4Si$ und *p*-$Tol_4Ge$: ein Beitrag zur Konfiguration der Tetraaryl-Methan-Analoga $Ar_4M$ (M = C, Si, Ge, Sn, Pb) (M. Charissé, S. Roller and M. Dräger), (427) 23

Structure and Mössbauer effect study of $[Et_4N]_2[Fe_2(CO)_8]$ (J.M. Cassidy, K.H. Whitmire and G.J. Long), (427) 355

Structure and equilibria in triorganolead halide adduct formation (H.J. Eppley, J.L. Ealy, C.H. Yoder, J.N. Spencer and A.L. Rheingold), (431) 133

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Trifluormethylsubstituierte Plumbane. Synthese, Eigenschaften und NMR-Spektren der Verbindungen $(CF_3)_nPbR_{4-n}$ ($n$ = 1–3) und $(CF_3)_nPbR_{3-n}X$ ($n$ = 1, 2; R = Me, Et; X = Hal) (R. Eujen and A. Patorra), (438) 57

Synthesis and spectroscopic properties of tetrakis(trifluoromethyl) plumbane, $(CF_3)_4Pb$ (R. Eujen and A. Patorra), (438) C1

Untersuchungen an Arylbleitriacetaten. Röntgenstrukturanalyse von 2-Methylphenyl- und 2-Chlorphenylbleitriacetat (F. Huber, H. Preut, D. Scholz und M. Schürmann), (441) 227

Synthesis of $\alpha$-alkoxyalkyltributyllead compounds *via* the reaction of tributylplumbyllithium with $\alpha$-chloroethers, and the conjugate addition of tributylplumbyllithium to enones (I. Suzuki, T. Furuta and Y. Yamamoto), (443) C6

Über gemischte Gruppe 14–Gruppe 14-Bindungen. VI. Hexa-*o*-tolylethan-Analoga *o*-$Tol_6Sn_2$, *o*-$Tol_6PbSn$ und *o*-$Tol_6Pb_2$: ein Vergleich von Bindungsstärke und Polarität in der Reihung Sn–Sn, Pb–Sn, Pb–Pb (C. Schneider-Koglin, K. Behrends und M. Dräger), (448) 29

Über gemischte Gruppe 14–Gruppe 14-Bindungen. VII. Ein Inkrementsystem für $^{13}$C-NMR chemische Verschiebungen bei arylierten Gruppe 14-Verbindungen (C. Schneider-Koglin, B. Mathiasch und M. Dräger), (448) 39

## Lithium

The preference of 1-methylallyl polar organometallics and carbanions for *cis* rather than for *trans* geometries (P. von R. Schleyer, J. Kaneti, Y.-D. Wu and J. Chandrasekhar), (426) 143

Some observations on the pyrolysis of methyllithium (J.R. Baran, Jr. and R.J. Lagow), (427) 1

Synthesis and crystal structure of the tris(cyclopentadienyl)phenyl complex of neodymium, $(Li \cdot 3DME)[(\eta^5$-$C_5H_5)_3NdC_6H_5]$ (H. Gao, Q. Shen, J. Hu, S. Jin and Y. Lin), (427) 141

Mono- and binuclear $\sigma$-aryl iron–lithium hydrides; synthesis and molecular structure (T.A. Bazhenova, L.M. Kachapina, A.E. Shilov, M.Y. Antipin and Y.T. Struchkov), (428) 107

Convenient route to di- and triorganosilyl ethyl ethers and the corresponding di- and triorganosilanes (J.M. Tour, J.A. John and E.B. Stephens), (429) 301

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. IV. Synthese von $Li_2Ni$–$(CH_2CH_2CH_2CH_2)_2(Et_2O)$ und seine Umsetzung mit Kohlenmonoxid zu $Li_2Ni_6(CO)_{12}(thf)_6$ (H.-O. Fröhlich, B. Hipler and B. Hofmann), (430) 133

Nouveaux aryldihydrogermyllithium (A. Castel, P. Rivière, J. Satgé et D. Desor), (433) 49

Stereoselective opening of chiral $\alpha$-stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Solid-state and solution structures of three lithiumsulfinimidamides: identification of two distinct structural types (F.T. Edelmann, F. Knösel, F. Pauer, D. Stalke and W. Bauer), (438) 1

Structures of lithium salts of substituted 1-phenylpropynes: $^{13}C$ NMR and MNDO study (P.I. Dem'yanov, I.M. Styrkov, D.P. Krut'ko, M.V. Vener and V.S. Petrosyan), (438) 265

Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115

Reactions of chelating alkali metal amides with the Grignard reagent $^nBuMgCl$: crystal structures and solution $^1H$ NMR spectroscopic studies of the expected mono(amido)-product $[PhCH_2(Me_2N$-$CH_2CH_2)NMg^nBu]_2$ and the unexpected bis(amido)-product $\{[Ph(2\text{-}Pyr)N]_2Mg \cdot (THF)_2\}$ (K.W. Henderson, R.E. Mulvey, W. Clegg and P.A. O'Neil), (439) 237

Le (chlorodiisopropyl)silyl fluorenyllithium: un equivalent synthetique du diisopropyl(fluorenylidène)silene (C. Couret, J. Escudié, G. Delpon-Lacaze et J. Satgé), (440) 233

Selectivity between deprotonation and attack on tellurium in the reaction of 1,4-thiatellurins with strongly basic reagents (H.J.M. Schoufs, A. Maercker and L. Brandsma), (441) 1

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. V. Synthese von $Li_2Ni(CH_2CH_2CH_2CH_2)_2(Solv)_x$ aus $K[Ni(NPh_2)_3](THF)$ und $LiCH_2CH_2CH_2CH_2Li$; Molekülstruktur von $(Li(THF)_2)_2Ni(CH_2CH_2CH_2CH_2)_2$ (H.-O. Fröhlich, R. Wyrwa und H. Görls), (441) 169

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. VI. Synthese und Eigenschaften von Zincacyclohexankomplexen des Typs $\{Li(D)_2\}_2Zn(CH_2CH_2CH_2CH_2CH_2CH_2)_2$ $(D = (C_2H_5)_2O$; $2D = (CH_3)_2NC_2H_4N(CH_3)_2)$; Molekülstruktur von $\{Li(CH_3)_2NC_2H_4N(CH_3)_2\}_2Zn(CH_2CH_2CH_2CH_2CH_2CH_2)_2$ (H.-O. Fröhlich, B. Kosan, B. Müller und W. Hiller), (441) 177

Metallation reactions. XVIII. Regioselective metallation of (alkylthio)benzenes by superbases (S. Cabiddu, C. Fattuoni, C. Floris, G. Gelli and S. Melis), (441) 197

Umsetzungen der lithiierten Halbsandwich-Chalkogenole, $(CO)_3MC_5H_4$–ELi (M = Mn, Re; E = S, Se, Te) (M. Herberhold und M. Biersack), (443) 1

Etude du transfert monoélectronique entre des germylanions et des piégeurs de spin dia et paramagnétiques (P. Rivière, A. Castel, D. Desor et C. Abdennadher), (443) 51

A solid state $^7Li$ NMR study of phenyllithium aggregates (D. Johnels), (445) 1

4-Phenylbenzylidene benzylamine: a new and convenient reagent for the titration of solutions of lithium alkyls and metal amides (L. Duhamel and J.-C. Plaquevent), (448) 1

Synthesis of $\alpha$-stannyl $\alpha,\beta$-unsaturated carboxylic esters (A.J. Zapata, C. Fortoul R. and C. Acuña A.), (448) 69

The systems $LiAlH_4/NH_4X$ and $N_2H_5Cl$ as precursor sources for AlN (J.F. Janik and R.T. Paine), (449) 39

## Lutetium

Metallorganische Verbindungen der Lanthanoide. LXX. Bis(cyclopentadienyl)seltenerdkomplexe: Synthese und Röntgen-strukturanalyse von dem intramolekular stabilisierten Lutetiumalkyl $Cp_2Lu(CH_2)_3NMe_2$ und dem monomeren basenfreien Yttriumcarboxylat $Cp_2Y[\eta^2\text{-}O_2C(CH_2)_3NMe_2]$ (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich and F.H. Görlitz), (430) 299

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Metallorganische Verbindungen der Lanthanoide. LXIX. Intramolekulare Stabilisierung der Lanthanoid–Kohlenstoff-$\sigma$-Bindung in Mono(cyclopentadienyl)lanthanoidkomplexen (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich und J. Pickardt), (433) 241

Alpha-metalated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

Synthesis and characterization of the lutetium naphthalene complex, $CpLuC_{10}H_8(DME)$ (A.V. Protchenko, L.N. Zakharov, M.N. Bochkarev and Y.T. Struchkov), (447) 209

## Magnesium

Cyclopentadienylmagnesium alkoxides derived from polyfunctional alcohols (O.N.D. Mackey and C.P. Morley), (426) 279

Substitution of the acetoxy groups of dialkoxymethylacetates by organometallic reagents: a route to allyl-, propargyl-, homoallyl-, homopropargyl- and $\alpha$-stannylacetals (I. Beaudet, A. Duchêne, J.-L. Parrain and J.-P. Quintard), (427) 201

Reactions of chelating alkali metal amides with the Grignard reagent $^nBuMgCl$: crystal structures and solution $^1H$ NMR spectroscopic studies of the expected mono(amido)-product $[PhCH_2(Me_2N$-$CH_2CH_2)NMg^nBu]_2$ and the unexpected bis(amido)-product $\{[Ph(2\text{-}Pyr)N]_2Mg \cdot (THF)_2\}$ (K.W. Henderson, R.E. Mulvey, W. Clegg and P.A. O'Neil), (439) 237

Allénylsilanes fonctionnels. II. Synthèse par voie organoaluminique du 2-triméthylsilylbuta-2,3-diénal et application a la synthèse d'alcools secondaires $\alpha$-alléniques triméthylsilylés (D. Mesnard et L. Miginiac), (440) 277

Synthesis of phenyl(perfluoroorgano)mercury derivatives $C_6H_5Hg(R_f)$ $[R_f = C_nF_{2n+1}$ $(n = 1\text{–}4$ or 6) or $C_6F_5]$ by the reactions of bis(perfluoroorgano)cadmium compounds with phenylmercury chloride (H. Layeghi, D. Naumann and W. Tyrra), (441) 355

Conjugate addition of Grignard reagents to *para*-substituted nitrobenzenes (S.J. Bentley and D.J. Milner), (447) 1

Synthese und Kristallstruktur der Grignardverbindungen $C_5H_5MgCl \cdot O(C_2H_5)_2$ und $C_5Me_5MgCl \cdot O(C_2H_5)_2$ (C. Dohmeier, D. Loos, C. Robl, H. Schnöckel und D. Fenske), (448) 5

A polar substituent effect on the ring-cleavage rearrangement of 1-arylcyclobutylmethyl Grignard reagents (E.A. Hill and B. Li), (448) 9

## Manganese

Reactions of $\eta^2$-13-acyltetracarbonylmanganese complexes derived from podocarpic acid with alkenes; cyclopentaannulation of ring C (R.C. Cambie, M.R. Metzler, C.E.F. Rickard, P.S. Rutledge and P.D. Woodgate), (426) 213

The thermal dissociation process of metal carbonyls on the heated Re surface: $Fe(CO)_5$ and $Mn_2(CO)_{10}$ (T. Fujii, K. Kakizaki and H. Ishii), (426) 361

*ansa*-Carben-Komplexe durch Insertion/Cyclisierung aus kationischen Carbin-Komplexen und Cyanamiden (H. Fischer and C. Troll), (427) 77

The first examples of insertion of $SnCl_2$ into the Mn–Cl and Re–Cl bonds of octahedral complexes: X-ray structure of $[Mn(CO)_3(SnCl_3)(S_2CPCy_3)] \cdot CH_2Cl_2$ (B. Alvarez, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), (427) C33

Charge-transfer salts of carbonylmetalates as outer-sphere ion pairs in photochemical and thermal electron transfer (C.-H. Wei, T.M. Bockman and J.K. Kochi), (428) 85

Coupling reactions of diterpenoid $\eta^2$-tetracarbonylmanganese complexes with alkynes (R.C. Cambie, M.R. Metzler, P.S. Rutledge and P.D. Woodgate), (429) 41

Reactions with alkenes of $\eta^2$-7-oxotetracarbonylmanganese complexes derived from diterpenoids (R.C. Cambie, M.R. Metzler, P.S. Rutledge and P.D. Woodgate), (429) 59

Metal-metal bonds extended over a porphyrin ring. III. Syntheses and spectral studies of new metal–metal bonded indium porphyrin complexes, (TBPP)In–ML and (5FP)In–ML (S. Takagi, Y. Kato, H. Furuta, S. Onaka and T.K. Miyamoto), (429) 287

Formation of a manganese alkyl complex as an intermediate in the ring-opening hydroformylation of $\alpha$-cyclopropylstyrene by $HMn(CO)_5$ (R.M. Bullock and B.J. Rappoli), (429) 345

Orthomanganated arenes in synthesis. VIII. Mono- and dicyclomanganation of diacetyl benzenes (N.P. Robinson, L. Main and B.K. Nicholson), (430) 79

Photochemical and thermal disproportionation of $[(CO)_4CoM(CO)_3(LL)]$ (M = Mn, Re; LL = 2,2′-bipyridine, 2-pyridinecarbaldehyde *N*-isopropylimine) complexes (H. Knoll, W.J.G. De Lange, H. Hennig, D.J. Stufkens and A. Oskam), (430) 123

Reactions of $\eta^2$-tetracarbonylmanganese complexes derived from podocarpic acid with electrophiles; functionalization of ring C (R.C. Cambie, M.R. Metzler, C.E.F. Rickard, P.S. Rutledge and P.D. Woodgate), (431) 177

Synthesis and chemistry of 1-acetyl, 2-methylsubstituted cyclopentadienyl thallium and its chiral manganese and rhodium carbonyl derivatives. The molecular structure of $[1\text{-}CH_3CO, 2\text{-}CH_3C_5H_3]Rh(CO)[P(C_6H_5)_3]$ (T.E. Bitterwolf, T.L. Hubler and A.L. Rheingold), (431) 199

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Synthesis and structure analysis of $[(^tBuC_6H_5)Mn(CO)_3]ClO_4$ and its reaction with some nucleophiles (E. Jeong and Y.K. Chung), (434) 225

The vacuum ultraviolet spectrum of $[Mn_2(CO)_{10}]$ (A. Márquez, J.F. Sanz, M. Gelizé and A. Dargelos), (434) 235

Hydrogen bonds and conformations of $\alpha$-carbinol derivatives of cyclopentadienyltricarbonyls of manganese and rhenium (E.S. Shubina, A.N. Krylov, T.V. Timofeeva, Y.T. Struchkov, A.G. Ginzburg, N.M. Loim and L.M. Epstein), (434) 329

The synthesis of alkylmanganese(III) complexes. Crystal structure of $MnMe(2\text{-}Me_2NCH_2C_6H_4)_2$ (J.L. Latten, R.S. Dickson, G.B. Deacon, B.O. West and E.R.T. Tiekink), (435) 101

Synthese und Reaktivität kohlenwasserstoffüberbrückter Komplexe von Mangan, Rhenium, Molybdän und Wolfram (E. Lindner, M. Pabel, R. Fawzi, H.A. Mayer und K. Wurst), (435) 109

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions $[C_5H_4CH{=}C_9H_6]^-$ mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Activation of carbon–carbon bond in the Mn-mediated cycloaddition reaction between disilacyclobutene and cyclohepta-1,3-diene (H.-J. Chiang and C.-S. Liu), (438) C9

Electron spin resonance spectroscopy of $Mn(CO)_5\cdot$ radicals generated in the gas phase thermolysis of $Mn_2(CO)_{10}$ (K. Mach, J. Nováková and J.B. Raynor), (439) 341

Alkylmanganese pentacarbonyls (J.-A.M. Andersen and J.R. Moss), (439) C25

Trigonal-planar koordiniertes Selen bzw. Tellur in $[Cp'(CO)_2Mn]_2E\text{-}Mes^+$ (E = Se, Te): Verbindungen vom "Iniden"-Typ (P. Lau, G. Huttner und L. Zsolnai), (440) 41

The Wittig reaction in the generation of organometallic compounds containing alkenes as side groups (E.J. Miller, C.A. Weigelt, J.A. Serth, R. Rusyid, J. Brenner, L.A. Luck and M. Godlewski), (440) 91

Wittig and Reformatsky chemistry of the formyl and acetyl derivatives of $(\eta^5\text{-}C_5H_5)Mn(CO)_3$, $(\eta^5\text{-}C_5H_5)Re(CO)_3$ and $(\eta^6\text{-}C_6H_6)Cr(CO)_3$ (T.E. Bitterwolf and X. Dai), (440) 103

Electron transfer catalyzed substitution in carbonyl complexes. VI. Highly variable rates of substitution by tetracyanoethylene (B. Schwederski, W. Kaim, B. Olbrich-Deussner and T. Roth), (440) 145

Syntheses of gold–manganese and gold–rhenium clusters, $[(Ph_3P\text{-}Au)_3M(CO)_4]$ and $[(Ph_3PAu)_4M(CO)_4]^+$ (M = Mn, Re), and the crystal structure of $[(Ph_3PAu)_4Mn(CO)_4]BF_4$ (B.K. Nicholson, M.I. Bruce, O. Bin Shawkataly and E.R.T. Tiekink), (440) 411

Das Verhalten von stereoisomeren Bistriflaten des Tetrahydrofurans gegenüber ein- und zweiwertigen Carbonylmetallaten (E. Lindner, M. Pabel, R. Fawzi und M. Steimann), (441) 63

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

Kohlenwasserstoffverbrückte Komplexe. XXVI. Reaktionen von anionischen Aromatenkomplexen $[(OC)_3Cr(Ar)]^-$ mit metallorganischen Elektrophilen. Darstellung von $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_6H_5\text{-}C_7H_7)M(CO)_3$ (M = Cr, Mo), $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^5\text{-}C_6H_5\text{-}C(O)C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_8H_5S\text{-}C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_9H_7\text{-}C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_{13}H_9\text{-}C_7H_7)M(CO)_3$ und $(OC)_3Cr(\mu\text{-}\eta^6\text{:}\eta^6\text{-}C_{13}H_{11}\text{-}C_7H_7)M(CO)_3$ (M = Cr, Mo, W) (J. Breimair, M. Wieser und W. Beck), (441) 429

Umsetzungen der lithiierten Halbsandwich-Chalkogenole, $(CO)_3MC_5H_4\text{-}ELi$ (M = Mn, Re; E = S, Se, Te) (M. Herberhold und M. Biersack), (443) 1

A new preparation of tricarbonyl($\eta^5$-pentadienyl)manganese (K.F. McDaniel and A.B.A. Afif Abu-Baker), (443) 107

Preparation and properties of cyclodextrin–metal carbonyl inclusion compounds (M. Shimada, Y. Morimoto and S. Takahashi), (443) C8

X-ray structure of $[Mn(\eta\text{-}C_6H_5Me)_2]^+I^-$ (D. O'Hare, V. Murphy, A. Bland and P. Scott), (443) C37

Cyclometallated complexes of $Pd^{II}$ and $Mn^{I}$ with *N*,*N*-terephthalylidenebis(cyclohexylamine) (J.M. Vila, M. Gayoso, M.T. Pereira, M. López, G. Alonso and J.J. Fernández), (445) 287

Electrospray mass spectrometric studies of some cationic and anionic Group 6 and Group 7 metal carbonyl complexes (I. Ahmed, A.M. Bond, R. Colton, M. Jurcevic, J.C. Traeger and J.N. Walter), (447) 59

Verbrückte Diarsinidenkomplexe $\{[Cp'(CO)_2Mn]_2As\}_2E$ (E = O, S, Se) und deren nukleophile Spaltung (C. Emmerich, G. Huttner und A. Asam), (447) 71

Substitution, nukleophile und oxidative Addition an Arsinidenkomplexe. Zur Reaktion von $[Cp'(CO)_2Mn]_2AsCl$ mit PhSeH und verwandten Chalkogenverbindungen (C. Emmerich und G. Huttner), (447) 81

Manganese carbonyl complexes of 2,5-dimethylbismolyl. The crystal and molecular structure of ($\eta^1$-2,5-dimethylbismolyl) manganese pentacarbonyl (A.J. Ashe, III, J.W. Kampf and D.B. Puranik), (447) 197

Reaktionen von $[Cp'(CO)_2Mn]_2AsCl$ mit Kohlenstoff-Nukleophilen (C. Emmerich und G. Huttner), (448) 83

Reaktivität von Tricarbonyl-$\eta^{3:2}$-2,6-cyclononadienyl-mangan-Komplexen, photochemische Ligandabspaltung (C.G. Kreiter und K. Lehr), (448) 107

Metallorganische Chemie des Technetiums. VIII. Technetium(I)-carbonyl-Komplexe mit Polypyrazol-1-yl-borato-Liganden im Vergleich mit seinen Mn- und Re-Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, R. Maier, N. Marques, D. Meyer,

J. Müller, A. Pires de Matos, B. Nuber, J. Rebizant und M.L. Ziegler), (448) 119

A facile synthetic route to ($\eta^5$-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), (450) 27

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), (450) 177

## Mercury

Übergangsmetall-Silyl-Komplexe. XLII. Einfluß des Phosphan-Liganden auf Bildung, Struktur und Stabilität der Hetero-Zweikernkomplexe $(CO)_3(R'_3P)(R_3Si)Fe-ML_n$ (M = Cu, Ag, Au, Hg) (G. Reinhard, B. Hirle and U. Schubert), (427) 173

The effect of ligands, solvent and temperature on the reactions of allyltin(IV) compounds with singlet oxygen (H.-S. Dang and A.G. Davies), (430) 287

Synthese 1,4-disubstituierter Tetrasilane durch selektive Spaltung von Si–Phenyl-Bindungen (H. Stüger), (433) 11

Mercuriation of 3,4,5-trimethoxybenzoic acid. Synthesis of derivatives of the mercuriation product and crystal and molecular structure of $[PPh_3(CH_2Ph)][HgCl\{C_6H(CO_2)$-6-$(OMe)_3$-2,3,4$\}]$ (J. Vicente, J.-A. Abad, A. Sandoval and P.G. Jones), (434) 1

Mercury-bridged transition-metal clusters. Synthesis of pentanuclear $Ru_3HgM$ (M = Mo, W, or Co) clusters and X-ray structure of $[\{Ru_3(\mu_3,\eta^2$-ampy$)(CO)_9\}$-$(\mu_3$-Hg$)Co(CO)_4]$ (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123

Synthesis, characterisation and molecular structure of $[Ru_5C(CO)_{15}(HgCF_3)(CF_3CO_2)]$ (B.F.G. Johnson, J. Lewis, P.R. Raithby, V.P. Saharan and W.T. Wong), (434) C10

$\beta$-Peroxyalkyl radicals and their role in the generation of epoxides during the autoxidation of alkenes. An example of the interplay of free radical, peroxide and organometallic chemistries (J.L. Courtneidge and M. Bush), (437) 57

The thermal decomposition of dibenzylmercury: a suitable model reaction for determination of substituent effects on radical stability? (R.A. Jackson), (437) 77

Preparation of polyfunctional diorganomercurials and their transmetallation to diorganozincs. Applications to the preparation of optically active secondary alcohols (M.J. Rozema, D. Rajagopal, C.E. Tucker and P. Knochel), (438) 11

Characterization of 1 : 1 heterobimetallic complexes of $(\eta^5$-$C_5Me_5)Ir(CO)_2$ with zinc, cadmium and mercury(II) chloride and the X-ray structure determination of the 1:2 mercury complex (F.W.B. Einstein, X. Yan, X. Zhang and D. Sutton), (439) 221

Uptake of a Hg or $Hg_2$ unit into the center of cage-type platinum clusters supported by diphosphines having long methylene carbon chains: X-ray structure of $[Hg_2Pt_6(dpphex)_3(RNC)_6] \cdot 2C_6H_6$ (dpphex = 1,6-bis(diphenylphosphino)hexane, R = 2,6-dimethylphenyl) (T. Tanase, T. Horiuchi, Y. Yamamoto and K. Kobayashi), (440) 1

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

Crown compounds for anions. A spinning top-shaped complex of cyclic pentameric perfluoroisopropylidenemercury with two chloride anions (V.B. Shur, I.A. Tikhonova, F.M. Dolgushin, A.I. Yanovsky, Y.T. Struchkov, A.Y. Volkonsky, E.V. Solodova, S.Y. Panov, P.V. Petrovskii and M.E. Vol'pin), (443) C19

Selectivity of mercury(II) salts in reactions with $\alpha,\beta$-unsaturated stannyl esters (C. Deb and B. Basu), (443) C24

Mass spectroscopic and nuclear magnetic resonance evidence confirming the existence of methyl mercury hydride (P.J. Craig, D. Mennie, M. Needham, N. Oshah, O.F.X. Donard and F. Martin), (447) 5

Complexes derived from 4-amino-3-methyl-5-thione-1,2,4-triazole and monoorganomercury moieties. Crystal structure of (4-amino-5-mercapto-3-methyl-1,2,4-triazolato)methylmercury(II) (J.M. Varela, A. Macías, J.S. Casas and J. Sordo), (450) 41

Darstellung und spektroskopische Charakterisierung verzweigter funktioneller Hexasilangerüste (H. Stüger und P. Lassacher), (450) 79

## Metallocenes

Cyclopentadienylmagnesium alkoxides derived from polyfunctional alcohols (O.N.D. Mackey and C.P. Morley), (426) 279

Electron transfer in asymmetric mixed-valence 3,1‴-(propane-1,3-diyl)-1,1′-biferrocenium triiodide (T.-Y. Dong and H.-M. Lin), (426) 369

Alkinkomplexe des Titanocens und Permethyltitanocens ohne zusätzliche Liganden — Erste Strukturvergleiche (U. Rosenthal, H. Görls, V.V. Burlakov, V.B. Shur and M.E. Vol'pin), (426) C53

Direct proof of the molecular structure of dimeric titanocene; the X-ray structure of $\mu$-($\eta^5:\eta^5$-fulvalene)-di-($\mu$-hydrido)-bis($\eta^5$-cyclopentadienyltitanium) · 1.5benzene (S.I. Troyanov, H. Antropiusová and K. Mach), (427) 49

*ansa*-Metallocene derivatives. XXV. Synthesis, crystal structure and reactions of a tetramethylethano-bridged vanadocene dichloride, $(CH_3)_4C_2(C_5H_4)_2VCl_2$ (B. Dorer, J. Diebold, O. Weyand and H.-H. Brintzinger), (427) 245

Insertion of alkynes into zirconium–nitrogen bonds leading to 2,3-diazametallacyclopentenes. Generation and reactivity of $Cp_2Zr(N_2Ph_2)$ (P.J. Walsh, F.J. Hollander and R.G. Bergman), (428) 13

Reactions of pentafluorophenyl germanium hydrides with nickelocene (L.V. Pankratov, V.I. Nevodchikov, L.N. Zakharov, M.N. Bochkarev, I.V. Zdanovich, V.N. Latyaeva, A.N. Lineva, A.S. Batsanov and Y.T. Struchkov), (429) 13

Synthèse de chalcones à base de tétrathiafulvalène: RC(=O)CH=C$(CH_3)$TTF, TTFC(=O)CH=C$(CH_3)$R (R = TTF: $C_6H_3S_4$; Bct: $C_6H_5Cr(CO)_3$; Fc: $C_5H_4FeC_5H_5$). Propriété conductrice d'un nouveau complexe de transfert de charge TTFC(=O)CH=C$(CH_3)$TTF · TCNQ (J. Besançon, A. Radecki-Sudre, J. Szymoniak and J. Padiou), (429) 335

Facile synthesis of $\alpha,\beta$-unsaturated niobium acyls via $\gamma$-hydride abstraction (A.S. Hneihen, M.C. Fermin, J.J. Maas and J.W. Bruno), (429) C33

Cyclopentadienyl- and methylcyclopentadienyl-vanadium complexes containing chalcogen bridges: dechalcogenation to pseudocubane clusters (M. Herberhold, M. Schrepfermann and J. Darkwa), (430) 61

Synthesis and some properties of diferrocenyl thioketones and dynamic behavior of some [1.1]ferrocenophane derivatives (M. Sato and M. Asai), (430) 105

The synthesis and crystal structure of 1,2,3-trithia[3]osmocenophane (E.W. Abel, N.J. Long, A.G. Osborne, M.B. Hursthouse and M.A. Mazid), (430) 117

Synthesis of new *N*-substituted imidazolyl and 1*H*-1,2,4-triazolyl derivatives of ($\eta^6$-arene)($\eta^5$-cyclopentadienyl)iron(II) salts (R.M.G. Roberts), (430) 327

Penta- and hexaphospha ferrocenes as ligands: crystal and molecular structures of $[Fe(\eta^5$-$P_3C_2{}^tBu_2)_2W(CO)_5]$, $[Fe(\eta^5$-$P_3C_2{}^tBu_2)(\eta^5$-$P_2C_3{}^tBu_3)W(CO)_5]$ and the novel triruthenium carbonyl cluster complex $[Fe(\eta^5$-$P_3C_2{}^tBu_2)_2Ru_3(CO)_{10}]$ containing two interlinked $\eta^5$-$P_3C_2{}^tBu_2$ ring systems (R. Bartsch, A. Gelessus, P.B. Hitchcock and J.F. Nixon), (430) C10

Organo-Übergangsmetall-Chemie hochfluorierter Ligand-Systeme. XIV. Vanadocenhexafluoroarsenat-Komplexe: Struktur von $Cp_2V(AsF_6)_2$ und $^{51}$V-NMR von $[Cp_2VCl_2]^+[AsF_6]^-$ (P. Gowik, T.M. Klapötke, K. Siems and U. Thewalt), (431) 47

The synthesis and polymerisation of some new 1,1′-substituted vinylferrocenes of the type [Fe($\eta^5$-$C_5H_4X$){$\eta^5$-$C_5H_4$(CH=$CH_2$)}] (X = Cl, Br, CN or $CONH_2$) (S. Afeworki, P.K. Baker, O.L. Parri and C. D'Silva), (431) 81

Structure of an oxazirconacyclohexadiene synthesized by thermolysis of difurylzirconocene (G. Erker, R. Petrenz, C. Krüger and M. Nolte), (431) 297

Interesting magnetic effects caused by bulky substituents in ferrocenium salts. Zero applied-field magnetic hyperfine interactions in 1,1′,3,3′-tetrakis(trimethylsilyl)ferrocenium triflate (A. Houlton, R.A. Brown, J.R. Miller, R.M.G. Roberts, J. Silver and M. Thomas), (431) C17

Mehrkernige Zirkonocen-Ethylkomplexe (H.G. Alt, C.E. Denner und R. Zenk), (433) 107

Ligand redistribution reactions of $Me_2Ga(C_5H_5)$ and $MeGa(C_5H_5)_2$ (O.T. Beachley, Jr., T.L. Royster, Jr. and J.R. Arhar), (434) 11

Functionalization of chlorobenzenes via their $CpFe^+$ salts: a synthesis of substituted diphenyl ethers (R.C. Cambie, S.J. Janssen, P.S. Rutledge and P.D. Woodgate), (434) 97

The constitution of a ferrocenyl diketone: solution and solid state NMR spectroscopy. Crystal structure of 1-ferrocenyl-3-hydroxybut-2-en-1-one (W. Bell, J.A. Crayston, C. Glidewell, M.A. Mazid and M.B. Hursthouse), (434) 115

Synthesis and solution properties of the boron-containing clusters $HM_4(CO)_{12}BAu_2$(dppf) (M = Fe or Ru) and the competitive formation of {$HM_4(CO)_{12}BHAu$}$_2$(dppf) for M = Ru (dppf = 1,1′-bis(diphenylphosphino)ferrocene). Molecular structure of $HRu_4(CO)_{12}BAu_2$(dppf) · 2 $CHCl_3$ (S.M. Draper, C.E. Housecroft and A.L. Rheingold), (435) 9

*ansa*-Metallocene derivatives of $Ti^{IV}$ and $Zr^{IV}$ with the shortest $-C(CH_3)_2-$ bridge (I.E. Nifant'ev, A.V. Churakov, I.F. Urazowski, S.G. Mkoyan and L.O. Atovmyan), (435) 37

Synthesis and characterization of Group IV metal–iron complexes bridged by carboxylate substituted cyclopentadienyl group. The structure of $Cp_2Ti[(\mu\text{-}O_2CC_5H_4)Fe(CO)_2(CH_2C_6H_5)]_2$ (H.-M. Gau, C.-C. Schei, L.-K. Liu and L.-H. Luh), (435) 43

Early-transition-metal ketene complexes: synthesis, reactivity and structure of ketene complexes of bis(trimethylsilyl)niobocene, X-ray structure of [Nb($\eta^5$-$C_5H_4SiMe_3)_2$Br($Ph_2C$=C=O–*C,O*) (A. Antiñolo, A. Otero, M. Fajardo, C. Lopez-Mardomingo, D. Lucas, Y. Mugnier, M. Lanfranchi and M.A. Pellinghelli), (435) 55

Darstellung und Eigenschaften von und Reaktionen mit metallhaltigen Heterocyclen. LXXVIII. Das Verhalten von monomeren und dimeren Thiophosphinitonickel-Komplexen gegenüber Alkinen und Phosphaalkinen (E. Lindner, A. Nothdurft, R. Fawzi und C. Maichle), (435) 213

Synthese und Kristallstruktur von $Cp'_2Zr\{P(SiMe_3)_2\}_2$ (Cp′ = $\eta^5$-$C_5H_4Me$) — Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Bisphosphido-Komplexes (F. Lindenberg und E. Hey-Hawkins), (435) 291

Preparation and structure of half-open vanadocene, V[2,4-$(CH_3)_2C_5H_5$]($C_5H_5$)CO (Y. Wang, Y. Liang, J. Liu, S. Jin and Y. Lin), (435) 311

Electrochemical studies on organometallic compounds. XLI . Electrogeneration and ESR characterization of [Nb($\eta^5$-$C_5H_4SiMe_3)_2$ Cl{$P(OMe)_3$}]$^+$ (D. Lucas, Y. Mugnier, A. Antinolo, A. Otero and M. Fajardo), (435) C3

Zum Koordinationsverhalten der Lewis-Basen HCN und DCN gegenüber $Cp_2Ti(AsF_6)_2$ (A. Schulz und T.M. Klapötke), (436) 179

Chelatstabilisierung von Lanthanid(III)-Organylen: Über 2-(Dimethylaminomethyl)ferrocenyl-Komplexe ausgewählter Seltener Erden (K. Jacob, W. Kretschmer, K.-H. Thiele, H. Gornitzka, F.T. Edelmann, I. Pavlik, A. Lyčka und J. Holeček), (436) 231

Ferrocenhaltige Liganden in der Lanthanid-Chemie: Alkoxide und Thiolate (H. Gornitzka, F.T. Edelmann und K. Jacob), (436) 325

$\sigma$-Ferrocenyl-Komplexe des Rutheniums (M. Herberhold, W. Feger und U. Kölle), (436) 333

The first examples of intermolecular weak (agostic) $\gamma$-methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of [{Yb($\eta$-Cp″)$_2$}$_\infty$] and [{Eu($\eta$-Cp″)$_2$}$_\infty$] [Cp″ = $C_5H_3(SiMe_3)_2$-1,3] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Synthesis, structure and redox chemistry of ferrocenylsilylmethylidinetricobaltnonacarbonyl complexes, $FcSi(R)_2CCo_3(CO)_9$, 1,1′-Fc′[$Si(R)_2CCo_3(CO)_9$]$_2$ (R = Me, Et, Ph) and their derivatives (J. Borgdorff, E.J. Ditzel, N.W. Duffy, B.H. Robinson and J. Simpson), (437) 323

The reaction between ferrocenyllithium and trimethylacetylchloride to form either trimethylacetylferrocene or 1,1′-bis(ferrocenyl)-2,2′-dimethylpropan-1-ol, an unusual hydrogen bonded dimer (H.K. Sharma, F. Cervantes-Lee and K.H. Pannell), (438) 183

First optically active ferricinium salts: a circular dichroism study (V.I. Sokolov, I.A. Mamedyarova, M.N. Nefedova and G. Snatzke), (438) C26

Catalytic activity of the titanocene complex with tolane in homogeneous hydrogenation of unsaturated hydrocarbons (V.B. Shur, V.V. Burlakov and M.E. Vol'pin), (439) 303

Ferrocenliganden in der Lanthanid-Chemie: Chelatstabilisierung des ersten Diorganyllanthanid(III)-halogenids (H. Gornitzka, A. Steiner, D. Stalke, U. Kilimann, F.T. Edelmann, K. Jacob und K.-H. Thiele), (439) C6

Protophilic isotopic hydrogen exchange of 1-ferrocenyl-2-(nitrophenyl)ethylenes (Z.V. Todres and D.S. Ermekov), (439) C28

Die Bildung von [$Cp_2Ti(C{\equiv}CSiMe_3)$]$_2$ aus Titanocen und 1,4-Bis(trimethylsilyl)-1,3-Butadiin (U. Rosenthal und H. Görls), (439) C36

High resolution EPR spectra of ferrocenyl(nitrophenyl)ethylene anion-radicals (G.F. Pedulli and Z.V. Todres), (439) C46

*Cis / trans* isomerization of $\beta$-ferrocenylacrylonitrile during protophylic isotope hydrogen exchange (Z.V. Todres, D.S. Ermekov and I.A. Garbuzova), (439) C53

Kinetically stable adduct of samarocene with aluminium deuteride ($\eta$-$C_5H_3{}^tBu_2)_2Sm(\mu_2\text{-}D)_2AlD \cdot Me_2NC_2H_4NMe_2$ (Y.K. Gun'ko, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (440) 47

Methylisocyanide derivatives of molybdenocene and tungstenocene: preparation, reactivity and electronic structure: crystal structures of [($\eta^5$-$C_5H_5)_2$WBr(CNMe)]Br and [($\eta^5$-$C_5H_5)_2$MoC{N(H)$CH_3$}-N(H)C{N(H)$CH_3$}][$BF_4$]$_2$ · $CH_3CN$ (M.J. Calhorda, A.R. Dias, M.T. Duarte, A.M. Martins, P.M. Matias and C.C. Romão), (440) 119

On the problem of stabilization of $\alpha$-metallocenylcarbocations. Synthesis, $^1H$ and $^{13}C$ NMR spectra of metallocenyldiphenylmethyl hexafluorophosphates and X-ray investigation of ($C_5H_5OsC_5H_4$ $CPh_2)^+PF_6^-$ (U. Turpeinen, A.Z. Kreindlin, P.V. Petrovskii and M.I. Rybinskaya), (441) 109

Highly selective hydroformylation and dimerization reactions of 2-ferrocenylpropene (L. Kollár and B. Floris), (441) 117

Chiral cyclopentadiene–cyclopentadienyl complexes of cobalt (V.P. Maryin and P.V. Petrovskii), (441) 125

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

Reaction of $Ru_3(CO)_{12}$ with ferrocenylacetylene. Crystal and molec-

ular structure of $Ru_2(CO)_6[C_4H_2(C_5H_4FeC_5H_5)_2]$ (A.A. Koridze, A.I. Yanovsky and Y.T. Struchkov), (441) 277
Substituted cyclopentadienyl complexes. X. An absolute integrated infrared intensity study of $[(\eta^5\text{-}C_5H_4R)Fe(CO)(L)I]$ (K.E. Du Plooy, T.A. Ford and N.J. Coville), (441) 285
Mixed-valence state of 1′,1‴-dialkylbiruthenocenium(II,IV) salts (M. Watanabe, T. Iwamoto, H. Sano, A. Kubo and I. Motoyama), (441) 309
Rearrangement processes of bis-($\eta^5$-alkylcyclopentadienyl)-zirconium dichlorides under electron impact (Y.A. Andrianov and V.P. Maryin), (441) 419
Neue Derivierungswege ethinylsubstituierter Metallocene (M. Buchmeiser und H. Schottenberger), (441) 457
Synthesis, electrochemistry and complexation studies of new redox active bisferrocene acyclic and macrocyclic thioethers (P.D. Beer, J.E. Nation, M.E. Harman and M.B. Hursthouse), (441) 465
Electronic structure of ferrocenylacrylonitrile ion radicals (Z.V. Todres, A.I. Safronov, D.S. Ermekov and R.M. Minyaev), (441) 479
Benzylverbindungen elektronenarmer Übergangsmetalle. Molekülstrukturen von $Cp_2Ti(CH_2Ph)_2$ und $CpZr(CH_2Ph)_3$ (J. Scholz, F. Rehbaum, K.-H. Thiele, R. Goddard, P. Betz und C. Krüger), (443) 93
Carbonyl adducts of open titanocenes – syntheses and structures (Y. Wang, Y.-Q. Liang, Y.-J. Liu and J.-Z. Liu), (443) 185
The redox behaviour of ferrocene derivatives. I. 1,2,3-Tritellura[3] ferrocenophane and 1,3-ditellura[3]ferrocenophanes (P. Zanello, G. Opromolla, M. Casarin, M. Herberhold and P. Leitner), (443) 199
Oxidatively induced nucleophilic capture *vs.* degradation of cyclopentadienyl iron derivatives of simple carboxylic acids and of $\alpha$-amino acids. A comparative study (C. Amiens, G. Balavoine and F. Guibé), (443) 207
Synthesis and structure of mono-THF solvates of bis(cyclopentadienyl)samarium(II) complexes: $(C_5Me_5)_2Sm(THF)$ and $[C_5H_2(SiMe_3)_3][C_5H_3(SiMe_3)_2]Sm(THF)$ (W.J. Evans, G. Kociok-Köhn, S.E. Foster, J.W. Ziller and R.J. Doedens), (444) 61
Photochemistry of $Cp_2Ti(CO)_2$ and $Cp_2Ti(N_3)_2$ in solid matrices and in solution at low temperatures (M. Tacke, C. Klein, D.J. Stufkens and A. Oskam), (444) 75
The redox behaviour of ferrocene derivatives. II. 8-Ferrocenyl-2-hydroxytricyclo[7.3.1.$0^{2,7}$]tridecan-13-one and 2,2-dimethylpropylferrocene (A. Cinquantini, G. Opromolla, P. Zanello and G. Giorgi), (444) 179
Ligand exchange in cyclopentadienylcobalt diselenolenes. Isolation and characterization of the $Se_3$-chelate, $C_5H_5Co[(SeC_8H_{12})_2Se]$ (C.P. Morley and R.R. Vaughan), (444) 219
Nickelocene-catalyzed polymerization of acetylenes (W.E. Douglas and A.S. Overend), (444) C62
Ketene acetal metallocene complexes. Crystal structure of $(C_5H_5)_2Ti(Cl)OC(OCH_3)=C(CH_3)_2$ (K. Hortmann, J. Diebold and H.-H. Brintzinger), (445) 107
Stabilization of a catalytically syndiotactic-specific metallocene cation by trimethylphosphine. The crystal structure of $[(\eta^5\text{-}C_5H_4)CMe_2\text{-}\eta^5\text{-}(C_{13}H_8)ZrMePME_3]^+$ $[B(C_6F_5)_4]^-$ (A. Razavi and U. Thewalt), (445) 111
Studies on molybdenocene derivatives: reactions of $[Cp_2Mo(\eta^2\text{-}NCMe)]$ and preparation of alkyl hydride complexes. Crystal structure of $[Cp_2Mo(PMe_3)]$ (C.G. De Azevedo, M.A.A.F. De C.T. Carrondo, A.R. Dias, A.M. Martins, M.F.M. Piedade and C.C. Romão), (445) 125
1,1′-Bis(diphenylphosphino)ferrocene ligand substitution in the benzylidyne-capped cluster $PhCCo_3(CO)_9$. Synthesis, X-ray structure, and redox reactivity of $PhCCo_3(CO)_7$(dppf) (W.H. Watson, A. Nagl, S. Hwang and M.G. Richmond), (445) 163
Enantiomerically pure $C_2$-symmetric bridged ferrocene and titanocene derivatives (K.-L. Gibis, G. Helmchen, G. Huttner and L. Zsolnai), (445) 181
Un nouveau type de ferrocénophane, premier exemple de structure dimère (R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron), (445) C4
Chemistry of decamethylsilicocene: oxidative addition of compounds with X–H bonds (X = F, Cl, Br, O, S) (P. Jutzi, E.-A. Bunte, U. Holtmann, B. Neumann and H.-G. Stammler), (446) 139
$^1H$, $^{13}C$ NMR spectroscopic studies of iodoferrocenylruthenocenium$^+$ salts (M. Watanabe, T. Iwamoto, H. Sano and I. Motoyama), (446) 177
Fulvalene cyclopentadienyl titanium and zirconium(III) and -(IV) complexes. X-Ray crystal structure of $[\{Ti(\eta^5\text{-}C_5H_5)Cl\}_2(\mu\text{-}O)(\mu\text{-}\eta^5\text{-}\eta^5\text{-}C_{10}H_8)]$ (A. Cano, T. Cuenca, G. Rodríguez, P. Royo, C. Cardin and D.J. Wilcock), (447) 51
Crystal and molecular structure of bis(tetramethylcyclopentadienyl)titanium halides, $(C_5HMe_4)_2TiCl$, $(C_5HMe_4)_2TiI$ and $(C_5HMe_4)_2TiCl_2$ (S.I. Troyanov, V.B. Rybakov, U. Thewalt, V. Varga and K. Mach), (447) 221
Organometalloidal derivatives of the transition metals. XXXIII. Reactions of ferrocenylcarboxaldehyde with base and trimethylsilylcyanide. A new high yield reaction for the formation of cyanoamines or silylethers (E. Peña, M. Rivera-Claudio, R.N. Kapoor and K.H. Pannell), (447) 265
$^1H$, $^{13}C$-NMR and $^{57}Fe$-Mössbauer spectroscopic studies of $\alpha,\alpha$-ferrocenylruthenocenylmethylium$^+$ ion (M. Watanabe, T. Iwamoto, S. Nakashima, H. Sakai, I. Motoyama and H. Sano), (448) 167
The complexation of $Y^{3+}$ by 1,1′-(1,4,10-trioxa-7,13-diazacyclopentadecane-7,13-diyldicarbonyl)ferrocene (C.D. Hall, J.H.R. Tucker and S.Y.F. Chu), (448) 175
Ferrocene compounds. XX. Synthesis and reactions of some ferrocene fulvenes (S. Kovač, V. Rapić and N. Filipović-Marinić), (448) 181
Synthesis and second-order nonlinear optical properties of three coordinate organoboranes with diphenylphosphino and ferrocenyl groups as electron donors: crystal and molecular structures of $(E)$-D–CH=CH–$B(mes)_2$ and D–C≡C–$B(mes)_2$ [D = $P(C_6H_5)_2$, $(\eta\text{-}C_5H_5)Fe(\eta\text{-}C_5H_4)$; mes = 2,4,6-$(CH_3)_3C_6H_2$] (Z. Yuan, N.J. Taylor, Y. Sun, T.B. Marder, I.D. Williams and L.-T. Cheng), (449) 27
Stereoselective propene polymerization at a metallocene/alumoxane catalyst derived from the chirally-substituted "*meso*-like" (*p-R,p-S*)bis[1-(neoisopinocamphyl)-4,5,6,7-tetrahydroindenyl]zirconium dichloride (G. Erker, M. Aulbach, C. Krüger and S. Werner), (450) 1
Carbonylation of 2-bornenyl(methyl)zirconocene (G. Erker, R. Noe, M. Albrecht and A.L. Rheingold), (450) 137
Rearrangement of cyclooctyne to 1,2-cyclooctadiene within the coordination sphere of $CpMn(CO)_2$ (S.M. Coughlan and G.K. Yang), (450) 151
Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), (450) 177
Ferrocene derivatives, LXXI; Stereochemistry of metallocenes, LVI. Synthesis and structure of optically active ferrocenylaminoalcohols (H. Wally, C. Kratky, W. Weissensteiner, M. Widhalm and K. Schlögl), (450) 185
The redox behaviour of ferrocene derivatives. III. Ferrocenylacyl complexes ($\eta^5\text{-}C_5H_5$) $Fe(\eta^5\text{-}C_5H_4\text{–}COER_3)$, E = C, Si or Ge; R = Me or Ph (P. Zanello, G. Opromolla, L. Pardi, K.H. Pannell and H.K. Sharma), (450) 193

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), (450) C1

## Molybdenum

Crystal and molecular structure of tetracarbonyl (6,6′-dimethyl-2,2′-bipyridine)molybdenum benzene solvate (P.N.W. Baxter, J.A. Connor, J.D. Wallis and D.C. Povey), (426) 187

Electrochemistry and bonding in biscyclopentadienyl complexes of molybdenum, tungsten, and niobium with *o*-phenanthroline and bipyridine. Crystal and molecular structures of $[Nb(\eta^5\text{-}C_5H_5)_2(bpy)][PF_6]_2$ and $[M(\eta^5\text{-}C_5H_5)_2(o\text{-phen})][PF_6]_2$ (M = Mo or W) (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A. Bram, P.N. Olsen, A.R. Dias, A.M. Freitas, M.H. Garcia and M.F.M. Piedade), (426) 195

Synthesis and evaluation of the catalytic properties of homo- and hetero-bimetallic complexes containing bridging diphenylphosphido ligands (Z. He, N. Lugan, D. Neibecker, R. Mathieu and J.-J. Bonnet), (426) 247

A study of polarities, polarisabilities and infrared spectra of $LM(CO)_5$ complexes (M = Cr, Mo or W; L = trimethylamine, quinuclidine, pyridine, *p*-methyl- or *p*-t-butylpyridine) and of the X-ray crystal structure of quinuclidine-$Cr(CO)_5$: evidence for $\pi$-acceptor behaviour of coordinated pyridine (M.J. Aroney, R.M. Clarkson, T.W. Hambley and R.K. Pierens), (426) 331

Metallorganische Lewis-Säuren. XLIV. Rheniooxy(organyl)carben-Komplexe von Chrom, Molybdän und Wolfram (P.M. Fritz, J. Breimair, B. Wagner and W. Beck), (426) 343

Controllable migration of acyl groups from molybdenum to phosphido ligands: synthesis of acylphosphine complexes (P. Blenkiron, M.H. Lavender and M.J. Morris), (426) C28

Synthese und strukturelle Charakterisierung von Bis(pentamethylcyclopentadienylmolybdän-$\mu$-sulfido)- Komplexen mit $\mu,\eta^1$-SSR-Liganden (H. Brunner, R. Graßl, J. Wachter, B. Nuber and M.L. Ziegler), (427) 57

Réaction du bis(dicarbonyl $\eta^5$-cyclopentadiénylmolbydène- (I)) avec l'octa-1,7-diyne. Réactivité du $\mu$-octa-1,7-diyne bis(dicarbonyl $\eta^5$-cyclopentadiénylmolybdène(I)) vis-à-vis de réactifs spécifiques de la triple liaison carbone–carbone (N. Le Berre-Cosquer and R. Kergoat), (427) 325

The synthesis and substitution reactions of $CpM(CO)_2(\mu\text{-}RC{\equiv}CR)Co(CO)_3$ (M = Mo, W; R = COOEt, COOMe) (C.-A. Dickson and N.J. Coville), (427) 335

A novel Redox/Fission reaction of the molybdenum tetracarbonyl complex of 3-diphenylphosphino-(1*R*)-(+)-camphor dimethylhydrazone. Crystal structure of $[Mo(CO)_4(PPh_2C_{10}H_{15}NH)]$ (S.D. Perera, B.L. Shaw and M. Thornton-Pett), (428) 59

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XXXIX. Synthese und dynamisches Verhalten von Tetracarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-metall(0)- und Dicarbonyl-bis($\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (S. Özkar, N.K. Tunali and C.G. Kreiter), (428) 345

Thermolysis of $Cp(CO)_nM\text{–}CH(CH_3)C_6H_5$ ($n$ = 2, M = Fe, Ru; $n$ = 3, M = Mo, W). Some vertical trends in transition metal–alkyl bond dissociation energies (C. Mancuso and J. Halpern), (428) C8

Übergangsmetall-Carbin-Komplexe. CII. Alkylierung von $Na[CpMo(CO)_2(CN^tBu)]$; Einfluß des Isocyanid-Substituenten auf den Reaktionsablauf (A.C. Filippou, W. Grünleitner and E.O. Fischer), (428) C37

Rupture of the triple C≡C and C≡O bonds in the mixed-metal clusters with $Ni_2Mo_2$ and $Mo_4Co_3$ cores. Synthesis and molecular structures of $Cp_4Ni_2Mo_2(\mu_3\text{-}CPh)_2(\mu_3\text{-}CO)_2$ and $Cp_4Mo_4(\mu_3\text{-}OH)(\mu_3\text{-}CPh)_2(\mu_6\text{-}C)Co_3(\mu\text{-}CO)_3(CO)_3$ (A.D. Shaposhnikova, M.V. Drab, G.L. Kamalov, A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, Y.T. Struchkov and A.I. Yanovsky), (429) 109

Komplexinduzierter Abbau von $As_4S_4$: Synthese von Molybdän–Schwefel-Komplexen und Molybdän–Arsen-Tetrahedranen (M. Gorzellik, B. Nuber and M.L. Ziegler), (429) 153

Organometallic complexes of the diphosphene $[2,4,6\text{-}(CF_3)_3C_6H_2]_2P_2$ (K.B. Dillon and H.P. Goodwin), (429) 169

Photolytisch induzierte Erzeugung und komplexchemische Stabilisierung eines Molybdän–Arsen-Dreifachbindungssystems; Röntgenstrukturanalysen der Cluster $\mu_3\text{-}AsCp_3Mo_2Ni(CO)_4$, $As_2Cp_6Mo_4Ni_2(CO)_7$ und $\mu_3\text{-}AsCpMoPt_2(CO)_4(PPh_3)_2$ (M. Gorzellik, B. Nuber, T. Bohn and M.L. Ziegler), (429) 173

Metal-metal bonds extended over a porphyrin ring. III. Syntheses and spectral studies of new metal–metal bonded indium porphyrin complexes, (TBPP)In–ML and (5FP)In–ML (S. Takagi, Y. Kato, H. Furuta, S. Onaka and T.K. Miyamoto), (429) 287

Tris($\eta^4$-1-oxa-1,3-diene)molybdenum and -tungsten: Preparation and properties of new homoleptic enone complexes (T. Schmidt and S. Neis), (430) C5

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CX. Methylierte Nitridomolybdän(VI)-Komplexe (W.A. Herrmann, S. Bogdanović, J. Behm and M. Denk), (430) C33

Oxidation of the molybdenum hydride $CpMo(CO)_2(PPh_3)H$. Synthesis of *cis*- and *trans*-$CpMo(CO)_2(PPh_3)(NCMe)^+$ and the kinetics of their interconversion (K.-T. Smith and M. Tilset), (431) 55

Synthese und strukturelle Charakterisierung von bcpm-Metallcarbonyl-Dimeren (bcpm = Biscyclopentadienylmethan) mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, J. Wachter, B. Nuber and M.L. Ziegler), (431) 143

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XL. Synthese und dynamisches Verhalten von Tricarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-trimethylphosphit-metall(0)- und Dicarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-bis(trimethylphosphit)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (C.G. Kreiter, M. Kotzian, S. Özkar and I. Abu-Mour), (431) 159

Synthese des neuartigen organometallischen Molybdän–Antimon-Clusters $(\mu_4\text{-}Sb)_2Cp_4Mo_5(CO)_{14}$ (M. Gorzellik, B. Nuber and M.L. Ziegler), (431) 171

Reaktion von Hydridotrispyrazolylboratomolybdän-Komplexen des Typs $[TpMo(CO)_2(\eta^4\text{-dien})]^+$ mit Ein-Elektronen-Donor-Reagenzien (J. Ipaktschi and A. Hartmann), (431) 303

Molybdenum-95 nuclear magnetic resonance studies on molybdenum carbonyl complexes of isonitriles and amines (C.A. Merlic and B. Adams), (431) 313

Synthesis and structure of $[NEt_4]Fe(CO)_3(\mu\text{-}SPh)_2Mo(CO)_3(SPh)$: a heterodinuclear compound with bridging and terminal thiolate ligands (L.D. Rosenhein and P.E. Fanwick), (431) 327

Übergangsmetall-Heteroallen-Komplexe. XXVI. Synthese und Struktur von zweikernigen Molybdän-Thioketen-Komplexen (W. Ziegler, D. Wormsbächer and U. Behrens), (431) C11

X-Ray structure analyses of diphosphinidenecyclobutene and its chelate type tetracarbonylmolybdenum(0) complex (K. Toyota, K. Tashiro, M. Yoshifuji, I. Miyahara, A. Hayashi and K. Hirotsu), (431) C35

Reaktionen von Komplexliganden. XLVII. Darstellung von Pentacarbonyl-(Aryl- und Heteroarylcarben)-Komplexen des Molybdäns (K.H. Dötz und H. Larbig), (433) 115

Synthesis of molybdenum–triosmium cluster complexes: reaction of $(\mu\text{-}H)_2Os_3(CO)_{10}$ with $(\eta^5\text{-}C_5H_5)(CO)_2Mo{\equiv}CC_6H_4Me$ (J.T. Park, J.-J. Cho, K.-M. Chun and S.-S. Yun), (433) 295

Einfluß verschiedenartig substituierter Cyclopentadienylliganden auf die Chemie schwefelreicher Organometallkomplexe mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, W. Meier, J. Wachter, B. Nuber und M.L. Ziegler), (434) 63

Mercury-bridged transition-metal clusters. Synthesis of pentanuclear $Ru_3HgM$ (M = Mo, W, or Co) clusters and X-ray structure of [{$Ru_3(\mu_3,\eta^2$-ampy)$(CO)_9$}- ($\mu_3$-Hg)$Co(CO)_4$] (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123

Coordinated 2-halo-1,3,2-dioxaphosphorinane ligands. III. *cis*-$Mo(CO)_4${$REP(OCH_2CMe_2CH_2O)$}$_2$ (E = O, S, NH; R = alkyl, aryl or ER = Cl, Br) complexes: syntheses, spectroscopic studies and the molecular structures of the *cis*-$Mo(CO)_4${$^iPrEP(OCH_2CMe_2CH_2O)$}$_2$ (E = O, NH) complexes (G.M. Gray and W. Watt), (434) 181

Carbyne–carbyne coupling at a single metal center. Synthesis and structure of bis(diethylamino)acetylene complexes of molybdenum(II) and tungsten(II) (A.C. Filippou, C. Völkl, W. Grünleitner and P. Kiprof), (434) 201

Synthese und Charakterisierung von Hydridotrispyrazolylborat-Heterobimetall-Komplexen mit Titan und Molybdän (J. Ipaktschi und W. Sulzbach), (434) 287

Synthese und stereokontrollierte Funktionalisierung von Hydridotrispyrazolylborat-Molybdän-Dien-Komplexen (J. Ipaktschi, A. Hartmann und R. Boese), (434) 303

Synthese und stereokontrollierte Funktionalisierung von Hydridotrispyrazolylborat-Molybdän-Dien-Komplexen (J. Ipaktschi, A. Hartmann und R. Boese), (434) 303

Synthesis and X-ray crystal structure of *trans*-[$MoF(\equiv CCH_2{}^tBu)(Ph_2PCH_2CH_2PPh_2)_2$][$BF_4$], a paramagnetic alkylidynefluoro-complex (M.A.N.D.A. Lemos, A.J.L. Pombeiro, D.L. Hughes and R.L. Richards), (434) C6

Nucleophilic attack by isocyanides, phosphines and cyclohexenesulphide on the $\alpha$-carbon of "side-on" bonded $\mu$-$\sigma$ : $\eta^2$-(4e)-vinylidenes; formation of thioketene and thioaldehyde dimolybdenum complexes (M. Bamber, S.F.T. Froom, M. Green, M. Schulz and H. Werner), (434) C19

Preparation and properties of molybdenum and tungsten dinitrogen complexes. XXXV. Synthesis of diazoalkane and hydrazido(2 – ) complexes of tungsten containing a $\pi$-acceptor ligand (T. Aoshima, T. Tamura, Y. Mizobe and M. Hidai), (435) 85

Synthese und Reaktivität kohlenwasserstoffüberbrückter Komplexe von Mangan, Rhenium, Molybdän und Wolfram (E. Lindner, M. Pabel, R. Fawzi, H.A. Mayer und K. Wurst), (435) 109

Structural properties of cationic molybdenum and tungsten allyl derivatives (B.J. Brisdon, M. Cartwright, A.G.W. Hodson, M.F. Mahon and K.C. Molloy), (435) 319

Alkylidenedinitrosylmolybdenum complexes. Preparation, characteristics and metathesis activity of dicarboxylatoethylidenedinitrosylmolybdenum complexes (A. Keller), (436) 199

Umsetzungen von Molybdän-Arsen-Tetrahedranen mit $Fe_2(CO)_9$ und $Fe_3(CO)_{12}$ (M. Gorzellik, B. Nuber und M.L. Ziegler), (436) 207

Silylated diphosphite complexes of molybdenum. Crystal structures of the compounds $Mo(CO)_4[P(OMe)_2O]_2SiR^2R^3$ ($R^2 = R^3$ = Ph or $R^2$ = Me, $R^3$ = Ph) (V. Sum, T.P. Kee and M. Thornton-Pett), (438) 89

Organometallics of diphosphazanes. V. The different coordination behaviour of *cis*- and *trans*-cyclodiphosphazanes towards Group 6 metal carbonyl moieties (V.S. Reddy, S.S. Krishnamurthy and M. Nethaji), (438) 99

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions $[C_5H_4CH{=}C_9H_6]^-$ mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Heterobimetallic Group 6-rhodium complexes. II. Reactions of [$Rh(S_2CNEt_2)(CO)_2$] with the complexes [$M(CO)_3(\eta^2$-phen)($\eta^1$-dppm)] (M = Mo or W) and [$Mo(CO)_4(\eta^2$-dppm)] as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

Syntheses and characterization of tri-metal cluster compounds; X-ray structure determination of [$Co_2Mo(\mu_3$-$CC_6H_5)Br(CO)_8$(bipy)] (bipy = $\alpha,\alpha$-dipyridyl) (Y. Yin, H. Sun, D. Jin and Y. Zhu), (439) 45

Half-sandwich complexes with intramolecular amino group coordination: synthesis and structure of cationic molybdenum dienyl complexes (T.-F. Wang and Y.-S. Wen), (439) 155

The synthesis of dimetallic thioalkyne complexes of cobalt and molybdenum (S.C. Bennett, A. Gelling and M.J. Went), (439) 189

Synthesis and characterization of cobalt and molybdenum complexes derived from linear conjugated diynenes, triynedienes and tetraynetrienes (W.E. Lindsell, P.N. Preston and P.J. Tomb), (439) 201

$\eta^1$- und $\eta^2$-Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammler), (439) 279

Some P–H bond substitution derivatives and fluxionality of $Cp_2Mo_2(\mu$-H)($\mu$-PHPh)$(CO)_4$ (S. Woodward and M.D. Curtis), (439) 319

The synthesis of dinuclear molybdenum and tungsten complexes with the bridging heterodifunctional ligand $C_5H_4PPh_2$: X-ray crystal structure of $Mo_2(\mu$-$C_5H_4PPh_2)(\eta^5$-$C_5H_5)(CO)_5$ (T.J. Duckworth, M.J. Mays, G. Conole and M. McPartlin), (439) 327

Cycloadditionsreaktionen von Phospheniumkomplexen. VIII. Regioselektive Cycloaddition chiraler Phosphenium-Komplexe Cp(OC)[$Ph_2$(R)P]M=$PPh_2$ (M = Mo, W; R = H, Me) mit Isothiocyanaten (H. Pfister und W. Malisch), (439) C11

Phosphenium-Übergangsmetallkomplexe. XXI. Schwefel- und Selenaddition an die Metall–Phosphor-Doppelbindung der zweikernigen Phosphinidenkomplexe $Cp(CO)_2M{=}PMes[M(CO)_3Cp]$ (M = Mo, W) (U.-A. Hirth, W. Malisch und H. Käb), (439) C20

Effect of pressure on intramolecular ring-closure reactions of molybdenum carbonyl complexes induced by flash photolysis (K. Bal Reddy, B.R. Brady, E.M. Eyring and R. Van Eldik), (440) 113

Methylisocyanide derivatives of molybdenocene and tungstenocene: preparation, reactivity and electronic structure: crystal structures of [$(\eta^5$-$C_5H_5)_2$WBr(CNMe)]Br and [$(\eta^5$-$C_5H_5)_2$MoC{N(H)=$CH_3$}N(H)C{N(H)$CH_3$}][$BF_4$]$_2$ · $CH_3CN$ (M.J. Calhorda, A.R. Dias, M.T. Duarte, A.M. Martins, P.M. Matias and C.C. Romão), (440) 119

Elektrophile Addition des Thiomethyl-Kations an $\eta^5$-Cyclopentadienyl(ethoxymethylcarben)- (nitrosyl)(trimethylphosphin)molybdän (F.R. Kreißl und N. Ullrich), (440) 335

Schwefel(IV)-Verbindungen als Liganden. XVII. Übergangsmetallvermittelte Insertion von Schwefeldioxid in die C–O-Einfachbindung (W.A. Schenk und J. Pfeffermann), (440) 341

Das Verhalten von stereoisomeren Bistriflaten des Tetrahydrofurans gegenüber ein- und zweiwertigen Carbonylmetallaten (E. Lindner, M. Pabel, R. Fawzi und M. Steimann), (441) 63

Kohlenwasserstoffverbrückte Komplexe. XXVI. Reaktionen von anionischen Aromatenkomplexen [$(OC)_3Cr(Ar)]^-$ mit metallorganischen Elektrophilen. Darstellung von $(OC)_3Cr(\mu$-$\eta^6$ : $\eta^6$-$C_6H_5$–$C_7H_7)M(CO)_3$ (M = Cr, Mo), $(OC)_3Cr(\mu$-$\eta^6$ : $\eta^5$-$C_6H_5$–$C(O)C_5H_4)Fe(\eta^5$-$C_5H_5)$, $(OC)_3Cr(\mu$-$\eta^6$ : $\eta^6$-$C_8H_5S$–$C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu$-$\eta^6$ : $\eta^6$-$C_9H_7$–$C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu$-$\eta^6$ : $\eta^6$-$C_{13}H_9$–$C_7H_7)M(CO)_3$ und $(OC)_3Cr(\mu$-$\eta^6$ : $\eta^6$-$C_{13}H_{11}$–$C_7H_7)M(CO)_3$ (M = Cr, Mo, W) (J. Breimair, M. Wieser und W. Beck), (441) 429

Synthesis, structure, and chemistry of heterobimetallic phosphido-bridged complexes $CpFe(CO)_2(\mu\text{-}PPh_2)M(CO)_5$ (M = Cr, Mo, W) (S.-G. Shyu, P.-J. Lin and Y.-S. Wen), (443) 115

Additionsreaktionen von $(CO)_5CrEPhH_2$ (E = P, As) an Di(ethinyl)-Phosphane und Stannane; Stufenweise Darstellung von Komplex-gebundenen 1,4-Dihetero-cyclohexa-2,5-dienen (H. Lang, U. Lay und W. Imhof), (444) 53

Synthesis and X-ray structure of (−)-[Mo($\eta^5$-$C_5Me_4$-3-pinanyl)$(CO)_3Me$] (R. Lai, L. Bousquet and A. Heumann), (444) 115

Übergangsmetallkomplexe von Diazenen. XXXI. Orthometallierte Diazenkomplexe von Molybdän, Eisen und Ruthenium: Struktur und Umsetzung zu 2,3-Diphenylindol (D. Garn, F. Knoch und H. Kisch), (444) 155

Molekülstruktur von Tetracarbonyl- bis($\eta^5$-cyclopentadienyl)-$\mu$-$\eta^{1:2}$-vinyliden-dimolybdän (U. Kern, C.G. Kreiter, S. Müller-Becker und W. Frank), (444) C31

Dealkylation of thiols by a phosphido-bridged dimolybdenum complex. Crystal structure of $[Mo_2(\mu\text{-}S)_2(\mu\text{-}S^iPr)(\mu\text{-}PPh_2)(\eta\text{-}C_5H_5)_2]$ (H. Adams, N.A. Bailey, A.P. Bisson and M.J. Morris), (444) C34

Unexpected ring-expansion of "axially prostereogenic" biaryl lactones by methylenephosphoranyl-substituted imido complexes of molybdenum and tungsten (J. Sundermeyer, K. Weber, H. Werner, N. Mahr, G. Bringmann and O. Schupp), (444) C37

Darstellung und Charakterisierung von Indenyl- und Fluorenyl-funktionalisierten Cyclopentadienylcarbonyl-Methylkomplexen des Molybdäns und Wolframs. Molekülstrukturen von ($\eta^5$-$C_5H_4CMe_2C_9H_7$)$M(CO)_3Me$ (M = Mo, W), ($\eta^5$-$C_5H_4CMe_2C_{13}H_9$)$M(CO)_3Me$ und ($\eta^5:\eta^2$-$C_5H_4CMe_2C_9H_7$)$Mo(CO)_2Me$ (H.G. Alt, J.S. Han und R.D. Rogers), (445) 115

Studies on molybdenocene derivatives: reactions of [$Cp_2Mo(\eta^2$-NCMe)] and preparation of alkyl hydride complexes. Crystal structure of $[Cp_2Mo(PMe_3)]$ (C.G. De Azevedo, M.A.A.F. De C.T. Carrondo, A.R. Dias, A.M. Martins, M.F.M. Piedade and C.C. Romão), (445) 125

Electrospray mass spectrometric studies of some cationic and anionic Group 6 and Group 7 metal carbonyl complexes (I. Ahmed, A.M. Bond, R. Colton, M. Jurcevic, J.C. Traeger and J.N. Walter), (447) 59

Darstellung und Struktur von 1-Metalla-2,3,4-triazolen des Molybdäns und Wolframs (C.M. Stegmair, W. Schütt, W. Ullrich, P. Kiprof, J. Ostermeier und F.R. Kreißl), (447) 251

Zur Reaktion von metallkoordinierten 1-Molybda-2-phospha-1,3-dienen mit Alkinen (H. Lang, M. Leise und L. Zsolnai), (447) C1

Phenylbis(2-pyridyl)phosphine: *P- vs. N,N'*-coordination in carbonylmolybdenum-(0) and -(II) complexes (P. Espinet, P. Gómez-Elipe and F. Villafañe), (450) 145

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), (450) 177

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), (450) C1

## Neodymium

Synthesis and crystal structure of the tris(cyclopentadienyl)phenyl complex of neodymium, $(Li \cdot 3DME)[(\eta^5\text{-}C_5H_5)_3NdC_6H_5]$ (H. Gao, Q. Shen, J. Hu, S. Jin and Y. Lin), (427) 141

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Metalloligands containing samarium(III). Access to binuclear *f*-metal (samarium)–*d*-metal (rhodium) complexes (M. Visseaux, A. Dormond, M.M. Kubicki, C. Moïse, D. Baudry and M. Ephritikhine), (433) 95

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXII. Absorptionsspektroskopische Charakterisierung von $Cp_3Nd(NCCH_3)_2$ (H. Schulz, H. Reddmann und H.-D. Amberger), (440) 317

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXIII. Esteraddukte des Grundkörpers Tris($\eta^5$-cyclopentadienyl)-lanthan(III)—ideale Wirtsgitter für einkristalloptische Untersuchungen von Lanthanoid-Ionen in metallorganischer Umgebung (H. Schulz und H.-D. Amberger), (443) 71

Neue Cyclooctatetraenyl-lanthanid(III)-Komplexe (U. Kilimann und F.T. Edelmann), (444) C15

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides (C. Qian and D. Zhu), (445) 79

## Nickel

Neuartige Synthesen monosubstituierter Nickelocene als Zugang zu mehrkernigen Metallocensystemen (H. Schottenberger, G. Ingram and D. Obendorf), (426) 109

Struktur und Dynamik von [(2,6-$Me_2$Ph-dad)Ni]$_2${$\sigma^2$(1,4),$\eta^4$(1–4)-$C_4H_4$} (S. Michaelis, K.R. Pörschke, R. Mynott, R. Goddard and C. Krüger), (426) 131

Metall-$\pi$-Komplexe von Benzolderivaten. XXXVIX. Di[1,4-bis(diphenylphosphano)-$\eta^6$-benzol]chrom: ein Baustein für polynukleare Bimetallkomplexe? (Ch. Elschenbroich, J. Sebbach, B. Metz and G. Heikenfeld), (426) 173

Nickelalactone als Synthesebausteine: Sonochemische und Bimetallaktivierung der Kreuzkopplungsreaktion mit Alkyl-halogeniden (R. Fischer, D. Walther, G. Bräunlich, B. Undeutsch, W. Ludwig and H. Bandmann), (427) 395

Mechanism of C–C coupling reactions of aromatic halides, promoted by $Ni(COD)_2$ in the presence of 2,2'-bipyridine and $PPh_3$, to give biaryls (T. Yamamoto, S. Wakabayashi and K. Osakada), (428) 223

Synthesis and reactivities of novel $\eta^2$-(C,O) alkylphenylketene complexes of nickel. Coordination-mode switching reaction of the ketene ligand (A. Miyashita, R.-j. Sugai and J.-i. Yamamoto), (428) 239

Komplexkatalyse. XXXVII. $\eta^3,\eta^2,\eta^2$-Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-yl-nickel(II)-tetrakis[3,5-bis(trifluormethyl)phenyl]borat als Katalysator für die 1,4-*cis*-Polymerisation des Butadiens. Aktivität und Selektivität des $C_{12}$-Allylnickel(II)-Kations (R. Taube and S. Wache), (428) 431

Reactions of pentafluorophenyl germanium hydrides with nickelocene (L.V. Pankratov, V.I. Nevodchikov, L.N. Zakharov, M.N. Bochkarev, I.V. Zdanovich, V.N. Latyaeva, A.N. Lineva, A.S. Batsanov and Y.T. Struchkov), (429) 13

Rupture of the triple C≡C and C≡O bonds in the mixed-metal clusters with $Ni_2Mo_2$ and $Mo_4Co_3$ cores. Synthesis and molecular structures of $Cp_4Ni_2Mo_2(\mu_3\text{-}CPh)_2(\mu_3\text{-}CO)_2$ and $Cp_4Mo_4(\mu_3\text{-}OH)(\mu_3\text{-}CPh)_2(\mu_6\text{-}C)Co_3(\mu\text{-}CO)_3(CO)_3$ (A.D. Shaposhnikova, M.V. Drab, G.L. Kamalov, A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, Y.T. Struchkov and A.I. Yanovsky), (429) 109

Reactions of unstable compound {$CpNiCH_3$} with acetylenes (S. Pasynkiewicz, M. Popławska and R. Mynott), (429) 135

Photolytisch induzierte Erzeugung und komplexchemische Stabilisierung eines Molybdän–Arsen-Dreifachbindungssystems; Röntgenstrukturanalysen der Cluster $\mu_3$-$AsCp_3Mo_2Ni(CO)_4$, $As_2Cp_6Mo_4Ni_2(CO)_7$ und $\mu_3$-$AsCpMoPt_2(CO)_4(PPh_3)_2$ (M. Gorzellik, B. Nuber, T. Bohn and M.L. Ziegler), (429) 173

Reactions of neutral and ionic square-planar organometallic nickel compounds with ethylene (R.M. Ceder, J. Cubillo, G. Muller, M. Rocamora and J. Sales), (429) 391

Synthesis and properties of 2- or 2,5-substituted thiophene and 2- or 2,5′-substituted dithiophene derivatives of platinum (S. Kotani, K. Shiina and K. Sonogashira), (429) 403

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. IV. Synthese von $Li_2Ni$–$(CH_2CH_2$-$CH_2CH_2)_2(Et_2O)$ und seine Umsetzung mit Kohlenmonoxid zu $Li_2Ni_6(CO)_{12}(thf)_6$ (H.-O. Fröhlich, B. Hipler and B. Hofmann), (430) 133

The crystal structures of $(R_3P)_2Ni$–anthracene (R = Et, Bu) (A. Stanger and R. Boese), (430) 235

Optically active complexes of transition metals ($Rh^I$, $Ru^{II}$, $Co^{II}$ and $Ni^{II}$) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins (A. Corma, M. Iglesias, C. Del Pino and F. Sánchez), (431) 233

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Reactivity of the $[\{Ni(C_6F_5)_2(\mu\text{-}OH)\}_2]^{2-}$ ion towards $\beta$-diketones, 8-hydroxiquinoline and heterocyclic thiones. Crystal structure of $[NBu_4][Ni(C_6F_5)_2(C_5H_4NS\text{-}2)]$ (G. López, G. Sánchez, G. García, J. García, A. Martínez, J.A. Hermoso and M. Martínez-Ripoll), (435) 193

A kinetic study of the coordination template effect in the nickel-catalysed formation of arylphosphonium salts (D.W. Allen and P.E. Cropper), (435) 203

Darstellung und Eigenschaften von und Reaktionen mit metallhaltigen Heterocyclen. LXXVIII. Das Verhalten von monomeren und dimeren Thiophosphinitonickel-Komplexen gegenüber Alkinen und Phosphaalkinen (E. Lindner, A. Nothdurft, R. Fawzi und C. Maichle), (435) 213

Aktivierung von $CO_2$ an Übergangsmetallzentren: Zum Ablauf der homogen-katalytischen Bildung von 2-Pyron aus Kohlendioxid und Hex-3-in an Nickel(0)-Fragmenten (D. Walther, G. Bräunlich, R. Kempe und J. Sieler), (436) 109

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl($\eta^5$-cyclopentadienyl)nickel] zum Carbonyl($\eta^5$-cyclopentadienyl)nickel-Anion durch $C_8K$. Synthese und Struktur von $(\eta^5\text{-}C_5H_5)(CO)Ni$–$Ga[CH_2C(CH_3)_3]_2(OC_4H_8)$ (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobutene (M. Ishikawa, H. Sakamoto, S. Okazaki and A. Naka), (439) 19

$\eta^1$- und $\eta^2$-Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammler), (439) 279

Reactions of biscyclopentadienylnickel with lithium and magnesium aryls (A. Pietrzykowski and S. Pasynkiewicz), (440) 401

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. V. Synthese von $Li_2Ni\{(CH_2CH_2$-$CH_2CH_2)_2(Solv)_x$ aus $K[Ni(NPh_2)_3](THF)$ und $LiCH_2CH_2CH_2$-$CH_2Li$; Molekülstruktur von $(Li(THF)_2)_2Ni\{(CH_2CH_2CH_2$-$CH_2)_2$ (H.-O. Fröhlich, R. Wyrwa und H. Görls), (441) 169

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

Synthesis, electrochemistry and complexation studies of new redox active bisferrocene acyclic and macrocyclic thioethers (P.D. Beer, J.E. Nation, M.E. Harman and M.B. Hursthouse), (441) 465

Reactions of the unstable compound $\{CpNiCH_3\}$ with 2-butyne. Formation of tetrameric complex $[CpNi$–$C(CH_3)$=$C(CH_3)_2]_4$ (S. Pasynkiewicz, A. Pietrzykowski and M. Popławska), (443) 131

Dialkyl complexes of nickel(II) containing chelating diphosphines. The crystal structure of $[Ni(CH_2SiMe_2Ph)_2(^iPr_2PCH_2CH_2P^iPr_2)]$ (O. Boutry, M.C. Nicasio, M. Paneque, E. Carmona, E. Gutiérrez and C. Ruiz), (444) 245

Nickelocene-catalyzed polymerization of acetylenes (W.E. Douglas and A.S. Overend), (444) C62

Coordination of a tripodal phosphine sulphide $P_2S$ towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), (445) 171

Metallacyclische Acyl-carboxylate des Nickels: Reaktivität der Acylgruppe und Synthesepotential bei Kreuzkopplungsreaktionen mit Alkylhalogeniden (R. Fischer, D. Walther, R. Kempe, J. Sieler und B. Schönecker), (447) 131

Stereospecific reactions of the "$M(C_6F_5)_2$" (M = Pd or Pt) synthons towards *cis*-dithiolato complexes (R. Usón, J. Forniés, M.A. Usón and S. Herrero), (447) 137

Relative metal-ion affinities of alkylamines in the gas-phase (L.-Z. Chen and J.M. Miller), (448) 225

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), (450) 177

## Niobium

Electrochemical studies on organometallic compounds. XL. Reactivity of organometallic niobium complexes towards diphenylacetaldehyde. Electrogeneration and ESR characterization of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(\eta^2\text{-}Ph_2CHCHO\text{-}C,O)]$ (D. Lucas, H. Chollet, Y. Mugnier, A. Antiñolo, A. Otero and M. Fajardo), (426) C4

Electrochemistry and bonding in biscyclopentadienyl complexes of molybdenum, tungsten, and niobium with *o*-phenanthroline and bipyridine. Crystal and molecular structures of $[Nb(\eta^5\text{-}C_5H_5)_2(bpy)][PF_6]_2$ and $[M(\eta^5\text{-}C_5H_5)_2(o\text{-}phen)][PF_6]_2$ (M = Mo or W) (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A. Bram, P.N. Olsen, A.R. Dias, A.M. Freitas, M.H. Garcia and M.F.M. Piedade), (426) 195

Pentamethylcyclopentadienyl niobium(III) nitrene complexes containing phosphine, carbonyl, olefin and acetylene ligands (U. Siemeling and V.C. Gibson), (426) C25

Agostic interaction in early transition metal alkyls and their role in catalytic activity for olefin polymerizations (K. Mashima and A. Nakamura), (428) 49

Facile synthesis of $\alpha,\beta$-unsaturated niobium acyls via $\gamma$-hydride abstraction (A.S. Hneihen, M.C. Fermin, J.J. Maas and J.W. Bruno), (429) C33

Early-transition-metal ketene complexes: synthesis, reactivity and structure of ketene complexes of bis(trimethylsilyl)niobocene, X-ray structure of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2Br(Ph_2C$=$C$=$O\text{-}C,O)$ (A. Antiñolo, A. Otero, M. Fajardo, C. Lopez-Mardomingo, D. Lucas, Y. Mugnier, M. Lanfranchi and M.A. Pellinghelli), (435) 55

Electrochemical studies on organometallic compounds. XLI . Electrogeneration and ESR characterization of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2Cl\{P(OMe)_3\}]^+$ (D. Lucas, Y. Mugnier, A. Antinolo, A. Otero and M. Fajardo), (435) C3

Präparative, $^{11}B$-, $^{93}Nb$-NMR-spektroskopische und strukturelle Untersuchungen an $Cp_2NbBH_4$- und $[CpNb(B_2H_6)]_2$-Komplexen (H. Brunner, G. Gehart, W. Meier, J. Wachter, B. Wrackmeyer, B. Nuber und M.L. Ziegler), (436) 313

Synthesis of $\eta$-cyclopentadienylidene-4-imidopropylniobium derivatives $[Nb(\eta : \sigma\text{-}C_5H_4(CH_2)_3N)Cl_2]$ and $[Nb(\eta : \sigma\text{-}C_5H_4(CH_2)_3N)(PMe_3)Cl_2]$ (D.M. Antonelli, M.L.H. Green and P. Mountford), (438) C4

Electrochemical studies on organometallic compounds. XLII. Electrogeneration and spectroscopic characterization of $[Nb(\eta^5\text{-}$

$C_5H_4SiMe_3)_2(PhC \equiv CPh\text{-}C,C)]$ (H. Chollet, D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero and M. Fajardo), (441) 45

## Osmium

Synthesis and spectroscopic characterization of the heteronuclear diphosphine linked cluster $Os_3(CO)_{11}(Ph_2PCH_2PPh_2)Rh_6(CO)_{15}$ (S.P. Tunik, M.V. Osipov and A.B. Nikolskyi), (426) 105

Synthesis and X-ray structure of the heteronuclear cluster, $(\mu\text{-}H)_2(\eta^5\text{-}C_5H_5)IrOs_3(CO)_{10}$ (L.-Y. Hsu, W.-L. Hsu, D.A. McCarthy, J.A. Krause, J.-H. Chung and S.G. Shore), (426) 121

Reactions of carbonyl clusters with potentially tridentate thioethers: crystal and molecular structures of $[Os_4(CO)_{13}([12]aneS_3)]$ and $[Ru_6(CO)_{15}(\mu_4\text{-}\eta^2\text{-}CO)([12]aneS_3)]$ $[([12]aneS_3) = \{(CH_2)_3S\}_3]$ (A.J. Edwards, B.F.G. Johnson, F.K. Khan, J. Lewis and P.R. Raithby), (426) C44

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CI. Stereoselektive Synthese gemischtalkylierter Osmiumoxide (W.A. Herrmann, S.J. Eder, P. Kiprof and P. Watzlowik), (428) 187

$[Rh(CO)_4]^-$, $[Rh_5(CO)_{15}]^-$, and bimetallic clusters as catalysts for the carbonylation of nitrobenzene to methyl phenylcarbamate (F. Ragaini, S. Cenini, A. Fumagalli and C. Crotti), (428) 401

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CIII. *cis*-Dimethylbis(2,2-dimethylpropyl)oxoosmium(VI): Röntgenstrukturanalyse eines gemischtalkylierten Osmiumoxids (S.J. Eder, W.A. Herrmann and P. Kiprof), (428) 409

The synthesis and crystal structure of 1,2,3-trithia[3]osmocenophane (E.W. Abel, N.J. Long, A.G. Osborne, M.B. Hursthouse and M.A. Mazid), (430) 117

Synthesis of molybdenum–triosmium cluster complexes: reaction of $(\mu\text{-}H)_2Os_3(CO)_{10}$ with $(\eta^5\text{-}C_5H_5)(CO)_2Mo{\equiv}CC_6H_4Me$ (J.T. Park, J.-J. Cho, K.-M. Chun and S.-S. Yun), (433) 295

Synthesis, characterization and hindered rotation of triosmium clusters $(\mu\text{-}H)Os_3(CO)_{10}L[ON(CF_3)_2]$ [L = CO, $CH_3CN$ and PhCN] (H.G. Ang, C.H. Koh and W.L. Kwik), (435) 149

Triosmium clusters containing bridging sulphur, hydrido, and diphosphine ligands: a study of hydride site preferences and mobility (K.A. Azam, S.E. Kabir, A. Miah, M.W. Day, K.I. Hardcastle, E. Rosenberg and A.J. Deeming), (435) 157

Synthesis and structural characterization of $[HOs_3(CO)_9(OEt)(R_2C_2)]$ (R = Me or Ph) (D. Braga, P. Sabatino, B.F.G. Johnson, J. Lewis and A. Massey), (436) 73

Triosmium carbonyl cluster complexes of bridging phosphonate, arsonate, and phosphinate ligands (G.R. Frauenhoff, J.-C. Liu, S.R. Wilson and J.R. Shapley), (437) 347

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXV. Dihalogenoxoosmium(VI)-Komplexe des Pinakols: Synthese, Spektroskopie und Alkylierung (W.A. Herrmann und P. Watzlowik), (437) 363

Novel synthesis and vibrational analysis of (arene)osmium(II) complexes of the type $[(C_6H_3(CH_3)_3)OsH_2(L)]$ (T. Polzer, A. Ellebracht, W. Kiefer, U. Wecker and H. Werner), (438) 319

Structural aspects of the osmium and ruthenium clusters $[M_3(CO)_{10}(alkyne)]$ and related substituted compounds (A.J. Deeming and A.M. Senior), (439) 177

Synthesis of tetranuclear heterometallic cluster complexes via condensation of triosmium alkyne complexes $Os_3(CO)_{10}(C_2R_2)$, R = Tol and Me, and mononuclear tungsten acetylide complexes $LW(CO)_3C{\equiv}CR'$, L = Cp and Cp*, R' = Ph and $^tBu$ (Y. Chi, R.-C. Lin, C.-C. Chen, S.-M. Peng and G.-H. Lee), (439) 347

The use of bis(diphenylphosphinoacetylene) and its digold derivative as linking groups in osmium cluster chemistry. Crystal structures of $[\{Os_3(CO)_{11}\}_2(dppa)]$, $[Os_3(CO)_{10}(dppa)]_2$ and $[Os_4H(CO)_{12}Au(dppa)]_2$ (dppa = $Ph_2PC{\equiv}CPPh_2$) (A.J. Amoroso, B.F.G. Johnson, J. Lewis, A.D. Massey, P.R. Raithby and W.T. Wong), (440) 219

Das Verhalten von stereoisomeren Bistriflaten des Tetrahydrofurans gegenüber ein- und zweiwertigen Carbonylmetallaten (E. Lindner, M. Pabel, R. Fawzi und M. Steimann), (441) 63

On the problem of stabilization of $\alpha$-metallocenylcarbocations. Synthesis, $^1H$ and $^{13}C$ NMR spectra of metallocenyldiphenylmethyl hexafluorophosphates and X-ray investigation of $(C_5H_5OsC_5H_4CPh_2)^+PF_6^-$ (U. Turpeinen, A.Z. Kreindlin, P.V. Petrovskii and M.I. Rybinskaya), (441) 109

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXI. Perfluorpinakolat-Komplexe von Rhenium(VII) und Osmium(VI) (W.A. Herrmann und P. Watzlowik), (441) 265

Reaction of $Ru_3(CO)_{12}$ with ferrocenylacetylene. Crystal and molecular structure of $Ru_2(CO)_6[C_4H_2(C_5H_4FeC_5H_5)_2]$ (A.A. Koridze, A.I. Yanovsky and Y.T. Struchkov), (441) 277

Synthesis of bridged and linked ruthenium and osmium carbonyl clusters containing a $[Au_2(Ph_2PCH_2CH_2PPh_2)]^{2+}$ unit. The crystal and molecular structures of $Ru_5C(CO)_{14}Au_2(Ph_2PCH_2CH_2PPh_2)$ and $\{Os_4H_3(CO)_{12}\}_2Au_2(Ph_2PCH_2CH_2PPh_2)$ (A.J. Amoroso, A.J. Edwards, B.F.G. Johnson, J. Lewis, M.R. Al-Mandhary, P.R. Raithby, V.P. Saharan and W.T. Wong), (443) C11

The controlled assembly of high nuclearity osmium clusters from smaller fragments (J. Lewis and J.R. Moss), (444) C51

Isolation and structural characterisation of $Os_5(CO)_{18}$, a postulated intermediate in the conversion of $Os_5(CO)_{19}$ into $Os_5(CO)_{16}$ (D. Coughlin, J. Lewis, J.R. Moss, A.J. Edwards and M. McPartlin), (444) C53

Synthesis and X-ray structure of the octaosmium carbido cluster $Os_8C(CO)_{22}$ (A.J. Amoroso, B.F.G. Johnson, J. Lewis, C.-K. Li, P.R. Raithby and W.-T. Wong), (444) C55

Synthesis of novel selenium-containing osmium carbonyl clusters: X-ray structures of $[Os_5(\mu\text{-}H)(CO)_{15}(\mu_3\text{-}SePh)]$ and $[Os_6(\mu\text{-}H)(CO)_{18}(\mu\text{-}SeH)]$ (T.M. Layer, J. Lewis, A. Martín, P.R. Raithby and W.-T. Wong), (444) C57

Stereoselektive Bildung von Organoosmium-Komplexen mit Aminocarboxylat-Liganden (H. Werner, T. Daniel, O. Nürnberg, W. Knaup und U. Meyer), (445) 229

Cluster chemistry. LXXXVII. Some homo- and hetero-nuclear complexes derived from $C_2(PPh_2)_2$: Crystal structures of $Re_3(\mu\text{-}H)_3(\mu\text{-dppa})(CO)_{10}$ {dppa = $C_2(PPh_2)_2$}, $Re_3(\mu\text{-}H)_3(CO)_{11}\{PPh_2[\mu\text{-}C_2Ru_2(\mu\text{-}PPh_2)(CO)_6]\}$ and $Os_3Ru_2(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (447) 91

Interaction between $[(\eta^5\text{-}C_5Me_5)_2OsH]^+PF_6^-$ and nitrogen or oxygen bases. Hydrogen bonds of the type $[OsH]^+ \cdots B$ (L.M. Epstein, E.S. Shubina, A.N. Krylov, A.Z. Kreindlin and M.I. Rybinskaya), (447) 277

Synthesis, and spectral and X-ray structural studies of a novel delocalised triphosphazene $(CF_3)_2P{=}N{=}P(CF_3)_2{=}N{=}PPh_3$ and the triosmium cluster complex $Os_3(CO)_{11}[(CF_3)_2P{=}N{=}P(CF_3)_2{=}N{=}PPh_3]$ (H.G. Ang, Y.M. Cai and W.L. Kwik), (448) 219

Cyclopentadienyl-ruthenium and -osmium chemistry. XXXIX. Syntheses of novel alkynyl-ruthenium complexes. X-Ray structures of two forms of $\{Ru(PPh_3)_2(\eta\text{-}C_5H_5)\}_2(\mu\text{-}C_4)$ and of $Ru\{C{\equiv}CC(O)Me\}(PPh_3)_2(\eta\text{-}C_5H_5)$ (M.I. Bruce, P. Hinterding, E.R.T. Tiekink, B.W. Skelton and A.H. White), (450) 209

Reaction of $[(\mu\text{-}H)Os_3(CO)_{11}]^-$ anion with dioxygen (C.J. Cathey, B.F.G. Johnson, J. Lewis, P.R. Raithby and W.T. Wong), (450) C12

## Palladium


Reactions of $\eta^2$-13-acyltetracarbonylmanganese complexes derived from podocarpic acid with alkenes; cyclopentaannulation of ring C (R.C. Cambie, M.R. Metzler, C.E.F. Rickard, P.S. Rutledge and P.D. Woodgate), (426) 213

Synthesis and evaluation of the catalytic properties of homo- and hetero-bimetallic complexes containing bridging diphenylphosphido ligands (Z. He, N. Lugan, D. Neibecker, R. Mathieu and J.-J. Bonnet), (426) 247

Synthese und Struktur von ($\eta^3$-Allyl)palladium(II)benzamidinaten (F.T. Edelmann, W. Ziegler and U. Behrens), (426) 261

Cyclometallated complexes of bis(*N*-benzylidene)- 1,4-phenylenediamines. Synthesis and crystal structure of [1,4-{Pd[2,3,4-$(MeO)_3C_6HC(H)$=N](Br)}$_2C_6H_4]_2$: a novel tetranuclear cyclometallated palladium(II) complex (J.M. Vila, M. Gayoso, M$^a$.T. Pereira, M$^a$.C. Rodriguez, J.M. Ortigueira and M. Thornton-Pett), (426) 267

Synthesis and structure of binuclear thioazobenzene pallada-cycles and their reaction with *m*-chloroperbenzoic acid: formation and structure of dinuclear azophenolates (S. Chattopadhyay, C. Sinha, S.B. Choudhury and A. Chakravorty), (427) 111

Metal-ion dependent reactivity of 2-(2′-thienyl)pyridine (Hthpy) (E.C. Constable and L.R. Sousa), (427) 125

Cyclopalladated complexes. Synthesis and crystal structure of di-$\mu$-chloro-bis{[2,6-dimethyl-*N*-(benzylidene)phenylaminato-$C^{2\prime},N$]-palladium(II)} (A. Crispini, G. De Munno, M. Ghedini and F. Neve), (427) 409

Metallation of aliphatic carbon atoms. VI. Reactions of 2-pivaloylpyridine with palladium(II) acetate resulting in cyclopalladation and nucleophilic attacks on carbonyl carbon (K. Hiraki, M. Nakashima, T. Uchiyama and Y. Fuchita), (428) 249

Isomerization of alkynemono-ols catalyzed by palladium(0) complex and diols (X. Lu, J. Ji, C. Guo and W. Shen), (428) 259

Catalytic asymmetric arylation of *N*-substituted 2-pyrrolines with aryl triflates (F. Ozawa and T. Hayashi), (428) 267

Palladium- and platinum-catalyzed cyclocarbonylation reactions of substituted allyl acetates (Y. Ishii and M. Hidai), (428) 279

Recent developments in the chemistry of olefin complexes of palladium and platinum: some novel findings as well as elaborate extensions (H. Kurosawa and I. Ikeda), (428) 289

Synthesis and properties of 2- or 2,5-substituted thiophene and 2- or 2,5′-substituted dithiophene derivatives of platinum (S. Kotani, K. Shiina and K. Sonogashira), (429) 403

Palladium-catalyzed cycloaddition of carbon dioxide with methoxyallene (T. Tsuda, T. Yamamoto and T. Saegusa), (429) C46

Palladium(II) coordination and cyclometallated complexes derived from 3- and 5-aryl-substituted pyrazoles (M.T. Alonso, O. Juanes, J. de Mendoza and J.C. Rodríguez-Ubis), (430) 335

Palladium(II) coordination and cyclometallated complexes derived from 1-tert-butylpyrazole (M.T. Alonso, O. Juanes, J. de Mendoza and J.C. Rodríguez-Ubis), (430) 349

Influence of ligands and anions on the insertion of alkenes into palladium–acyl and palladium–carbomethoxy bonds in the neutral complex (dppp)Pd(C(O)$CH_3$)Cl and the ionic complexes [(P–P)PdR(L)]$^+SO_3CF_3^-$ (P–P = dppe, dppp, dppb; R = C(O)$CH_3$, L = $CH_3CN$, $PPh_3$; R = C(O)$OCH_3$, L = $PPh_3$) (G.P.C.M. Dekker, C.J. Elsevier, K. Vrieze, P.W.N.M. Van Leeuwen and C.F. Roobeek), (430) 357

Trimethylsilylcyclooctadiene-transition metal complexes: metal-catalysed protodesilylation of cyclic vinylsilanes, and transfer hydrogenation promoted by the displaced silyl group (B.S. Bandodakar and G. Nagendrappa), (430) 373

Reactions with nucleophiles and cathodic electrochemical behaviour of some neutral and cationic diamino-, dioxy- and aminooxycarbene complexes of palladium(II) and platinum(II) (R. Bertani, M. Mozzon, R.A. Michelin, T.J. Castilho and A.J.L. Pombeiro), (431) 117

Cyclometallation of phenylhydrazones of ketones. Crystal and molecular structure of [PdCl{$C_6H_4C(C_6H_5)$=NNH($C_6H_4$-4-Cl)}-$(PPh_3)_2$] (J. Granell, R. Moragas, J. Sales, M. Font-Bardía and X. Solans), (431) 359

Synthesis of halogeno, pseudohalogeno, and carboxylatopalladium(IV) complexes by halogen exchange. Crystal structure of azido(2,2′-bipyridyl)- benzylpalladium(II), formed on reductive elimination of ethane from Pd($N_3$)$Me_2$($CH_2Ph$)(bpy) (A.J. Canty, P.R. Traill, B.W. Skelton and A.H. White), (433) 213

Conformational studies in palladium(IV) and platinum(IV) chemistry. Crystal structure of the 1,1-bis(pyrazol-1-yl)- ethane complex *fac*-PtI$Me_3${$(pz)_2$CHMe-*N*,*N*′} (P.K. Byers, A.J. Canty, R.T. Honeyman, B.W. Skelton and A.H. White), (433) 223

The synthesis and structural characterization of a penta-palladium cluster, [$Pd_5(\mu$-$SO_2)_3(\mu$-CNXyl)$_2$(CNXyl)$_5$], with linear bridging isocyanide ligands (A.D. Burrows, H. Fleischer and D.M.P. Mingos), (433) 311

Palladium- and light-enhanced ring-opening of oxiranes by copper chloride (J. Muzart and A. Riahi), (433) 323

Pallada(IV)cyclopentane chemistry, including the synthesis of tris(pyrazol-1-yl)borate complexes (A.J. Canty and P.R. Traill), (435) C8

Komplexchemie perhalogenierter Cyclopentadiene und Alkine. IX. Darstellung einiger Phosphoniumacetylid-Komplexe und Struktur von ($Ph_3P$)$Cl_2Pd$(C≡C$PPh_3$) (K. Sünkel), (436) 101

Synthesis of palladium(II) and platinum(II) *N*,*N*-dialkyldithiocarbamates starting from hydroxo-halophenyl complexes (G. López, J. Ruiz, G. García, C. Vicente, J.M. Martí and V. Rodríguez), (436) 121

Palladium-catalyzed rearrangement of silanes containing oxygen or halogen $\alpha$ to silicon (V. Gevorgyan, L. Borisova and E. Lukevics), (436) 277

Palladium-assisted formation of carbon-carbon bonds. Stoichiometric synthesis of indenols and indenones. Catalytic synthesis of an indenol (J. Vicente, J.-A. Abad and J. Gil-Rubio), (436) C9

A simple direct synthesis of an alkylaromatic palladacycle (M. Catellani and G.P. Chiusoli), (437) 369

Palladium-catalyzed norbornene–carbon monoxide co-oligomerization initiated by aryl groups and terminated by double bond formation (E. Dalcanale, Z. An, L.P. Battaglia, M. Catellani and G.P. Chiusoli), (437) 375

Anodic oxidation of the ferrocenyl-derived $\beta$-ketophosphine [$Ph_2PCH_2C(O)(\eta^5$-$C_5H_4)Fe(\eta^5$-$C_5H_5)$] and of two of its palladium complexes. Ferricinium-mediated oxidation of palladium (II)–phosphine complexes (A. Louati, M. Gross, L. Douce and D. Matt), (438) 167

Organometallics of diphosphazanes. VI. Reactions of bicyclo-1,3,2-$\lambda^3$,4-$\lambda^3$-diazadiphosphetidines (bicyclic diphosphazenes) with Group 6 metal carbonyls and palladium and platinum(II) complexes (T.K. Prakasha, S.S. Krishnamurthy, S.E. Davies, M.F. Meidine and J.F. Nixon), (438) 241

Organometallic nucleophiles. Mechanism of halide displacement at saturated carbon by 2-pyridyl and 4-pyridyl complexes [M(dmtc)($C_5H_4N$-$C^n$)(L)] (M = Pd, Pt; dmtc = dimethyldithiocarbamate; $n$ = 2,4; L = tertiary phosphine) (L. Canovese, P. Uguagliati, F. Di Bianca and B. Crociani), (438) 253

Palladium(II) complexes with the cyclometallated C–Y–N($sp^2$)–Pd–C($sp^2$) ring (Y = N,C) and (R)-(+)-hydroxy-methylene camphor (M. Ghedini, F. Neve, D. Pucci, E. Cesarotti and M. Grassi), (438) 343

Synthesis and structure of a thioazobenzene palladacycle: oxygen insertion into the Pd–C bond by *m*-chloroperbenzoic acid (C.K. Pal, S. Chattopadhyay, C. Sinha and A. Chakravorty), (439) 91

The palladium-catalysed addition of hexamethylditin to 1,3-dienes (T.N. Mitchell, B. Kowall, H. Killing and C. Nettelbeck), (439) 101

Synthesis and characterization of dinuclear palladium(II) complexes containing both chloro and organochalcogenides as bridging ligands (V.K. Jain and S. Kannan), (439) 231

Bildung eines oxalatverbrückten Phenylpalladium(II)-Komplexes aus Phenylglyoxylsäure und Palladiumacetat: Synthese und Struktur von $[(Bu_2S)(Ph)Pd(\mu\text{-}C_2O_4)Pd(Ph)(SBu_2)]$ (R. Krämer, K. Polborn und W. Beck), (441) 333

Synthesis, electrochemistry and complexation studies of new redox active bisferrocene acyclic and macrocyclic thioethers (P.D. Beer, J.E. Nation, M.E. Harman and M.B. Hursthouse), (441) 465

Some attempts to prepare chelating nitrophenylpalladium(II) complexes. Synthesis of covalent arylpalladium(II) perchlorate complexes. Crystal and molecular structure of *catena-trans*-$\{[Pd\{C_6H_2(NO_2)_3\text{-}2,4,6\}(tht)_2(H_2O)]ClO_4\}_n$ (tht = tetrahydrothiophene) (J. Vicente, A. Arcas, M.V. Borrachero, E. Molíns and C. Miravitlles), (441) 487

Solvent, *N*-alkyl substituent and coordination effects on the electrochemistry of 2,11-diaza-5,8-dithia[12](1,1′)ferrocenophanes (R.A. Holwerda, J.S. Kim, T.W. Robison, R.A. Bartsch and B.P. Czech), (443) 123

Sodium tetraphenylborate as a phenylating reagent in the palladium-catalyzed phenylation of alkenes and acid chlorides (C.S. Cho, K. Itotani and S. Uemura), (443) 253

A new type of stabilized carbonucleophiles with a carboranyl group (S.C. Shim, J.G. Shim, S.Y. Chae, S.Y. Lee and V.N. Kalinin), (443) C22

Trisubstituted alkenes from alkynes and aryl iodides by boron-to-zinc transmetallation and palladium(0) catalyzed cross coupling (K.A. Agrios and M. Srebnik), (444) 15

New aspects of the synthesis of dimethyl carbonate via carbonylation of methyl alcohol promoted by methoxycarbonyl complexes of palladium(II) (G. Cavinato and L. Toniolo), (444) C65

Coordination of a tripodal phosphine sulphide $P_2S$ towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), (445) 171

Cyclometallated complexes of $Pd^{II}$ and $Mn^{I}$ with *N*,*N*-terephthalylidenebis(cyclohexylamine) (J.M. Vila, M. Gayoso, M.T. Pereira, M. López, G. Alonso and J.J. Fernández), (445) 287

Convenient synthesis of $[\eta^3$-1-(formyl)allyl]- and $[\eta^3$-1-(dimethoxymethyl)allyl]palladium chlorides (S. Ogoshi, K. Hirako, J. Nakanishi, K. Ohe and S. Murai), (445) C13

Synthèse d'aryl- et hétéroarylsilanes par scission de l'hexaméthyldisilane (P. Babin, B. Bennetau, M. Theurig et J. Dunoguès), (446) 135

Stereospecific reactions of the "$M(C_6F_5)_2$" (M = Pd or Pt) synthons towards *cis*-dithiolato complexes (R. Usón, J. Forniés, M.A. Usón and S. Herrero), (447) 137

Synthesis and characterization of *cis*-bis[(*p*-tolylsulfonyl)methyl]palladium(II) complexes (P. Espinet, J.M. Martínez-Ilarduya and C. Pérez-Briso), (447) 145

Studies on $Pd^{II}$-catalyzed cyclization of 4′-hydroxy-2′-alkenyl 2-alkynoates (S. Ma and X. Lu), (447) 305

An easy approach to 1-silylated ketones and asymmetrical 1,6- and 1,8-dicarbonyl compounds (V. Fiandanese, A. Punzi and N. Ravasio), (447) 311

Cyclometallated complexes of palladium(II) with the diphosphines *trans*-$Ph_2PCH{=}CHPPh_2$, *cis*-$Ph_2PCH{=}CHPPh_2$ and $Ph_2P(CH_2)_4PPh_2$. The X-ray crystal structure of $[\{Pd[2,4\text{-}Me_2C_6H_2\text{-}\overline{C(H){=}NCy}]\}_2(\mu\text{-}Ph_2P(CH_2)_4PPh_2)(\mu\text{-}Cl)_2]$ (J.M. Vila, M. Gayoso, A. Fernandez, N.A. Bailey and H. Adams), (448) 233

Cyclopalladated compounds. Structural studies on dinuclear azobenzene complexes (A. Crispini, M. Ghedini and F. Neve), (448) 241

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), (450) 109

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), (450) 177

Stereo and regioselectivity in the phenylation of cationic allylpalladium(II) $\alpha$-diimine complexes by tetraphenylborate anion (B. Crociani, S. Antonaroli, F. Di Bianca and A. Fontana), (450) 218

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), (450) 229

Steric effects of the 2-(diphenylphosphino)pyridine bridging ligand in the synthesis of binuclear palladium(II) complexes (G. De Munno, G. Bruno, C.G. Arena, D. Drommi and F. Faraone), (450) 263

Cyclometallated derivatives of palladium(II) and platinum(II) derived from 6-t-butyl-2,2′-bipyridine (S. Stoccoro, G. Chelucci, M.A. Cinellu, A. Zucca and G. Minghetti), (450) C15

## Phosphorus

Phenylantimony(III) diorganophosphorodithioates: the crystal structure of diphenylantimony(III) di-isopropylphosphorodithioate, $Ph_2SbS_2P(O^iPr)_2$; unusual polymerisation through semibonding (C. Silvestru, M. Curtui, I. Haiduc, M.J. Begley and D.B. Sowerby), (426) 49

Aminsubstituenten als Elektronendonatoren in Clustern (B. Eber, G. Huttner, W. Imhof, J.C. Daran and Y. Jeannin), (426) 87

Metall-$\pi$-Komplexe von Benzolderivaten. XXXVIX. Di[1,4-bis(diphenylphosphano)-$\eta^6$-benzol]chrom: ein Baustein für polynukleare Bimetallkomplexe? (Ch. Elschenbroich, J. Sebbach, B. Metz and G. Heikenfeld), (426) 173

Metallorganische Lewis-Säuren. XLIV. Rheniooxy(organyl)carben-Komplexe von Chrom, Molybdän und Wolfram (P.M. Fritz, J. Breimair, B. Wagner and W. Beck), (426) 343

Übergangsmetall-Silyl-Komplexe. XLII. Einfluß des Phosphan-Liganden auf Bildung, Struktur und Stabilität der Hetero-Zweikernkomplexe $(CO)_3(R'_3P)(R_3Si)Fe\text{–}ML_n$ (M = Cu, Ag, Au, Hg) (G. Reinhard, B. Hirle and U. Schubert), (427) 173

Syntheses of $W(PhC{\equiv}CPh)_3(\eta^1\text{-}PPh_2CH_2PPh_2)$ and $W(PhC{\equiv}CPh)_3(PPh_3)$ from $W(PhC{\equiv}CPh)_3(NCCH_3)$ (W.-Y. Yeh, C.-S. Ting and C.-f. Chih), (427) 257

Übergangsmetall–Heteroallen-Komplexe. XXV. Reaktionen von Ketenimin mit $Ru_3(CO)_{12}$ (W. Ziegler and U. Behrens), (427) 379

Isolation of cationic cyclopentadienyl iron complexes containing phosphinite and formation of metallaphosphineoxide complexes by the Arbuzov-like dealkylation reaction (H. Nakazawa, M. Yamaguchi, K. Kubo and K. Miyoshi), (428) 145

Asymmetric hydrogenation of prochiral carboxylic acids catalyzed by the five-coordinate ruthenium(II)-hydride complex $[RuH(binap)_2]PF_6$ (binap = (*R*)- or (*S*)-2,2′-bis(diphenylphosphino)-1,1′-binaphthyl) (M. Saburi, H. Takeuchi, M. Ogasawara, T. Tsukahara, Y. Ishii, T. Ikariya, T. Takahashi and Y. Uchida), (428) 155

Chemoselective asymmetric hydrogenation of $\alpha,\beta$-unsaturated carbonyl compounds to allylic alcohols catalysed by $[Ir(binap)(cod)]BF_4$–aminophosphine (K. Mashima, T. Akutagawa, X. Zhang, H. Takaya, T. Taketomi, H. Kumobayashi and S. Akutagawa), (428) 213

Synthese, Struktur und Reaktivität der Ferriophosphonium-Salze $[CpFe(CO)(L)(PPh_2CH_2R')]BF_4$ (L = CO, $CH_3CN$, $P^nBu_3$; R' = Ph, CN, COOEt, $PPh_2$, $SiMe_3$); Kristallstrukturen von $[CpFe(CO)_2PPh_2CH_2SiMe_3]BF_4$ und $[CpFe(PPh_2CH_2Ph)CpFe(CO)](\mu\text{-}CO)_2$ (C. Klasen, I.-P. Lorenz, S. Schmid and G. Beuter), (428) 363

Darstellung $\mu_3$-Chalkogenverbrückter dreikerniger Carbonyleisencluster durch die Reaktionsfolge $XCN^-$, $Et_3O^+$. Aufbau und Dynamik von $(\mu_3\text{-}X)(\mu_3\text{-}PR)Fe_3(CO)_7L_2$ (X = S, Se, Te; L = CO, EtNC, $P(OMe)_3$) (W. Imhof, G. Huttner, B. Eber and D. Günauer), (428) 379

Metallorganische Verbindungen der Lanthanoide. LXXI. Synthese und Röntgenstrukturanalyse von $CpLa(C_5H_4PPh_2)_2(THF)$, einem zweizähnigen Liganden zur Herstellung heterobimetallischer Lanthanoidkomplexe (H. Schumann, J.A. Meese-Marktscheffel, B. Gorella and F.H. Görlitz), (428) C27

Chemie polyfunktioneller Moleküle. CIX. Synthese, Molekül- und Kristallstruktur des über (NH · · · O)- und (OH · · · NC)-Wasserstoffbrückenbindungen verknüpften tetraedrischen Chelatkomplexes $[Cu(CN)(Ph_2P\text{–}NH\text{–}PPh_2)PPh_3] \cdot CH_3OH$ (J. Ellermann, F.A. Knoch, K.J. Meier and M. Moll), (428) C44

Organometallic complexes of the diphosphene $[2,4,6\text{-}(CF_3)_3C_6H_2]_2P_2$ (K.B. Dillon and H.P. Goodwin), (429) 169

Photolytisch induzierte Erzeugung und komplexchemische Stabilisierung eines Molybdän–Arsen-Dreifachbindungssystems; Röntgenstrukturanalysen der Cluster $\mu_3\text{-}AsCp_3Mo_2Ni(CO)_4$, $As_2Cp_6Mo_4Ni_2(CO)_7$ und $\mu_3\text{-}AsCpMoPt_2(CO)_4(PPh_3)_2$ (M. Gorzellik, B. Nuber, T. Bohn and M.L. Ziegler), (429) 173

Organoerdmetallkomplexe von *d*-Block-Elementen. IV. "Ein-Topf-Synthese" flüchtiger Organogalliocobalt-Komplexe, Molekülstruktur von {$\mu$-[3-(Diethylamino)propyl]gallio}- [bis(tetracarbonylcobalt)] (R.A. Fischer, J. Behm and T. Priermeier), (429) 275

Influence of ligands and anions on the insertion of alkenes into palladium–acyl and palladium–carbomethoxy bonds in the neutral complex (dppp)Pd($C(O)CH_3$)Cl and the ionic complexes $[(P\text{–}P)PdR(L)]^+SO_3CF_3^-$ (P–P = dppe, dppp, dppb; R = $C(O)CH_3$, L = $CH_3CN$, $PPh_3$; R = $C(O)OCH_3$, L = $PPh_3$) (G.P.C.M. Dekker, C.J. Elsevier, K. Vrieze, P.W.N.M. Van Leeuwen and C.F. Roobeek), (430) 357

Penta- and hexaphospha ferrocenes as ligands: crystal and molecular structures of $[Fe(\eta^5\text{-}P_3C_2{}^tBu_2)_2W(CO)_5]$, $[Fe(\eta^5\text{-}P_3C_2{}^tBu_2)(\eta^5\text{-}P_2C_3{}^tBu_3)W(CO)_5]$ and the novel triruthenium carbonyl cluster complex $[Fe(\eta^5\text{-}P_3C_2{}^tBu_2)_2Ru_3(CO)_{10}]$ containing two interlinked $\eta^5\text{-}P_3C_2{}^tBu_2$ ring systems (R. Bartsch, A. Gelessus, P.B. Hitchcock and J.F. Nixon), (430) C10

Syntheses of low-valent nitrosyl complexes of rhenium and X-ray structure of *trans*-$[ReCl(NO)(Ph_2PCH_2CH_2PPh_2)_2][NO_3]_2$ with nitrosyl derived nitrates (Y. Wang, J.J.R. Fraústo Da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), (430) C56

Ein neues Verfahren zur Synthese von Metall-funktionalisierten Diphosphenen, Arsaphosphenen und Tetraphospha-bicyclobutanen (P. Jutzi and S. Opiela), (431) C29

Mehrkernige Zirkonocen-Ethylkomplexe (H.G. Alt, C.E. Denner und R. Zenk), (433) 107

Synthesis and characterisation of a bulky chelating bis(phosphine) ligand, 1,2-bis(di$^n$butylphosphino)ethane (DBPE), and its iron metal coordinated complexes, $Fe(DBPE)_2Cl_2$ and $Fe(DBPE)_2(\text{–}C{\equiv}C\text{–}C_6H_5)_2$ (J. Lewis, M.S. Khan, A.K. Kakkar, P.R. Raithby, K. Fuhrmann and R.H. Friend), (433) 135

Synthesis and characterization of bis-(diphenylphosphinoethane)-substituted hexarhodium clusters: $Rh_6(CO)_{14}(\mu_2,\eta^2\text{-}Ph_2P(CH_2)_2PPh_2)$, $\{Rh_6(CO)_{15}\}_2(\mu_2,\eta^1:\eta^1\text{-}Ph_2P(CH_2)_2PPh_2)$ and $Rh_6(CO)_{15}(\eta^1\text{-}Ph_2P(CH_2)_2P(O)Ph_2)$. X-Ray crystal structures of $Rh_6(CO)_{15}PPh_3$ and $Rh_6(CO)_{14}(\mu_2,\eta^2\text{-}Ph_2P(CH_2)_2PPh_2)$ clusters (S.P. Tunik, A.V. Vlasov, N.I. Gorshkov, G.L. Starova, A.B. Nikol'skii, M.I. Rybinskaya, A.S. Batsanov and Y.T. Struchkov), (433) 189

Sulphurisation reactions of $P_5C_5{}^tBu_5$ and $P_5C_5{}^tBu_5H_2$: crystal and molecular structure of the ethanol adduct of $P_5C_5{}^tBu_5H_2S_3$ (R. Bartsch, P.B. Hitchcock and J.F. Nixon), (433) C11

Die Kristallstruktur des Tris(dimethylthiophosphinyl)phosphans (M. Scheer und P.G. Jones), (434) 57

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XLI. Das dynamische Verhalten von 1,2-Bis(dimethylphosphino) ethan-dicarbonyl- ($\eta^4$-dien)-wolfram(0) (S. Özkar, C. Kayran und C.G. Kreiter), (434) 79

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Synthese und Charakterisierung von Hydridotrispyrazolylborat-Heterobimetall-Komplexen mit Titan und Molybdän (J. Ipaktschi und W. Sulzbach), (434) 287

Neutrale und kationische Rhodiumkomplexe mit den potentiell zweizähnigen Phosphanliganden $^iPr_2PCH_2CH_2OMe$, $^iPr_2PCH_2CH_2NMe_2$ und $^iPr_2PCH_2CH_2CH_2NMe_2$ (H. Werner, A. Hampp und B. Windmüller), (435) 169

A kinetic study of the coordination template effect in the nickel-catalysed formation of arylphosphonium salts (D.W. Allen and P.E. Cropper), (435) 203

Darstellung und Eigenschaften von und Reaktionen mit metallhaltigen Heterocyclen. LXXVIII. Das Verhalten von monomeren und dimeren Thiophosphinitonickel-Komplexen gegenüber Alkinen und Phosphaalkinen (E. Lindner, A. Nothdurft, R. Fawzi und C. Maichle), (435) 213

Approaches to new water-soluble phosphines (T.N. Mitchell and K. Heesche-Wagner), (436) 43

Catalytic activity of *cis*-[$\mu$-[bis(1,1-dimethylethyl)- phosphino]]dicarbonyl-$\mu$-chlorobis[tris(1,1-dimethylethyl)- phosphine]dirhodium and of its chiral analog (+)-*cis*-[$\mu$-[bis-(1,1-dimethylethyl)phosphino]]dicarbonyl-$\mu$- chlorobis[[5$\beta$-methyl-2$\alpha$-(1$\alpha$-methylethyl)cyclohexyl]- diphenylphosphine]dirhodium (E. Berkovich, A. Jacobson, J. Blum, H. Schumann, M. Schäfers and H. Hemling), (436) 95

Komplexchemie perhalogenierter Cyclopentadiene und Alkine. IX. Darstellung einiger Phosphoniumacetylid-Komplexe und Struktur von $(Ph_3P)Cl_2Pd(C{\equiv}CPPh_3)$ (K. Sünkel), (436) 101

Reactivity of functionalized diphosphiranes and 1,3-diphosphapropenes towards Grignard reagents (R. El-Ouatib, C. Garot, G. Etemad-Moghadam and M. Koenig), (436) 169

$\sigma$-Ferrocenyl-Komplexe des Rutheniums (M. Herberhold, W. Feger und U. Kölle), (436) 333

Zur Funktionalisierung von Decaphenylcyclopentasilan (W. Uhlig und C. Tretner), (436) C1

Zur Addition des Thiomethyl-Kations an die Wolfram–Kohlenstoff-Doppelbindung in $[Cp(CO)(PMe_3)\dot{W}{=}\dot{C}(Tol)PR_2][PF_6]$ (J. Ostermeier, W. Schütt und F.R. Kreißl), (436) C17

Quasiphosphonium intermediates. VI. Crystal structure of neopentyloxy(phenacyl)diphenylphosphonium bromide: a stable Michaelis–Arbuzov intermediate formed in the reaction of neopentyl diphenylphosphinite with phenacyl bromide (K. Henrick, H.R. Hudson, M. McPartlin, L. Powroznyk and L.S. Shaw), (437) 157

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: $[(CO)_4Fe(\mu\text{-}P^tBu_2)Rh(CO)L](Fe\text{–}Rh)$ (L = CO, $HP^tBu_2$), $[(CO)_3Co(\mu\text{-}H)(\mu\text{-}P^tBu_2)Rh(CO)(HP^tBu_2)](Co\text{–}Rh)$ (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Reaktionen von $[Cp^*Ru(OMe)]_2$. XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

Synthesis and characterization of dinuclear palladium(II) complexes containing both chloro and organochalcogenides as bridging ligands (V.K. Jain and S. Kannan), (439) 231

$\eta^1$- und $\eta^2$-Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammler), (439) 279

Cycloadditionsreaktionen von Phospheniumkomplexen. VIII. Regioselektive Cycloaddition chiraler Phosphenium-Komplexe $Cp(OC)[Ph_2(R)P]M{=}PPh_2$ (M = Mo, W; R = H, Me) mit Isothiocyanaten (H. Pfister und W. Malisch), (439) C11

Phosphenium-Übergangsmetallkomplexe. XX. Stabilisierung von Mesitylphosphiniden durch ein $Cp(CO)_2W$- und ein $Cp(CO)_2Fe$-Fragment (U.-A. Hirth und W. Malisch), (439) C16

Phosphenium-Übergangsmetallkomplexe. XXI. Schwefel- und Selenaddition an die Metall–Phosphor-Doppelbindung der zweikernigen Phosphinidenkomplexe $Cp(CO)_2M{=}PMes[M(CO)_3Cp]$ (M = Mo, W) (U.-A. Hirth, W. Malisch und H. Käb), (439) C20

A new reaction of $[Cp(CO)_2Fe(PPh_2H)]PF_6$ with $NaBH_4$ to give $Cp(CO)(H)Fe(PPh_2H)$ via $Cp(CO)_2FeH$ and $PPh_2H$ (H. Nakazawa, K. Kubo, C. Kai and K. Miyoshi), (439) C42

SO und NO als Konkurrenzliganden im neuen SO-Komplex $RuCl(NO)(SO)(PPh_3)_2$ (O. Heyke, G. Beuter und I.-P. Lorenz), (440) 197

A remarkable accelerating effect of iodide ions in the photostimulated phosphonylation of bromoaromatic compounds (A. Boumekouez, E. About-Jaudet, N. Collignon and P. Savignac), (440) 297

$P_4$-Liganden mit maximaler Elektronendonorfähigkeit. III. Zum Reaktionsverhalten von Phosphankomplexen des Platins mit $P_4$-Phosphor (M. Scheer, M. Dargatz und A. Rufińska), (440) 327

Elektrophile Addition des Thiomethyl-Kations an $\eta^5$-Cyclopentadienyl(ethoxymethylcarben)- (nitrosyl)(trimethylphosphin)molybdän (F.R. Kreißl und N. Ullrich), (440) 335

Schwefel(IV)-Verbindungen als Liganden. XVII. Übergangsmetallvermittelte Insertion von Schwefeldioxid in die C–O-Einfachbindung (W.A. Schenk und J. Pfeffermann), (440) 341

Cycloadditionsreaktionen von Organometall-Komplexen. XV. [2 + 3]- und [2 + 1]-Cycloadditionsreaktionen von Carbonylrhodium- und Carbonylcobalt-Komplexen mit Nitriloxiden und Aziden. Die Kristall- und Molekülstruktur von $C_5H_5(P^iPr_3)RhC(O)ONC(C_6H_5)$ (H. Werner, U. Brekau, O. Nürnberg und B. Zeier), (440) 389

Bis(diisopropylgalliumdiisopropylphosphid) und -arsenid. Kristallstruktur des Phosphidderivats— ein "angedeuteter" butterfly (G.G. Hoffmann, R. Fischer, U. Schubert und B. Hirle), (441) 7

Zweikernige Rutheniumcluster mit $\mu_2$-$\eta^2$-Sulfonatoliganden. Synthese und Molekülstruktur von $Ru_2(CO)_4[\mu_2\text{-}\eta^2\text{-}OOS(O)Tol]_2(PPh_3)_2$ (G. Rheinwald, H. Stoeckli-Evans und G. Süss-Fink), (441) 295

Synthesis and reactivity of dithiodiphenylphosphinato-derivatives of rhodium. Crystal structure of the square-pyramidal rhodium(III) complex $[RhI(\eta^2\text{-}S_2PPh_2)(COMe)(PPh_3)]$ (J.A. Cabeza, V. Riera, M.A. Villa-García, L. Ouahab and S. Triki), (441) 323

Stereoselektive Additionsreaktionen von Komplex-gebundenen Phosphanen und Arsanen an Alkine (H. Lang und U. Lay), (441) 389

Viergliedrige anorganische Ringsysteme des zweiwertigen Zinns und Bleis: Synthese und Struktur von chelatstabilisierten Stannylenen und Plumbylenen (U. Kilimann, M. Noltemeyer und F.T. Edelmann), (443) 35

Übergangsmetall-substituierte Diphosphene. XXX. $\eta^1$- und $\eta^2$-Komplexe der Metallodiphosphene $(\eta^5\text{-}L)(CO)_2Fe{-}P{=}P{-}Mes^*$ (L = $C_5Me_5$, $C_5Me_4Et$, $C_5Me_4{}^nBu$, 1,3-$^tBu_2C_5H_3$; Mes* = 2,4,6-$^tBu_3C_6H_2$). Röntgenstrukturanalyse von $Pt\{\eta^2\text{-}[(\eta^5\text{-}C_5Me_4Et)(CO)_2Fe{-}P{=}P{-}Mes^*]\}(PPh_3)_2$ (L. Weber, I. Schumann, H.-G. Stammler and B. Neumann), (443) 175

The structure of diphosphine radical cations (M.C.R. Symons, P. Tordo and J. Wyatt), (443) C29

Darstellung und Röntgenstrukturuntersuchung von [1-Carbonyl-1-($\eta^5$-cyclopentadienyl)-2,3-dimethyl-1-trimethylphosphin-3-trimethylphosphoranyliden-1-wolframa-2-thiacyclopropan]-tetrafluoroborat (W. Schütt, E. Herdtweck, F. Hahn and F.R. Kreißl), (443) C33

Additionsreaktionen von $(CO)_5CrEPhH_2$ (E = P, As) an Di(ethinyl)-Phosphane und Stannane; Stufenweise Darstellung von Komplex-gebundenen 1,4-Dihetero-cyclohexa-2,5-dienen (H. Lang, U. Lay und W. Imhof), (444) 53

Wolfram(0)-Komplexe des $\pi$-aciden *N*-Methylpyrazinium-Kations und des *N*-Methylpyrazinium-Radikals. Kristall- und Molekülstruktur von $[(C_4H_4N_2\text{-}Me)W(CO)_3(PCy_3)_2]$ $(PF_6)$, Cy = Cyclohexyl (W. Bruns, H.-D. Hausen, W. Kaim und A. Schulz), (444) 121

Reactions of coordinated phosphines and arsines: stereoselective reactions at the chlorophosphine-*P* stereocentre in the complex $[(R^*), (R^*, R^*)]$-$(\pm)$-$[(\eta^5\text{-}C_5H_5)\{1,2\text{-}C_6H_4(PMePh)_2\}Fe(PClMePh)]PF_6 \cdot CH_2Cl_2$ (G. Salem, G.B. Shaw, A.C. Willis and S.B. Wild), (444) 147

Übergangsmetallkomplexe von Diazenen. XXXI. Orthometallierte Diazenkomplexe von Molybdän, Eisen und Ruthenium: Struktur und Umsetzung zu 2,3-Diphenylindol (D. Garn, F. Knoch und H. Kisch), (444) 155

Ein- bis dreikernige Metall-$\pi$-Derivate von Hericen mit $(Me_3P)_3Fe$- und CpCo-Fragmenten (F.H. Köhler und A. Steck), (444) 165

Chloro-, Methyl- und Hydrido-Iridiumkomplexe mit $Ph_2CN_2$ und anderen Diazoalkan-Liganden (L. Brandt, J. Wolf und H. Werner), (444) 235

Übergangsmetall-Silyl-Komplexe. XLV. Erzeugung von Fluorsilyl-Liganden durch selektive Spaltung metallgebundener Si–Ph-Gruppen (S. Gilbert und U. Schubert), (444) C12

Neue Cyclooctatetraenyl-lanthanid(III)-Komplexe (U. Kilimann und F.T. Edelmann), (444) C15

First example of the cycloaddition of a terminal phosphinidene across the Rh=Rh bond of $[Rh_2(\eta^5\text{-}C_5Me_5)_2\{\mu\text{-}(CO)_2\}]$. Crystal structure of $[Rh_2(\eta^5\text{-}C_5Me_5)_2(CO)_2\{MePW(CO)_5\}]$ (F.A. Ajulu, P.B. Hitchcock, F. Mathey and J.F. Nixon), (444) C60

1:1 Complexes of dimethyltin dihalides with tris(2,6-dimethoxyphenyl)- phosphine oxide, its sulphide, and related compounds (M. Wada, T. Fujii, S. Iijima, S. Hayase, T. Erabi and G.-e. Matsubayashi), (445) 65

Atropisomerism in (±)-7-methyl- and -phenyl-substituted dinaphtho[2,1-*b*;1′,2′-*d*]phospholes and dinaphth[2,1-*b*;1′,2′-*d*]arsoles (A.A. Watson, A.C. Willis and S.B. Wild), (445) 71

Metallorganische Lewissäuren. XLVII. Kationische Komplexe $[(OC)_5ReL]^+$ und $[Cp(OC)(Ph_3P)RuL]^+$ mit O-Donoren und N-Donoren (L = Carbonsäureester, Ethanol, Lacton, Lactam, Diphenylketimin) (J. Milke, C. Missling, K. Sünkel und W. Beck), (445) 219

Stereoselektive Bildung von Organoosmium-Komplexen mit Aminocarboxylat-Liganden (H. Werner, T. Daniel, O. Nürnberg, W. Knaup und U. Meyer), (445) 229

Zur Reaktion von Vinyl- und Allylphosphonaten mit Dihalocarbenen — Dihalocyclopropyl- und Dihalocyclopropylmethylphosphonate (S. Bieler und K. Kellner), (447) 15

Umsetzung von Alkinylphosphanen mit Hauptgruppenelement-verbrückten Eisencarbonylclustern (W. Imhof, B. Eber, G. Huttner und C. Emmerich), (447) 21

Photochemisch induzierte Addition von Alkinen und Phosphaalkinen an die Cluster $Fe_3(CO)_9(\mu_3\text{-}PR)(\mu_3\text{-}X)$ (X = Se, Te; R = $^i$Pr, $^t$Bu) (W. Imhof und G. Huttner), (447) 31

Darstellung und Struktur von 1-Metalla-2,3,4-triazolen des Molybdäns und Wolframs (C.M. Stegmair, W. Schütt, W. Ullrich, P. Kiprof, J. Ostermeier und F.R. Kreißl), (447) 251

$P_4$-Liganden mit maximaler Elektronendonorfähigkeit. V. Zur Chlorierung eines *cyclo*-$P_4$-Ligand-Komplexes (M. Scheer, M. Dargatz und P.G. Jones), (447) 259

Interaction between $[(\eta^5\text{-}C_5Me_5)_2OsH]^+PF_6^-$ and nitrogen or oxygen bases. Hydrogen bonds of the type $[OsH]^+ \cdots B$ (L.M. Epstein, E.S. Shubina, A.N. Krylov, A.Z. Kreindlin and M.I. Rybinskaya), (447) 277

Zur Reaktion von metallkoordinierten 1-Molybda-2-phospha-1,3-dienen mit Alkinen (H. Lang, M. Leise und L. Zsolnai), (447) C1

Synthesis, and spectral and X-ray structural studies of a novel delocalised triphosphazene $(CF_3)_2P{=}N{=}P(CF_3)_2{=}N{=}PPh_3$ and the triosmium cluster complex $Os_3(CO)_{11}[(CF_3)_2P{=}N{=}P(CF_3)_2{=}N{=}PPh_3]$ (H.G. Ang, Y.M. Cai and W.L. Kwik), (448) 219

Tertiary phosphine adducts of alane and gallane (F.M. Elms, M.G. Gardiner, G.A. Koutsantonis, C.L. Raston, J.L. Atwood and K.D. Robinson), (449) 45

Synthesis and characterization of bridged dimeric and trimeric Group 13/15 complexes containing primary phosphido $[(^tBu)PH]^-$ and arsenido $[(^tBu)AsH]^-$ units (D.A. Atwood, A.H. Cowley, P.R. Harris, R.A. Jones, S.U. Koschmieder and C.M. Nunn), (449) 61

Synthesis, isolation, and characterization of dimeric compounds containing two different exocyclic ligands on the Group 13 center. X-Ray crystal structures of $[R(Me_3SiCH_2)InE(SiMe_3)_2]_2$ (R = Ph, E = As; R = Me, E = As, P; R = Cl, E = P) (R.L. Wells, A.T. McPhail, L.J. Jones III and M.F. Self), (449) 85

The use of phosphine chalcogenides in the preparation of cobalt chalcogenides (S.M. Stuczynski, Y.-U. Kwon and M.L. Steigerwald), (449) 167

Monomeric to polymeric gold(I) complexes from bifunctional ligands $R_2PC{\equiv}CH$ (G. Jia, R.J. Puddephatt and J.J. Vittal), (449) 211

An indium-phosphorus heterocubane as a new type of indium phosphide precursor (D.A. Atwood, A.H. Cowley, R.A. Jones and M.A. Mardones), (449) C1

Tetra-*ortho*-substituierte *cis*-Bis(phenyl)platin(II)-Verbindungen: Synthesen und photochemisches Verhalten (H.-A. Brune, J. Lerche, G. Schmidtberg und A. Baur), (450) 269

## Platinum

Synthesis and evaluation of the catalytic properties of homo- and hetero-bimetallic complexes containing bridging diphenylphosphido ligands (Z. He, N. Lugan, D. Neibecker, R. Mathieu and J.-J. Bonnet), (426) 247

Platinum complex-catalyzed dehydrogenative double silylation of olefins and dienes with *o*-bis(dimethylsilyl)benzene (M. Tanaka, Y. Uchimaru and H.-J. Lautenschlager), (428) 1

Palladium- and platinum-catalyzed cyclocarbonylation reactions of substituted allyl acetates (Y. Ishii and M. Hidai), (428) 279

Recent developments in the chemistry of olefin complexes of palladium and platinum: some novel findings as well as elaborate extensions (H. Kurosawa and I. Ikeda), (428) 289

Organometallic complexes of the diphosphene $[2,4,6\text{-}(CF_3)_3C_6H_2]_2P_2$ (K.B. Dillon and H.P. Goodwin), (429) 169

Photolytisch induzierte Erzeugung und komplexchemische Stabilisierung eines Molybdän–Arsen-Dreifachbindungssystems; Röntgenstrukturanalysen der Cluster $\mu_3$-$AsCp_3Mo_2Ni(CO)_4$, $As_2Cp_6Mo_4Ni_2(CO)_7$ und $\mu_3$-$AsCpMoPt_2(CO)_4(PPh_3)_2$ (M. Gorzellik, B. Nuber, T. Bohn and M.L. Ziegler), (429) 173

Synthesis and properties of 2- or 2,5-substituted thiophene and 2- or 2,5′-substituted dithiophene derivatives of platinum (S. Kotani, K. Shiina and K. Sonogashira), (429) 403

Heteronuclear clusters containing the hexafluorobut-2-yne ligand. Crystal structures of $(C_5H_5)_2Rh_2Pt(CO)(CF_3C_2CF_3)(COD)$ (2) and $(C_5H_5)_4Rh_4Pt(CO)_2(CF_3C_2CF_3)_2$ (3), and facile Rh–Pt bond making and breaking for complex 2 in solution (R.S. Dickson, G.D. Fallon, K.D. Heazle and M.J. Liddell), (430) 221

Structural studies of complexes containing cycloplatinated tris(pyrazol-1-yl)methane (A.J. Canty, R.T. Honeyman, B.W. Skelton and A.H. White), (430) 245

Trimethylsilylcyclooctadiene-transition metal complexes: metal-catalysed protodesilylation of cyclic vinylsilanes, and transfer hydrogenation promoted by the displaced silyl group (B.S. Bandodakar and G. Nagendrappa), (430) 373

Reaction of (dichloro)(1,5-cyclooctadiene)platinum(II) with dimethyl diazomethylphosphonate. Crystal structure analysis of a bis-insertion product, (*R*,*R*)-bis[chloro(dimethoxyphosphonyl)methyl]-(1,5-cyclooctadiene)platinum(II) (G. Ferguson, J.F. Gallagher, A.J. McAlees, R. McCrindle, J. Phillips and G.J.B. Williams), (430) C23

Reactions with nucleophiles and cathodic electrochemical behaviour of some neutral and cationic diamino-, dioxy- and aminooxycarbene complexes of palladium(II) and platinum(II) (R. Bertani, M. Mozzon, R.A. Michelin, T.J. Castilho and A.J.L. Pombeiro), (431) 117

Reactivity studies of square planar platinum, iridium, and rhodium triflate complexes with alkynols (P.J. Stang and Y.-H. Huang), (431) 247

Conformational studies in palladium(IV) and platinum(IV) chemistry. Crystal structure of the 1,1-bis(pyrazol-1-yl)- ethane complex *fac*-$PtIMe_3\{(pz)_2CHMe\text{-}N,N'\}$ (P.K. Byers, A.J. Canty, R.T. Honeyman, B.W. Skelton and A.H. White), (433) 223

Photochemical reactions of diphosphineplatinum(II) oxalate complexes (G.K. Anderson, G.J. Lumetta and J.W. Siria), (434) 253

Electron transfer reactions involving *trans*-$[PtH_2(PCy_3)_2]$ and fluorinated benzonitriles (S. Hintermann, P.S. Pregosin, H. Rüegger and H.C. Clark), (435) 225

Komplexchemie perhalogenierter Cyclopentadiene und Alkine. IX. Darstellung einiger Phosphoniumacetylid-Komplexe und Struktur von $(Ph_3P)Cl_2Pd(C{\equiv}CPPh_3)$ (K. Sünkel), (436) 101

Synthesis of palladium(II) and platinum(II) *N*,*N*-dialkyldithiocarbamates starting from hydroxo-halophenyl complexes (G. López, J. Ruiz, G. García, C. Vicente, J.M. Martí and V. Rodríguez), (436) 121

Electrochemistry, electron spin resonance, optical spectroscopy, and reactivity of organometallic platinum(II) complexes containing strongly $\pi$-accepting aromatic $\alpha$-diimine ligands (C. Vogler, B. Schwederski, A. Klein and W. Kaim), (436) 367

Photochemistry of mononuclear and binuclear tetramethylplatinum(IV) complexes: reactivity of an organometallic free radical (J.E. Hux and R.J. Puddephatt), (437) 251

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the $\{C_2B_8H_9X\}$ ligand, where X = H and Ph (J.D. Kennedy, K. Nestor, B. Štíbr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

Organometallics of diphosphazanes. VI. Reactions of bicyclo-1,3,2-$\lambda^3$,4-$\lambda^3$-diazadiphosphetidines (bicyclic diphosphazenes) with Group 6 metal carbonyls and palladium and platinum(II) complexes (T.K. Prakasha, S.S. Krishnamurthy, S.E. Davies, M.F. Meidine and J.F. Nixon), (438) 241

Organometallic nucleophiles. Mechanism of halide displacement at saturated carbon by 2-pyridyl and 4-pyridyl complexes $[M(dmtc)(C_5H_4N\text{–}C^n)(L)]$ (M = Pd, Pt; dmtc = dimethyldithiocarbamate; $n$ = 2,4; L = tertiary phosphine) (L. Canovese, P. Uguagliati, F. Di Bianca and B. Crociani), (438) 253

Five-coordinate hydrido/olefin platinum(II) complexes (V. De Felice, M.L. Ferrara, A. Panunzi and F. Ruffo), (439) C49

Uptake of a Hg or $Hg_2$ unit into the center of cage-type platinum clusters supported by diphosphines having long methylene carbon chains: X-ray structure of $[Hg_2Pt_6(dpphex)_3(RNC)_6] \cdot 2C_6H_6$ (dpphex = 1,6-bis(diphenylphosphino)hexane, R = 2,6-dimethylphenyl) (T. Tanase, T. Horiuchi, Y. Yamamoto and K. Kobayashi), (440) 1

Axiale Abschirmung des quadratisch-planar konfigurierten Platin(II) in strukturell charakterisiertem (bpy)$PtMes_2$: Lumineszenz und elektrochemisch reversible Bildung von Platin(III) (A. Klein, H.-D. Hausen und W. Kaim), (440) 207

Synthesen und photochemische Untersuchungen von *ortho*- und *meta*-substituierten Bis(phenyl)[$\eta^2$-1,2-bis(diphenylarsino)ethan bzw. -ethen]platin(II)-Verbindungen (H.-A. Brune, E. Hupfer, G. Schmidtberg und U. Ziegler), (440) 303

Highly selective hydroformylation and dimerization reactions of 2-ferrocenylpropene (L. Kollár and B. Floris), (441) 117

Dimeric complexes of trimethylplatinum(IV) with ethylacetoacetate, methylacetoacetate, dimethylmalonate and diethylmalonate, and their pyridine and 2,2′-bipyridyl adducts (K. Kite and A.F. Psaila), (441) 159

Synthesis and structural characterisation of some triangular and tetrahedral mixed metal platinum–gold clusters (C.M. Hill, D.M.P. Mingos, H. Powell and M.J. Watson), (441) 499

Coordination of a tripodal phosphine sulphide $P_2S$ towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), (445) 171

Highly stereoselective hydroformylation of a (2*R*)-2-tert-butyl-$\Delta^4$-1,3-oxazoline derivative (L. Kollár and P. Sándor), (445) 257

Synthesis, molecular structure and NMR behaviour of [9,9-$(PMe_2Ph)_2$-*arachno*-9,6,8-$PtS_2B_7H_7$]: Direct evidence for the ten-vertex borane vertex-flip mechanism of isomerization (J.H. Jones, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett, B. Štíbr and H. Langhoff), (445) C15

Cyclohydrosilylation dimer formation: evidence for $Pt^0 \leftrightarrow Pt^{II} \leftrightarrow Pt^{IV}$ catalysis (H.K. Chu and C.L. Frye), (446) 183

Stereospecific reactions of the "$M(C_6F_5)_2$" (M = Pd or Pt) synthons towards *cis*-dithiolato complexes (R. Usón, J. Forniés, M.A. Usón and S. Herrero), (447) 137

Hydroformylation of norbornene and 2,5-norbornadiene catalysed by platinum(0)-alkene complexes in the presence of methanesulfonic acid: determination of the stereochemistry of the reaction (C. Botteghi, S. Paganelli, A. Perosa, R. Lazzaroni and G. Uccello-Barretta), (447) 153

Binuclear pyrazolato-bridged organoplatinum(II) complexes: synthesis and characterization (A. Singhal, V.K. Jain and S. Kannan), (447) 317

Synthesis of the heterodinuclear Fe-Pt complex [$(OC)_3Fe\{\mu$-CN(2,6-xylyl)$\}(\mu$-dppm)$Pt(PPh_3)$] containing a bridging isonitrile ligand and electrophilic additions leading to $\mu$-aminocarbyne complexes (M. Knorr, T. Faure and P. Braunstein), (447) C4

Sterically-induced low temperature polyhedral rearrangements of carbaplatinaboranes: synthesis and crystal structures of 1-Ph-3,3-$(PMe_2Ph)_2$-3,1,2-$PtC_2B_9H_{10}$, 1-Ph-3,3-$(PMe_2Ph)_2$-3,1,11-$PtC_2B_9H_{10}$, 11-Ph-3,3-$(PMe_2Ph)_2$-3,1,11-$PtC_2B_9H_{10}$ and 1,11-$Ph_2$-3,3-$(PMe_2Ph)_2$-3,1,11-$PtC_2B_9H_9$ (D.R. Baghurst, R.C.B. Copley, H. Fleischer, D.M.P. Mingos, G.O. Kyd, L.J. Yellowlees, A.J. Welch, T.R. Spalding and D. O'Connell), (447) C14

Triphenylphosphanchalkogenide als selektive Reagentien zum Aufbau von $\mu_3$-Chalkogenverbrückten Eisencarbonylclustern (W. Imhof und G. Huttner), (448) 247

Synthesis and characterization of sterically encumbered Li, Na, and K aryl tellurolates, and some Pt(II), Ir(I), and Cd(II) derivatives (Ph.J. Bonasia and J. Arnold), (449) 147

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), (450) 109

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), (450) 229

Tetra-*ortho*-substituierte *cis*-Bis(phenyl)platin(II)-Verbindungen: Synthesen und photochemisches Verhalten (H.-A. Brune, J. Lerche, G. Schmidtberg und A. Baur), (450) 269

Cyclometallated derivatives of palladium(II) and platinum(II) derived from 6-t-butyl-2,2′-bipyridine (S. Stoccoro, G. Chelucci, M.A. Cinellu, A. Zucca and G. Minghetti), (450) C15

## Potassium

The preference of 1-methylallyl polar organometallics and carbanions for *cis* rather than for *trans* geometries (P. von R. Schleyer, J. Kaneti, Y.-D. Wu and J. Chandrasekhar), (426) 143

Reactions of alkali metal macrocyclic complexes XIX. Reaction of potassium or sodium complexes with oxetane – novel route to organometallic compounds (Z. Jedliński, A. Misiołek, A. Jankowski and H. Janeczek), (433) 231

*Cis/trans* conversion of potassium derivatives of 2- and 4-nitrostilbenes (Z.V. Todres), (441) 349

## Praseodymium

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXIX. Optische und magnetochemische Untersuchungen an Mono- und Bis-Acetonitriladdukten des Grundkörpers Tris($\eta^5$-cyclopentadienyl)praseodym(III) (C. Apostolidis, B. Kanellakopulos, R. Klenze, H. Reddmann, H. Schulz and H.-D. Amberger), (426) 307

Molekülstruktur und Ladungsverteilung in metallorganischen Verbindungen der 4*f*- und 5*f*-Elemente. II. Dielektrische Untersuchungen an metallorganischen Komplexen der 4*f*- und Übergangselemente mit $C_{3v}$- und $D_{3h}$-Molekülsymmetrie (R. Maier, B. Kanellakopulos and C. Apostolidis), (427) 33

Studies on organolanthanide complexes. XLII. Synthesis of the unsolvated monomeric complexes $(MeOCH_2CH_2C_5H_4)_3Ln$ (Ln = La, Pr) and X-ray structure of $(MeOCH_2CH_2C_5H_4)_3Pr$ (C. Qian, B. Wang, D. Deng, G. Wu and P. Zheng), (427) C29

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXIII. Esteraddukte des Grundkörpers Tris($\eta^5$-cyclopentadienyl)-lanthan(III)—ideale Wirtsgitter für einkristalloptische Untersuchungen von Lanthanoid-Ionen in metallorganischer Umgebung (H. Schulz und H.-D. Amberger), (443) 71

Neue Cyclooctatetraenyl-lanthanid(III)-Komplexe (U. Kilimann und F.T. Edelmann), (444) C15

## Rhenium

Synthesis and spectroscopic characterization of the heteronuclear diphosphine linked cluster $Os_3(CO)_{11}(Ph_2PCH_2PPh_2)Rh_6(CO)_{15}$ (S.P. Tunik, M.V. Osipov and A.B. Nikolskyi), (426) 105

Metallorganische Lewis-Säuren. XLIV. Rheniooxy(organyl)carben-Komplexe von Chrom, Molybdän und Wolfram (P.M. Fritz, J. Breimair, B. Wagner and W. Beck), (426) 343

Photochemical reactions of $[(Ph_3P)_2ReH_7]$ and $[(Ph_2PCH_2CH_2PPh_2)ReH_7]$ (D. Baudry, J.-M. Cormier and M. Ephritikhine), (427) 349

The first examples of insertion of $SnCl_2$ into the Mn–Cl and Re–Cl bonds of octahedral complexes: X-ray structure of $[Mn(CO)_3$-

$(SnCl_3)(S_2CPCy_3)] \cdot CH_2Cl_2$ (B. Alvarez, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), (427) C33

Phosphine induced cyclopentadienyl ring slippage catalyzes CO insertion into a methyl rhenium compound to produce an acetyl rhenium compound (C.P. Casey, R.A. Widenhoefer and J.M. O'Connor), (428) 99

A convenient lactonization of diols to $\gamma$- and $\delta$-lactones catalyzed by transition metal polyhydrides (Y. Lin, X. Zhu and Y. Zhou), (429) 269

Photochemical and thermal disproportionation of $[(CO)_4CoM(CO)_3(LL)]$ (M = Mn, Re; LL = 2,2′-bipyridine, 2-pyridinecarbaldehyde *N*-isopropylimine) complexes (H. Knoll, W.J.G. De Lange, H. Hennig, D.J. Stufkens and A. Oskam), (430) 123

Syntheses of low-valent nitrosyl complexes of rhenium and X-ray structure of *trans*-$[ReCl(NO)(Ph_2PCH_2CH_2PPh_2)_2][NO_3]_2$ with nitrosyl derived nitrates (Y. Wang, J.J.R. Fraústo Da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), (430) C56

The reaction between unsaturated tetrarhenium cluster $H_4Re_4(CO)_{12}$ and tris(diphenylphosphino)methane (S.R. Wang, S.-L. Wang, C.P. Cheng and C.S. Yang), (431) 215

The *cis*-$\{Re(Ph_2PCH_2CH_2PPh_2)_2\}^+$ metal centre. Synthesis and molecular structure of the dinitrile complex *cis*-$[Re(NCC_6H_4Me\text{-}4)_2(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (M.F.C. Guedes da Silva, M.T. Duarte, A.M. Galvão, J.J.R. Fraústo da Silva and A.J.L. Pombeiro), (433) C14

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Hydrogen bonds and conformations of $\alpha$-carbinol derivatives of cyclopentadienyltricarbonyls of manganese and rhenium (E.S. Shubina, A.N. Krylov, T.V. Timofeeva, Y.T. Struchkov, A.G. Ginzburg, N.M. Loim and L.M. Epstein), (434) 329

Synthese und Reaktivität kohlenwasserstoffüberbrückter Komplexe von Mangan, Rhenium, Molybdän und Wolfram (E. Lindner, M. Pabel, R. Fawzi, H.A. Mayer und K. Wurst), (435) 109

Novel concepts in directed biaryl synthesis. XV. Chiral rhenium complexes $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)(R,R\text{-lactone})]^+BF_4^-$ of lactone-bridged biaryls as ligands: synthesis, structure, and stereochemical properties (G. Bringmann, O. Schupp, K. Peters, L. Walz and H.G. von Schnering), (438) 117

Phosphinic complexes of rhenium and tungsten in reactions with stereoindicators (Z.V. Todres, E.A. Ionina and A.J.L. Pombeiro), (438) C23

The synthesis and reactions of $Re^I$ carboxylic acids. The X-ray structure of *fac*-$Re(CO)_3(dppp)CO_2D \cdot 0.5C_6D_6$ (S.K. Mandal, D.M. Ho and M. Orchin), (439) 53

Synthesis and reactivity of bridging bis(alkyl) and bis(alkylidene) complexes derived from the chiral rhenium fragment $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)]^+$ (C. Roger, T.-S. Peng and J.A. Gladysz), (439) 163

Wittig and Reformatsky chemistry of the formyl and acetyl derivatives of $(\eta^5\text{-}C_5H_5)Mn(CO)_3$, $(\eta^5\text{-}C_5H_5)Re(CO)_3$ and $(\eta^6\text{-}C_6H_6)Cr(CO)_3$ (T.E. Bitterwolf and X. Dai), (440) 103

The reactions of rhenium isocyanide complexes with acetonitrile. Formation of carbon–carbon and carbon–nitrogen bonds en route to rhenium containing heterocycles (L.L. Padolik, J.J. Alexander and D.M. Ho), (440) 153

Structural characterization in solid state and solution of the hydridocarbonyl cluster anion $[Re_4(\mu\text{-}H)_4(CO)_{13}]^{2-}$ (T. Beringhelli, G. D'Alfonso, A.P. Minoja, G. Ciani and A. Sironi), (440) 175

Syntheses of gold–manganese and gold–rhenium clusters, $[(Ph_3PAu)_3M(CO)_4]$ and $[(Ph_3PAu)_4M(CO)_4]^+$ (M = Mn, Re), and the crystal structure of $[(Ph_3PAu)_4Mn(CO)_4]BF_4$ (B.K. Nicholson, M.I. Bruce, O. Bin Shawkataly and E.R.T. Tiekink), (440) 411

Das Verhalten von stereoisomeren Bistriflaten des Tetrahydrofurans gegenüber ein- und zweiwertigen Carbonylmetallaten (E. Lindner, M. Pabel, R. Fawzi und M. Steimann), (441) 63

Metallorganische Lewis-Säuren. XLV. Pentacarbonylrhenium-Komplexe mit Oxoanionen (Trifluoromethoxyborat, Phosphat, Sulfat, Dichromat) sowie von Heteropolysäuren. Chemisorption von kationischen Carbonylrhenium-Komplexen auf $\gamma\text{-}Al_2O_3$, $SiO_2$, $TiO_2$ und in Zeolithen (E. Fritsch, J. Heidrich, K. Polborn und W. Beck), (441) 203

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXI. Perfluorpinakolat-Komplexe von Rhenium (VII) und Osmium(VI) (W.A. Herrmann und P. Watzlowik), (441) 265

Umsetzungen der lithiierten Halbsandwich-Chalkogenole, $(CO)_3MC_5H_4\text{–}ELi$ (M = Mn, Re; E = S, Se, Te) (M. Herberhold und M. Biersack), (443) 1

Reaction of $C_5Me_5(CO)_2Re(HC{\equiv}CCH_3)$ with $Ph_3C^+PF_6^-$ produces the $\eta^3$-allyl complex $C_5Me_5(CO)_2Re[\eta^3\text{-}Ph_2CC(Ph)CHCH_3]^+PF_6^-$ (C.P. Casey, C.S. Yi and J.A. Gavney, Jr.), (443) 111

Antiferromagnetic complexes with metal–metal bonds. XXVII. Synthesis, molecular structures and magnetic properties of Cr,Re-clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_3\text{-}S)Re_2(CO)_9$ and $Cp_2Cr_2(\mu_3\text{-}SCMe_3)_2(\mu_3\text{-}S)_2Re_2(CO)_6$ (A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, B. Orazsakhatov, A.A. Zharkikh, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky and Y.T. Struchkov), (444) 101

Metallorganische Lewissäuren. XLVII. Kationische Komplexe $[(OC)_5ReL]^+$ und $[Cp(OC)(Ph_3P)RuL]^+$ mit O-Donoren und N-Donoren (L = Carbonsäureester, Ethanol, Lacton, Lactam, Diphenylketimin) (J. Milke, C. Missling, K. Sünkel und W. Beck), (445) 219

Electrospray mass spectrometric studies of some cationic and anionic Group 6 and Group 7 metal carbonyl complexes (I. Ahmed, A.M. Bond, R. Colton, M. Jurcevic, J.C. Traeger and J.N. Walter), (447) 59

Cluster chemistry. LXXXVII. Some homo- and hetero-nuclear complexes derived from $C_2(PPh_2)_2$: Crystal structures of $Re_3(\mu\text{-}H)_3(\mu\text{-dppa})(CO)_{10}$ {dppa = $C_2(PPh_2)_2$}, $Re_3(\mu\text{-}H)_3(CO)_{11}\{PPh_2[\mu\text{-}C_2Ru_2(\mu\text{-}PPh_2)(CO)_6]\}$ and $Os_3Ru_2(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (447) 91

Carbon is not the initial site of attack in the protonation of an allene ligand to give an $\eta^2$-vinyl species: kinetic studies on *trans*-$[ReCl(CH_2CCPh)(Ph_2PCH_2CH_2PPh_2)_2]$ (R.A. Henderson, A.J.L. Pombeiro, R.L. Richards and Y. Wang), (447) C11

Metallorganische Chemie des Technetiums. VIII. Technetium(I)-carbonyl-Komplexe mit Polypyrazol-1-yl-borato-Liganden im Vergleich mit seinen Mn- und Re-Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, R. Maier, N. Marques, D. Meyer, J. Müller, A. Pires de Matos, B. Nuber, J. Rebizant und M.L. Ziegler), (448) 119

Substituted metal carbonyls. XX. Unexpected formation of two diphenylphosphine complexes from the oxidation of pentacarbonylrhenate by chlorodiphenylphosphine. Crystal and molecular structures of *eq*-$Re_2(CO)_9(PPh_2H)$ and *cis*-$ReCl(CO)_4(PPh_2H)$ (T.S. Andy Hor, P.M.N. Low, Y.K. Yan, L.-K. Liu and Y.-S. Wen), (448) 131

A facile synthetic route to $(\eta^5$-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), (450) 27

Structures of propionaldehyde, butyraldehyde, and pivalaldehyde complexes of the chiral rhenium fragment $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)]^+$ (D.P. Klein, N. Quirós Méndez, J.W. Seyler, A.M. Arif and J.A. Gladysz), (450) 157

Electrochemical and chemical generation of a mixed-valent organorhenium oxide and its subsequent aggregation (R.W. Al-

bach, U. Küsthardt, J. Behm, B. Ebert, M.-H. Delville and D. Astruc), (450) 165

Carbyne-fluoro complexes of rhenium. Single-pot synthesis of *trans*-$[ReF(\equiv CCH_2R)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (S.S.P.R. Almeida, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), (450) C7

## Rhodium

Novel active dirhodium complexes for the low pressure hydroformylation reaction. Unexpected inhibiting effect of high partial pressures of hydrogen (Ph. Kalck, Y. Peres, R. Queau, J. Molinier, P. Escaffre, E. Leandro de Oliveira and B. Peyrille), (426) C16

Crystal structure of $[Rh(SnCl_3)$(norbornadiene)(dppp)]. A $^1H$ NMR study of $[Rh(SnCl_3)$(norbornadiene)(diphosphine)] complexes (M.A. Garralda, E. Pinilla and M.A. Monge), (427) 193

Rhodium(I) complex-catalyzed hydrosilylation of dimethyl muconates (K. Yamamoto and T. Tabei), (428) C1

Rhodium hydride ($HRh(CO)(PPh_3)_3$) and rhodium carbonyl ($Rh_4(CO)_8L_4$) complexes obtained by reaction of Rh(acac)(CO)-(L) type complexes with methanol and formaldehyde (A.M. Trzeciak and J.J. Ziółkowski), (429) 239

Substituted cyclopentadienyl compounds. I. Formylation of methylcyclopentadienide and the synthesis and NMR study of some thallium(I) and rhodium(I) derivatives of cyano-, methyl-, methanoyl- and dimethylamidocyclopentadienes (M. Arthurs, J.C. Bickerton, M. Kirkley, J. Palin and C. Piper), (429) 245

Substituted cyclopentadienyl compounds. II. Molecular orbital study of ring slippage in some rhodium(I) derivatives and the X-ray structure of $\eta^5$-phenylcyclopentadienylbis($\eta^2$-ethene)rhodium(I) (M. Arthurs, C. Piper, D.A. Morton-Blake and M.G.B. Drew), (429) 257

Heteronuclear clusters containing the hexafluorobut-2-yne ligand. Crystal structures of $(C_5H_5)_2Rh_2Pt(CO)(CF_3C_2CF_3)(COD)$ (2) and $(C_5H_5)_4Rh_4Pt(CO)_2(CF_3C_2CF_3)_2$ (3), and facile Rh–Pt bond making and breaking for complex 2 in solution (R.S. Dickson, G.D. Fallon, K.D. Heazle and M.J. Liddell), (430) 221

Trimethylsilylcyclooctadiene-transition metal complexes: metal-catalysed protodesilylation of cyclic vinylsilanes, and transfer hydrogenation promoted by the displaced silyl group (B.S. Bandodakar and G. Nagendrappa), (430) 373

Sterically induced opening of a *closo* carbametallaborane: synthesis and characterisation of 1,2-$Ph_2$-3-($\eta$-$C_5Me_5$)-3,1,2-*pseudocloso*-$RhC_2B_9H_9$ (Z.G. Lewis and A.J. Welch), (430) C45

Binuclear hydroxo-, methoxo-, and pyrazolate-bridged complexes of ruthenium(II). Molecular structure of $[\{(p\text{-cymene})Ru\}_2(\mu\text{-pz})(\mu\text{-OH})_2]BF_4$ (*p*-cymene = *p*-$MeC_6H_4CHMe_2$, pz = pyrazolate) (D. Carmona, A. Mendoza, J. Ferrer, F.J. Lahoz and L.A. Oro), (431) 87

Rhodium pentafluorophenylthiolate complexes derived from $[Rh_2(\mu\text{-}SC_6F_5)_2(PPh_3)_4]$ (L. Carlton), (431) 103

Synthesis and chemistry of 1-acetyl, 2-methylsubstituted cyclopentadienyl thallium and its chiral manganese and rhodium carbonyl derivatives. The molecular structure of $[1\text{-}CH_3CO, 2\text{-}CH_3C_5H_3]Rh(CO)[P(C_6H_5)_3]$ (T.E. Bitterwolf, T.L. Hubler and A.L. Rheingold), (431) 199

Methylation of bis(oxazolinyl)pyridinerhodium(III) chlorides with trimethylaluminum (H. Nishiyama, T. Hirai and K. Itoh), (431) 227

Optically active complexes of transition metals ($Rh^I$, $Ru^{II}$, $Co^{II}$ and $Ni^{II}$) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins (A. Corma, M. Iglesias, C. Del Pino and F. Sánchez), (431) 233

Reactivity studies of square planar platinum, iridium, and rhodium triflate complexes with alkynols (P.J. Stang and Y.-H. Huang), (431) 247

Metalloligands containing samarium(III). Access to binuclear *f*-metal (samarium)–*d*-metal (rhodium) complexes (M. Visseaux, A. Dormond, M.M. Kubicki, C. Moïse, D. Baudry and M. Ephritikhine), (433) 95

$\mu$-Methylene rhodium complexes with SH ligand: synthesis and structures of $[Rh_2Cp^*_2(\mu\text{-}CH_2)_2(\mu\text{-}SH)]BPh_4$ and *trans*-$[Rh_2Cp^*_2(\mu\text{-}CH_2)_2(SH)_2]$ ($Cp^* = \eta^5$-$C_5Me_5$) (Y. Ozawa, A.V. de Miguel and K. Isobe), (433) 183

Synthesis and characterization of bis-(diphenylphosphinoethane)-substituted hexarhodium clusters: $Rh_6(CO)_{14}(\mu_2,\eta^2\text{-}Ph_2P(CH_2)_2PPh_2)$, $\{Rh_6(CO)_{15}\}_2(\mu_2,\eta^1:\eta^1\text{-}Ph_2P(CH_2)_2PPh_2)$ and $Rh_6(CO)_{15}(\eta^1\text{-}Ph_2P(CH_2)_2P(O)Ph_2)$. X-Ray crystal structures of $Rh_6(CO)_{15}PPh_3$ and $Rh_6(CO)_{14}(\mu_2,\eta^2\text{-}Ph_2P(CH_2)_2PPh_2)$ clusters (S.P. Tunik, A.V. Vlasov, N.I. Gorshkov, G.L. Starova, A.B. Nikol'skii, M.I. Rybinskaya, A.S. Batsanov and Y.T. Struchkov), (433) 189

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Dinuclear rhodium complexes immobilized on functionalized diphenylphosphino-(styrene-divinylbenzene) resins giving high selectivities for linear aldehydes in hydroformylation reactions (P. Kalck, E. Leandro de Oliveira, R. Queau, B. Peyrille and J. Molinier), (433) C4

Coordination chemistry of $[CH\{P(S)Ph_2\}_2]^-$: X-ray diffraction studies of *S,S*-chelate complexes of iridium and rhodium (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilts), (434) 241

Neutrale und kationische Rhodiumkomplexe mit den potentiell zweizähnigen Phosphanliganden $^iPr_2PCH_2CH_2OMe$, $^iPr_2PCH_2CH_2NMe_2$ und $^iPr_2PCH_2CH_2CH_2NMe_2$ (H. Werner, A. Hampp und B. Windmüller), (435) 169

Ligand redistribution reactions of some organometallic rhodium and iridium complexes (P.J. Stang and Y.-H. Huang), (435) 185

Catalytic activity of *cis*-[$\mu$-[bis(1,1-dimethylethyl)-phosphino]]dicarbonyl-$\mu$-chlorobis[tris(1,1-dimethylethyl)-phosphine]dirhodium and of its chiral analog (+)-*cis*-[$\mu$-[bis-(1,1-dimethylethyl)phosphino]]dicarbonyl-$\mu$-chlorobis[[5$\beta$-methyl-2$\alpha$-(1$\alpha$-methylethyl)cyclohexyl]-diphenylphosphine]dirhodium (E. Berkovich, A. Jacobson, J. Blum, H. Schumann, M. Schäfers and H. Hemling), (436) 95

Komplexchemie perhalogenierter Cyclopentadiene und Alkine. IX. Darstellung einiger Phosphoniumacetylid-Komplexe und Struktur von $(Ph_3P)Cl_2Pd(C\equiv CPPh_3)$ (K. Sünkel), (436) 101

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: $[(CO)_4Fe(\mu\text{-}P^tBu_2)Rh(CO)L](Fe–Rh)$ (L = CO, $HP^tBu_2$), $[(CO)_3Co(\mu\text{-}H)(\mu\text{-}P^tBu_2)Rh(CO)(HP^tBu_2)](Co–Rh)$ (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Chiral sulfonated phosphines. VIII. Hydrogenation of dehydropeptides in a two-phase system (M. Laghmari, D. Sinou, A. Masdeu and C. Claver), (438) 213

Synthesis and characterization of rhodium complexes [Rh(Az)(L)Cl] (Az = 2,2-dimethyl-3-phenyl-3-allylaziridine; L = $C_2H_4$, CO, or $PPh_3$). Crystal and molecular structure of [Rh(Az)(CO)Cl] (R.B. Cheikh, M.C. Bonnet, R. Chaabouni and F. Dahan), (438) 217

Pentafluorophenyl compounds of rhodium(III) with bidentate phosphorus or nitrogen ligands (M.P. García, M.V. Jiménez and L.A. Oro), (438) 229

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions $[C_5H_4CH=C_9H_6]^-$ mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Reaktionen von $[Cp^*Ru(OMe)]_2$. XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

Heterobimetallic Group 6-rhodium complexes. II. Reactions of $[Rh(S_2CNEt_2)(CO)_2]$ with the complexes $[M(CO)_3(\eta^2\text{-phen})(\eta^1\text{-}$

dppm)] (M = Mo or W) and [Mo(CO)$_4$($\eta^2$-dppm)] as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

Indenyl carbametallaboranes. III. The synthesis and characterization of novel rhodium carbaborane compounds with 3-($C_2B_9$)-8-{($C_9H_6$)Rh($C_9H_7$)}-3,1,2-*closo*-Rh$C_2B_9$, 10-{($C_9H_6$)Rh($C_9H_7$)}-7,8-*nido*-$C_2B_9$, 9-{($C_9H_6$)Rh($C_9H_7$)}-7,8-*nido*-$C_2B_9$ and 3-($\eta$-$C_9H_7$)-3,1,2-*closo*-Rh$C_2B_9$ structures (Z.G. Lewis and A.J. Welch), (438) 353

$^{13}$C NMR studies of silyl and germyl complexes of rhodium and iridium containing carbonyl ligands (E.A.V. Ebsworth and S. Moreton), (439) 213

Cycloadditionsreaktionen von Organometall-Komplexen. XV. [2 + 3]- und [2 + 1]-Cycloadditionsreaktionen von Carbonylrhodium- und Carbonylcobalt-Komplexen mit Nitriloxiden und Aziden. Die Kristall- und Molekülstruktur von $C_5H_5(P^iPr_3)$RhC(O)ONC($C_6$-$H_5$) (H. Werner, U. Brekau, O. Nürnberg und B. Zeier), (440) 389

Highly selective hydroformylation and dimerization reactions of 2-ferrocenylpropene (L. Kollár and B. Floris), (441) 117

Synthesis and molecular structure of new families of iridium(III)-Cp* and rhodium(III)-Cp* complexes derived from 1,2-dicyanoethene-1,2-dithiolate, 2,2′-biimidazole or 2,2′-bithiazole. Single crystal structures of [($\eta^5$-$Me_5C_5$)Ir(biim$H_2$)Cl]Cl and [($\eta^5$-$Me_5C_5$)Rh(dcdt)] (R. Ziessel, M.-T. Youinou, F. Balegroune and D. Grandjean), (441) 143

Synthesis and reactivity of dithiodiphenylphosphinato-derivatives of rhodium. Crystal structure of the square-pyramidal rhodium(III) complex [RhI($\eta^2$-$S_2PPh_2$)(COMe)($PPh_3$)] (J.A. Cabeza, V. Riera, M.A. Villa-García, L. Ouahab and S. Triki), (441) 323

Synthesis, electrochemistry and complexation studies of new redox active bisferrocene acyclic and macrocyclic thioethers (P.D. Beer, J.E. Nation, M.E. Harman and M.B. Hursthouse), (441) 465

Rhodium(I) complexes of 4-t-butylcyclohexyldiaziridine and adamantyldiaziridine: synthesis, structure and catalytic activity (A. Adedapo, S.A. Benyunes, P.A. Chaloner, C. Claver, P.B. Hitchcock, A. Ruiz and N. Ruiz), (443) 241

Selective *ortho*-metallation reaction of the phosphine P(*o*-$ClC_6H_4$)$Ph_2$. Synthesis and crystal structure of [$Rh_2$($\mu$-$O_2CCH_3$)$_3${$\mu$-($ClC_6H_3$)$PPh_2$}($OH_2$)$_2$] · $CHCl_3$ (P. Lahuerta, J. Payá, S. García-Granda, F. Gómez-Beltrán and A. Anillo), (443) C14

Synthèse de phosphinites dérivés de sucres: applications en cyclodimérisation du penta 2,4-diénoate de méthyle, en hydrogénation et en hydrosilylation de la pentolactone (A. Bendayan, H. Masotti, G. Peiffer, C. Siv et A. Archavlis), (444) 41

Synthesis and reactivity of substituted cyclopentadienyl diphenylphosphido complexes of zirconium(IV). X-Ray crystal structure of [($C_5H_4SiMe_3$)$_2$Zr($PPh_2$)$_2$] (A.-M. Larsonneur, R. Choukroun, J.-C. Daran, T. Cuenca, J.C. Flores and P. Royo), (444) 83

Umsetzungen von Metallorganylen mit dem capto-dativ substituierten Ethylen $H_2C$=C(CN)(S$^t$Butyl) (J. Herbig, J. Köhler, B. Nuber, H.G. Stammler und M.L. Ziegler), (444) 107

Photochemistry of tris(dimethylpyrazolyl)-boratorhodium dicarbonyl and bis(dimethylpyrazolyl)-boratorhodium dicarbonyl complexes in low temperature media at 12–298 K: some insights into C–H activation processes (P.E. Bloyce, J. Mascetti and A.J. Rest), (444) 223

First example of the cycloaddition of a terminal phosphinidene across the Rh=Rh bond of [$Rh_2$($\eta^5$-$C_5Me_5$)$_2${$\mu$-$(CO)_2$}]. Crystal structure of [$Rh_2$($\eta^5$-$C_5Me_5$)$_2$$(CO)_2${MePW$(CO)_5$}] (F.A. Ajulu, P.B. Hitchcock, F. Mathey and J.F. Nixon), (444) C60

Coordination of a tripodal phosphine sulphide $P_2S$ towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), (445) 171

Synthesis, structure and hydrogenation of $\eta^3$-benzyl diphosphine complexes of rhodium and iridium (M.D. Fryzuk, D.H. McConville and S.J. Rettig), (445) 245

Highly stereoselective hydroformylation of a (2*R*)-2-tert-butyl-$\Delta^4$-1,3-oxazoline derivative (L. Kollár and P. Sándor), (445) 257

Simultaneous substitution of bridging acetate groups and reversible Rh–C bond cleavage in [$Rh_2$($O_2CCH_3$)$_3${($C_6H_4$)$PPh_2$}($HO_2$-$CCH_3$)$_2$] in the presence of $CF_3CO_2H$. Crystal structure of [$Rh_2$($O_2CCF_3$)$_3${($C_6H_4$)$PPh_2$}($HO_2CCF_3$)$_2$] (P. Lahuerta, J. Latorre, E. Peris, M. Sanaú, M.A. Ubeda and S. García-Granda), (445) C10

Dehydrogenative silation, isomerization and the control of *syn- vs. anti*-addition in the hydrosilation of alkynes (C.-H. Jun and R.H. Crabtree), (447) 177

Electronic and steric effects in the rhodium-complex catalysed cocyclization of alkynes and nitriles to pyridine derivatives (P. Diversi, L. Ermini, G. Ingrosso and A. Lucherini), (447) 291

Rhodium(I) complexes with aromatic diamines (L. Fidalgo, M.A. Garralda, R. Hernández and L. Ibarlucea), (447) 299

Studies of the thermal and photochemical lability of olefin complexes of rhodium(I) to form Rh and $Rh_2O_3$ (Z. Duan, M.J. Hampden-Smith and A.P. Sylwester), (449) 173

A facile synthetic route to ($\eta^5$-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), (450) 27

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), (450) 177

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), (450) 229

The crystal and molecular structure of bis(indazol-1-yl)pyridin-2′-ylmethane (BIPM) and [Rh(BIPM)(NBD)]$PF_6$ (M.C. López Gallego-Preciado, P. Ballesteros, R.M. Claramunt, M. Cano, J.V. Heras, E. Pinilla and A. Monge), (450) 237

$^{31}$P and $^{13}$C NMR investigation of the system tetracarbonyldi-$\mu$-chlorodirhodium(I)–tertiary phosphine (E. Rotondo, G. Battaglia, G. Giordano and F.P. Cusmano), (450) 245

## Rubidium

The preference of 1-methylallyl polar organometallics and carbanions for *cis* rather than for *trans* geometries (P. von R. Schleyer, J. Kaneti, Y.-D. Wu and J. Chandrasekhar), (426) 143

## Ruthenium

Chemistry of [Cp*RuOMe]$_2$. XI. Reactions with $P(OMe)_3$ (U. Koelle, Th. Ruether and W. Kläui), (426) 99

Synthesis and evaluation of the catalytic properties of homo- and hetero-bimetallic complexes containing bridging diphenylphosphido ligands (Z. He, N. Lugan, D. Neibecker, R. Mathieu and J.-J. Bonnet), (426) 247

Reactions of alkenyl and alkynyl ruthenium(II) complexes with isocyanides: synthesis of $\alpha,\beta$-unsaturated $\eta^1$-acylruthenium(II) complexes and X-ray structure of [Ru(C≡CPh)(CN$^t$Bu)$_3$($PPh_3$)$_2$]$PF_6$ (J. Montoya, A. Santos, J. López, A.M. Echavarren, J. Ros and A. Romero), (426) 383

Synthesis, X-ray structure, and catalytic properties of a ruthenium cluster with a carbohydrate ligand (S. Bhaduri, N. Sapre, H. Khwaja and P.G. Jones), (426) C12

Carbon–nitrogen bond cleavage of $\beta$-nitrostyrene promoted by acetatohydridocarbonylbis(triphenylphosphine)ruthenium(II) (A. Yousfi and R. Mathieu), (426) C33

A diruthenium complex containing an *ortho*-metallated bipyridyl ligand formed directly from $[Ru_3(CO)_{12}]$ and pyridine (B.R. Cockerton and A.J. Deeming), (426) C36

Organometallic macrocycle chemistry. I. The reactions of $[RuCl_2(PPh_3)_3]$ with 1,4,7-trithiacyclononane and 1,4,8,11-tetrathiacyclotetradecane (A.F. Hill, N.W. Alcock, J.C. Cannadine and G.R. Clark), (426) C40

Reactions of carbonyl clusters with potentially tridentate thioethers: crystal and molecular structures of $[Os_4(CO)_{13}([12]aneS_3)]$ and $[Ru_6(CO)_{15}(\mu_4\text{-}\eta^2\text{-}CO)([12]aneS_3)]$ $[([12]aneS_3) = \{(CH_2)_3S\}_3]$ (A.J. Edwards, B.F.G. Johnson, F.K. Khan, J. Lewis and P.R. Raithby), (426) C44

Metal-ion dependent reactivity of 2-(2′-thienyl)pyridine (Hthpy) (E.C. Constable and L.R. Sousa), (427) 125

Synthesis and reactivity of triruthenium carbonyl clusters containing bis(diphenylphosphino)methane and the face-bridging ligand 2-amido-6-methylpyridine (P.L. Andreu, J.A. Cabeza, J.L. Cuyás and V. Riera), (427) 363

Synthesis, crystal structure and spectroelectrochemistry of $[(C_5Me_5Ru)_2\text{-}\eta^6,\eta^6\text{-chrysene}]^{2+}(O_3SCF_3^-)_2$. Formation of $[(C_5Me_5Ru^I)(C_5Me_5Ru^{II})\text{-}\eta^6,\eta^6\text{-chrysene}]O_3SCF_3$ (I. Chavez, M. Otero, E. Román and U. Müller), (427) 369

Übergangsmetall–Heteroallen-Komplexe. XXV. Reaktionen von Ketenimin mit $Ru_3(CO)_{12}$ (W. Ziegler and U. Behrens), (427) 379

Novel organometallic charge transfer salts derived from electron-rich diruthenium species and the electron-acceptor ligands 7,7,8,8-tetracyano-*p*-quinodimethane and tetracyanoethylene and containing the radical anions of these ligands in both the inner and the outer coordination spheres (S.E. Bell, J.S. Field, R.J. Haines and J. Sundermeyer), (427) C1

Effect of ion-pairs on the stereochemistry of decarbonylation of acetyl iodide complexes of ruthenium: evidence of anion catalysis in the CO insertion (G. Bellachioma, G. Cardaci, A. Macchioni and G. Reichenbach), (427) C37

Asymmetric hydrogenation of prochiral carboxylic acids catalyzed by the five-coordinate ruthenium(II)-hydride complex $[RuH(binap)_2]PF_6$ (binap = (*R*)- or (*S*)-2,2′-bis(diphenylphosphino)-1,1′-binaphthyl) (M. Saburi, H. Takeuchi, M. Ogasawara, T. Tsukahara, Y. Ishii, T. Ikariya, T. Takahashi and Y. Uchida), (428) 155

Chemistry of hexaruthenium carbidocarbonyl cluster complexes. Syntheses and X-ray crystal structures of $Ru_6C(CO)_{15}(\mu\text{-SePh})(\mu\text{-AuPPh}_3)$, $Ru_6C(CO)_{14}(\mu\text{-SePh})_2$, and $Ru_6C(CO)_{14}(\mu\text{-SePh})(\mu,\eta^3\text{-}C_3H_5)$ (T. Chihara and H. Yamazaki), (428) 169

$[Rh(CO)_4]^-$, $[Rh_5(CO)_{15}]^-$, and bimetallic clusters as catalysts for the carbonylation of nitrobenzene to methyl phenylcarbamate (F. Ragaini, S. Cenini, A. Fumagalli and C. Crotti), (428) 401

Thermolysis of $Cp(CO)_nM\text{–}CH(CH_3)C_6H_5$ ($n = 2$, M = Fe, Ru; $n = 3$, M = Mo, W). Some vertical trends in transition metal–alkyl bond dissociation energies (C. Mancuso and J. Halpern), (428) C8

Single and unsupported Ru–H–Ru bond: preparation and crystal structure of $\{Ru_2H(\mu\text{-H})Cl(syn\text{-}Me_4[14]aneS_4)_2\}Cl$ ($Me_4[14]aneS_4$ = 1,4,8,11-tetrathiacyclotetradecane) (T. Yoshida, T. Adachi, T. Tanaka and F. Goto), (428) C12

Synthesis and protonation of new 1,3-diene complexes of zerovalent ruthenium (M.A. Bennett and X.-q. Wang), (428) C17

Oligomerization of butadiene with $(\eta\text{-}C_5R_5)Ru^{II}$ complexes; stoichiometric and catalytic chemistry (K. Masuda, K. Nakano, T. Fukahori, H. Nagashima and K. Itoh), (428) C21

Cluster chemistry. LXXXI. Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with $C_2(CO_2Me)_2$. X-Ray structures of $Ru_3\{\mu_3\text{-}C_4(CO_2Me)_4\}(\mu\text{-dppm})(CO)_6$, $Ru_3(\mu\text{-H})_2\{\mu_3\text{-}C_2(CO_2Me)_2\}(\mu\text{-dppm})(CO)_7$ and $Ru_4(\mu_3\text{-H})\{\mu_4\text{-}C_2(CO_2Me)_2\}\{\mu\text{-}PPh_2CH_2PPh(C_6H_4)\}(CO)_9$ (M.I. Bruce, P.A. Humphrey, H. Miyamae, B.W. Skelton and A.H. White), (429) 187

Cluster chemistry. LXXXII. Reactions between $Ru_3(\mu\text{-dppm})(CO)_{10}$ and 1-alkynes and related chemistry. Crystal structures of $Ru_3(\mu\text{-H})(\mu_3\text{-}C_2C_6F_5)(\mu\text{-dppm})(CO)_7$, $Ru_3\{\mu_3\text{-}PPhCH_2PPh\text{-}(C_6H_4)\}(\mu\text{-}C_4H_2Ph_2)(CO)_6$, $AuRu_3(\mu_3\text{-}C_2Ph)(\mu\text{-dppm})(CO)_7\{P(C_6H_4Me\text{-}p)_3\}$ and $Ru_2(\mu\text{-I})(\mu\text{-dppm})(\mu\text{-}C_2Ph)(CO)_4$ (M.I. Bruce, P.A. Humphrey, E. Horn, E.R.T. Tiekink, B.W. Skelton and A.H. White), (429) 207

Polyazolyl chelate chemistry. IV. Dihydrobis(benzotriazolyl)borato complexes of ruthenium(II) (J. Cartwright and A.F. Hill), (429) 229

A convenient lactonization of diols to $\gamma$- and $\delta$-lactones catalyzed by transition metal polyhydrides (Y. Lin, X. Zhu and Y. Zhou), (429) 269

Facile conversion of $(\eta^5\text{-}C_5R_5)M(CO)_2$–halide complexes to halomethyl, alkoxymethyl, and cyanomethyl derivatives (R = H, $CH_3$; M = Fe, Ru; halide = Cl, Br, I) (J.L. Hubbard and W.K. McVicar), (429) 369

Synthesis and characterisation of novel selenium-containing clusters; crystal structures of $[Ru_4(\mu_4\text{-Se})_2(CO)_8(\mu\text{-CO})_3]$ and $[Ru_3(\mu_3\text{-Se})_2(CO)_7(Ph_2P(CH_2)_3PPh_2)]$ (B.F.G. Johnson, T.M. Layer, J. Lewis, A. Martín and P.R. Raithby), (429) C41

Carbonylation of methanol to acetic acid using homogeneous Ru complex catalyst (A.A. Kelkar, D.S. Kolhe and R.V. Chaudhari), (430) 111

Cluster chemistry. LXXX. Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with 1,3-butadiene: addition to $C_\alpha$ and formation of a $\mu_4$-cyclohexenyne complex. X-Ray structures of $Ru_5\{\mu_4\text{-}CC(PPh_2)CH_2\text{-}\eta^3\text{-}CHCHCH_2\}(\mu\text{-}PPh_2)(\mu\text{-CO})(CO)_{11}$, $Ru_5\{\mu_4\text{-}CC(PPh_2)CHCH{=}CHMe\}(\mu\text{-}PPh_2)(\mu\text{-CO})_2(CO)_9$ and $Ru_5(\mu_4\text{-}C_6H_6)(\mu\text{-}PPh_2)_2(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (430) 181

Stereochemical aspects of the synthesis and reactivity of (diphosphine)(carbonyl)(cyclopentadienyl)ruthenium complexes (A. Mezzetti, G. Consiglio and F. Morandini), (430) C15

Half-way coordination state of a butadienyl group on ruthenium. $\eta^3$-Allylic bonding with $\eta^1$-character or *vice versa* (Y. Wakatsuki, H. Yamazaki, Y. Maruyama and I. Shimizu), (430) C60

Binuclear hydroxo-, methoxo-, and pyrazolate-bridged complexes of ruthenium(II). Molecular structure of $[\{(p\text{-cymene})Ru\}_2(\mu\text{-pz})(\mu\text{-OH})_2]BF_4$ (*p*-cymene = *p*-$MeC_6H_4CHMe_2$, pz = pyrazolate) (D. Carmona, A. Mendoza, J. Ferrer, F.J. Lahoz and L.A. Oro), (431) 87

Optically active complexes of transition metals ($Rh^I$, $Ru^{II}$, $Co^{II}$ and $Ni^{II}$) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins (A. Corma, M. Iglesias, C. Del Pino and F. Sánchez), (431) 233

Struktur von $[Cp^*Ru(CO)_2]_2$ ($Cp^* = \eta^5$-Pentamethylcyclopentadienyl) (A. Steiner, H. Gornitzka, D. Stalke and F.T. Edelmann), (431) C21

Ein neues Verfahren zur Synthese von Metall-funktionalisierten Diphosphenen, Arsaphosphenen und Tetraphospha-bicyclobutanen (P. Jutzi and S. Opiela), (431) C29

Fixierung von Harnstoffderivaten an einem dreikernigen Rutheniumverband: Synthese und Molekülstruktur von $(\mu_2\text{-H})Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-HNCONHCH=CHMe})$ (U. Bodensieck, J. Santiago, H. Stoeckli-Evans und G. Süss-Fink), (433) 141

Rutheniuminduzierter Abbau von Tetramethylthioharnstoff zu Carbenliganden. Synthese und Molekülstruktur der Cluster $Ru_4(\mu_2\text{-CO})_2(CO)_{9-n}(\mu_4\text{-S})_2[C(NMe_2)_2]_n$ ($n = 1, 2$) und $(\mu_2\text{-H})Ru_3(CO)_9[\mu_3\text{-}SRu_3(CO)_3(\eta^2\text{-}CH_2NMeCNMe_2)$ (U. Bodensieck, H. Stoeckli-Evans und G. Süss-Fink), (433) 149

Rutheniuminduzierter Abbau von Tetramethylthioharnstoff zu Carbin- und Dicarbenliganden. Synthese und Molekülstruktur der Cluster $Ru_4(CO)_{10}(\mu_2\text{-}CNMe_2)(\mu_3\text{-S})[\mu_3\text{-}SRu(CO)_3(\eta^2\text{-}CH_2NMeCNMe_2)]$, $Ru_5(CO)_{11}(\mu_2\text{-}CNMe_2)_2(\mu_4\text{-S})_2$ und

$Ru_4(\mu_2\text{-}CO)_3(CO)_6(\mu_4\text{-}S)_2(\eta^2\text{-}Me_2NCNMeCH_2CNMe_2)$ (U. Bodensieck, H. Stoeckli-Evans, G. Rheinwald und G. Süss-Fink), (433) 167

Selective activation of carbon-chlorine bonds by the electrophilic fragment "$Cp^*Ru^+$" (D. Rondon, X.-D. He and B. Chaudret), (433) C18

Mercury-bridged transition-metal clusters. Synthesis of pentanuclear $Ru_3HgM$ (M = Mo, W, or Co) clusters and X-ray structure of $[\{Ru_3(\mu_3,\eta^2\text{-ampy})(CO)_9\}\text{-}(\mu_3\text{-Hg})Co(CO)_4]$ (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123

[Tris(1-pyrazolyl)hydroborato]ruthenium chemistry: preparation and reactions of $\{Ru(\eta^3\text{-}HB[1\text{-pyrazolyl}]_3)\text{-}(PPh_3)(CO)(X)\}$ (X = H, Cl). The X-ray crystal structure of $\{Ru(\eta^3\text{-}HB[1\text{-pyrazolyl}]_3)\text{-}(PPh_3)(CO)(PMe_3)\}PF_6$ (N.-Y. Sun and S.J. Simpson), (434) 341

The synthesis and characterisation of an ortho-metallated carberuthenium(II) complex, containing a metallated *N*-benzyl substituent with a 6-membered metallate nucleus, crystal structure of $[RuCl(CN(CH_2C_6H_5)CH_2CH_2NCH_2C_6H_4)(PPh_3)_2]$ (M.A. Owen, P.L. Pye, B. Piggott and M.V. Capparelli), (434) 351

Synthesis, crystal structures, and solution dynamics of some mono(2,4-dimethylpentadienyl)ruthenium(II) complexes (T. Lumini, D.N. Cox, R. Roulet and K. Schenk), (434) 363

Synthesis, characterisation and molecular structure of $[Ru_5C(CO)_{15}\text{-}(HgCF_3)(CF_3CO_2)]$ (B.F.G. Johnson, J. Lewis, P.R. Raithby, V.P. Saharan and W.T. Wong), (434) C10

Synthesis and solution properties of the boron-containing clusters $HM_4(CO)_{12}BAu_2(dppf)$ (M = Fe or Ru) and the competitive formation of $\{HM_4(CO)_{12}BHAu\}_2(dppf)$ for M = Ru (dppf = 1,1′-bis(diphenylphosphino)ferrocene). Molecular structure of $HRu_4(CO)_{12}BAu_2(dppf)\cdot 2\ CHCl_3$ (S.M. Draper, C.E. Housecroft and A.L. Rheingold), (435) 9

Asymmetric hydrogenation of prochiral carboxylic acids and functionalized carbonyl compounds catalysed by ruthenium(II)–binap complexes with aryl nitriles (binap = (*R*)- or (*S*)-2,2′-bis(diphenylphosphino)-1,1′-binaphthyl) (L. Shao, K. Takeuchi, M. Ikemoto, T. Kawai, M. Ogasawara, H. Takeuchi, H. Kawano and M. Saburi), (435) 133

Reactions of 1,3,5-trithiacyclohexane with tetrahedral ruthenium–cobalt clusters (S. Rossi, J. Pursiainen and T.A. Pakkanen), (436) 55

σ-Ferrocenyl-Komplexe des Rutheniums (M. Herberhold, W. Feger und U. Kölle), (436) 333

Hydrogen migration to acyclic pentadienyl ligands: the reactions of $(\eta^5\text{-}2,4\text{-dimethylpentadienyl})$ $(\eta^4\text{-}2,4\text{-dimethylpenta-1,3-diene})(L)$ruthenium(II) tetrafluoroborates (L = $^t$BuNC, CO, $P(OMe)_3$) with dienes (D.N. Cox, T. Lumini and R. Roulet), (438) 195

Synthesis of 1,3-dienyl complexes of ruthenium(II) by facile hydroruthenation/dehydration of propargylic alcohols (M.C.J. Harris and A.F. Hill), (438) 209

Reaktionen von $[Cp^*Ru(OMe)]_2$. XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

Structural aspects of the osmium and ruthenium clusters $[M_3(CO)_{10}(alkyne)]$ and related substituted compounds (A.J. Deeming and A.M. Senior), (439) 177

Co-ordinatively unsaturated metal cluster compounds: facile reactivity of the phosphinidene-capped phosphido-bridged triruthenium cluster $[Ru_3(\mu_3\text{-}PPh)(\mu_2\text{-}PPh_2)_2(CO)_7]$ (J.S. Field, R.J. Haines and F. Mulla), (439) C56

The mechanism of the addition of haloalkanes to alkenes in the presence of $[RuH_3(SiMe_2Ph)(PPh_3)_3]$ and $[RuH_2(PPh_3)_4]$ (R. Davis, J.D. Furze, D.J. Cole-Hamilton and P. Pogorzelec), (440) 191

SO und NO als Konkurrenzliganden im neuen SO-Komplex $RuCl(NO)(SO)(PPh_3)_2$ (O. Heyke, G. Beuter und I.-P. Lorenz), (440) 197

Reactions of cyclic thioethers with $Ru_3(CO)_{12}$. Synthesis, reactivity and crystal structures of $HRu_3(CO)_9(\mu_3\text{-}\eta^3(C,S,S)\text{-}1,3\text{-dithiacyclohexane})$, $Ru_3(CO)_9(\mu_3\text{-}\eta^3\text{-}1,3,5\text{-trithiacyclohexane})$ and $Ru_3(CO)_9(\mu_2\text{-}\eta^3\text{-}1,4,7\text{-trithiaheptane})$ (S. Rossi, K. Kallinen, J. Pursiainen, T.T. Pakkanen and T.A. Pakkanen), (440) 367

On the problem of stabilization of α-metallocenylcarbocations. Synthesis, $^1H$ and $^{13}C$ NMR spectra of metallocenyldiphenylmethyl hexafluorophosphates and X-ray investigation of $(C_5H_5OsC_5H_4\text{-}CPh_2)^+PF_6^-$ (U. Turpeinen, A.Z. Kreindlin, P.V. Petrovskii and M.I. Rybinskaya), (441) 109

Reaction of $Ru_3(CO)_{12}$ with ferrocenylacetylene. Crystal and molecular structure of $Ru_2(CO)_6[C_4H_2(C_5H_4FeC_5H_5)_2]$ (A.A. Koridze, A.I. Yanovsky and Y.T. Struchkov), (441) 277

Zweikernige Rutheniumcluster mit $\mu_2\text{-}\eta^2$-Sulfonatoliganden. Synthese und Molekülstruktur von $Ru_2(CO)_4[\mu_2\text{-}\eta^2\text{-}OOS(O)Tol]_2\text{-}(PPh_3)_2$ (G. Rheinwald, H. Stoeckli-Evans und G. Süss-Fink), (441) 295

Mixed-valence state of 1′,1‴-dialkylbiruthenocenium(II,IV) salts (M. Watanabe, T. Iwamoto, H. Sano, A. Kubo and I. Motoyama), (441) 309

Neue Derivierungswege ethinylsubstituierter Metallocene (M. Buchmeiser und H. Schottenberger), (441) 457

Synthesis of $Ru^{II}$ hydride and alkenyl amidine complexes. The crystal structure of $[Ru(CO)(CH{=}CHCMe_3)\{NH{=}C(Me)\text{-}(Me_2pz)\}(PPh_3)_2]PF_6$ (J. López, A. Santos, A. Romero and A.M. Echavarren), (443) 221

Synthesis of bridged and linked ruthenium and osmium carbonyl clusters containing a $[Au_2(Ph_2PCH_2CH_2PPh_2)]^{2+}$ unit. The crystal and molecular structures of $Ru_5C(CO)_{14}Au_2(Ph_2PCH_2\text{-}CH_2PPh_2)$ and $\{Os_4H_3(CO)_{12}\}_2Au_2(Ph_2PCH_2CH_2PPh_2)$ (A.J. Amoroso, A.J. Edwards, B.F.G. Johnson, J. Lewis, M.R. Al-Mandhary, P.R. Raithby, V.P. Saharan and W.T. Wong), (443) C11

Übergangsmetallkomplexe von Diazenen. XXXI. Orthometallierte Diazenkomplexe von Molybdän, Eisen und Ruthenium: Struktur und Umsetzung zu 2,3-Diphenylindol (D. Garn, F. Knoch und H. Kisch), (444) 155

Synthesis and properties of the ruthenium vinylidene and acetylide complexes containing 1,1′-bis(diphenylphosphino)ferrocene (M. Sato and M. Sekino), (444) 185

Photochemical reactivity of $[Ru^{II}(L)(CO)_2Cl_2]$ and $[Me_4N]$ $[Ru^{II}(L)(CO)Cl_3]$ (L = 2,2′-bipyridine or 4,4′-di(isopropoxycarbonyl)-2,2′-bipyridine) in $CH_3CN$ and the redox properties of the resulting new complexes (M.-N. Collomb-Dunand-Sauthier, A. Deronzier and R. Ziessel), (444) 191

Formal insertion of carbon into a C=C double bond on an $Ru_5$ cluster. X-Ray structure of $Ru_5(\mu_4\text{-}CC_{11}H_{12})\text{-}(\mu_3\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_9$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (444) C44

Cyclohexenyl [2.2]paracyclophane complexes of ruthenium(II): highly fluxional agostics from the sequential reduction of arenes (J.W. Steed and D.A. Tocher), (444) C47

Synthesis of 1-alkynyl(phthalocyaninato)iron(II) and -ruthenium(II) complexes (M. Hanack, S. Knecht and H.-J. Schulze), (445) 157

Cluster chemistry. LXXXIII. Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with olefins: Products formed by addition of an alkene to the $C_2$ fragment. X-ray structures of $Ru_5(\mu_4\text{-}PPh)\{\mu_4\text{-}C_2(CHCHR)CHCH_2R\}(\mu\text{-}PPh_2)(CO)_{12}$ (R = H, Me) and $Ru_5(\mu_4\text{-}PPh)(\mu\text{-}PPh_2)(\mu\text{-}CO)(CO)_{10}\{\eta^5\text{-}C_5H_3Me\text{-}1\text{-}(CH{=}CH_2)\text{-}3\}$ (C.J. Adams, M.I. Bruce, M.J. Liddell, E.R.T. Tiekink, B.W. Skelton and A.H. White), (445) 187

Cluster chemistry. LXXXIV. Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with alkenes: attack at the $C_2PPh_2$ ligand without cleavage of the C–P bond. X-Ray structures of $Ru_5(\mu_5\text{-}C)(\mu\text{-}PPh_2)(\mu\text{-}RC_3H_3PPh_2)(CO)_{11}$ (R = Me, Ph) and $Ru_5(\mu_5\text{-}C)(\mu\text{-}PPh_2)(\mu\text{-}PhC_3H_3PPh_2)(CO)_{11-n}\{P(OMe)_3\}$ ($n$ = 0, 1) (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (445) 199

Cluster chemistry. LXXXVI. Metallation of pyridine in reactions with an $Ru_5$ cluster. X-Ray structures of $Ru_4\{\mu_4\text{-}C_2H(PPh_2)\}(\mu\text{-}PPh_2)(\mu\text{-}NC_5H_4)(CO)_{10} \cdot CH_2Cl_2$ and $Ru_6(\mu_6\text{-}C_2H)(\mu_3\text{-}NC_5H_4)(\mu\text{-}PPh_2)_2(\mu\text{-}CO)(CO)_{12} \cdot 1.25CHCl_3$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (445) 211

Metallorganische Lewissäuren. XLVII. Kationische Komplexe $[(OC)_5ReL]^+$ und $[Cp(OC)(Ph_3P)RuL]^+$ mit O-Donoren und N-Donoren (L = Carbonsäureester, Ethanol, Lacton, Lactam, Diphenylketimin) (J. Milke, C. Missling, K. Sünkel und W. Beck), (445) 219

Stereoselektive Bildung von Organoosmium-Komplexen mit Aminocarboxylat-Liganden (H. Werner, T. Daniel, O. Nürnberg, W. Knaup und U. Meyer), (445) 229

Reactions of $Ru_3$ clusters with functional phosphines: formation of $\mu_3$-acyl and $\mu_3$-imidoyl complexes (C.J. Adams, M.I. Bruce, O. Kühl, B.W. Skelton and A.H. White), (445) C6

$^1H$, $^{13}C$ NMR spectroscopic studies of iodoferrocenylruthenocenium$^+$ salts (M. Watanabe, T. Iwamoto, H. Sano and I. Motoyama), (446) 177

Ruthenium complexes with bridging functionalized alkylidene ligands. Synthesis of $[Ru_2Cp_2(CO)_2(\mu\text{-}CO)\{\mu\text{-}C(X)N(Me)CH_2Ph\}]$ (X = H, CN) and molecular structure of the CN derivative (L. Busetto, L. Carlucci, V. Zanotti, V.G. Albano and M. Monari), (447) 271

Hydride-phosphoniodithiocarboxylate/phosphonium-betaine isomerism in $Cy_3PCS_2$ complexes of ruthenium (A.L. Hector and A.F. Hill), (447) C7

Heterometallic clusters in homogeneous catalysis. Hydrogenation of diphenylacetylene and isomerization of *cis*-stilbene in the presence of $[Fe_2Ru(CO)_{12}]$, $[FeRu_2(CO)_{12}]$, $[H_2FeRu_3(CO)_{13}]$, $[H_2Ru_4(CO)_{13}]$, and related compounds. Identification of organometallic complexes and a discussion of their role (R. Giordano and E. Sappa), (448) 157

$^1H$, $^{13}C$-NMR and $^{57}Fe$-Mössbauer spectroscopic studies of $\alpha,\alpha$-ferrocenylruthenocenylmethylium$^+$ ion (M. Watanabe, T. Iwamoto, S. Nakashima, H. Sakai, I. Motoyama and H. Sano), (448) 167

Addition of carboxylic acids to alkynes catalysed by ruthenium complexes (M. Rotem and Y. Shvo), (448) 189

Reactions of dicarboxylic acids with $[Ru(CO)_3(PPh_3)_2]$ (M. Pizzotti, S. Cenini and F. Porta), (448) 205

Facile synthesis of $Ru_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and its reactions with phosphine ligands (P. Mathur, M.M. Hossain and R.S. Rashid), (448) 211

Transition metal polyhydrides-catalyzed addition of activated nitriles to aldehydes and ketones via Knoevenagel condensation (Y. Lin, X. Zhu and M. Xiang), (448) 215

Stability of the silicon–ruthenium bond in the presence of a strong nucleophile. Phase sensitive $^1H$ NMR COSY and crystal structure of $Ru(CO)_2(NH_2CH_2C_6H_5)_2(Si(C_6H_5)(CH_3)_2)I$ (B.J. Rappoli, K.J. McGrath, C.F. George and J.C. Cooper), (450) 85

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), (450) 177

Ruthenium complex-catalyzed allylic alkylation of carbonucleophiles with allylic carbonates (S.-W. Zhang, T.-a. Mitsudo, T. Kondo and Y. Watanabe), (450) 197

Cyclopentadienyl-ruthenium and -osmium chemistry. XXXIX. Syntheses of novel alkynyl-ruthenium complexes. X-Ray structures of two forms of $\{Ru(PPh_3)_2(\eta\text{-}C_5H_5)\}_2(\mu\text{-}C_4)$ and of $Ru\{C{\equiv}CC(O)Me\}(PPh_3)_2(\eta\text{-}C_5H_5)$ (M.I. Bruce, P. Hinterding, E.R.T. Tiekink, B.W. Skelton and A.H. White), (450) 209

A new route to complexes containing the tetracarbon ($C_4$) ligand (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (450) C9

## Samarium

Dimorphie von kristallinem Acetonitril-tris($\eta^5$-cyclopentadienyl) samarium(III) (M. Adam, H. Schultze and R.D. Fischer), (429) C1

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Metalloligands containing samarium(III). Access to binuclear *f*-metal (samarium)–*d*-metal (rhodium) complexes (M. Visseaux, A. Dormond, M.M. Kubicki, C. Moïse, D. Baudry and M. Ephritikhine), (433) 95

Ferrocenhaltige Liganden in der Lanthanid-Chemie: Alkoxide und Thiolate (H. Gornitzka, F.T. Edelmann und K. Jacob), (436) 325

Kinetically stable adduct of samarocene with aluminium deuteride $(\eta\text{-}C_5H_3{}^tBu_2)_2Sm(\mu_2\text{-}D)_2AlD \cdot Me_2NC_2H_4NMe_2$ (Y.K. Gun'ko, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (440) 47

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXIII. Esteraddukte des Grundkörpers Tris($\eta^5$-cyclopentadienyl)-lanthan(III)—ideale Wirtsgitter für einkristalloptische Untersuchungen von Lanthanoid-Ionen in metallorganischer Umgebung (H. Schulz und H.-D. Amberger), (443) 71

Studies on organolanthanide complexes. XLIV. Synthesis of bis(2-methoxyethylcyclopentadienyl) divalent organolanthanides (Ln = Sm, Yb) and molecular structure of solvated $(MeOCH_2CH_2C_5H_4)_2Yb \cdot OC_4H_8$ (D. Deng, C. Qian, F. Song, Z. Wang, G. Wu and P. Zheng), (443) 79

Novel polynuclear organotin complexes of samarium and ytterbium (L.N. Bochkarev, O.V. Grachev, N.E. Molosnova, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), (443) C26

Synthesis and structure of mono-THF solvates of bis(cyclopentadienyl)samarium(II) complexes: $(C_5Me_5)_2Sm(THF)$ and $[C_5H_2(SiMe_3)_3][C_5H_3(SiMe_3)_2]Sm(THF)$ (W.J. Evans, G. Kociok-Köhn, S.E. Foster, J.W. Ziller and R.J. Doedens), (444) 61

Neue Cyclooctatetraenyl-lanthanid(III)-Komplexe (U. Kilimann und F.T. Edelmann), (444) C15

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides (C. Qian and D. Zhu), (445) 79

Synthesis and characterization of novel covalent biphenyldiyl $Sm^{II}$ and $Yb^{II}$ complexes (Y. Chauvin, N. Marchal, H. Olivier and L. Saussine), (445) 93

Metallorganische Verbindungen der Lanthanoide. LXXIV. Tris(tetramethylcyclopentadienyl)komplexe der Lanthanoide (H. Schumann, M. Glanz und H. Hemling), (445) C1

*ansa*-Metallocenderivate des Samariums und Ytterbiums mit "weichen" Donorliganden (F.T. Edelmann, M. Rieckhoff, I. Haiduc und I. Silaghi-Dumitrescu), (447) 203

Tetrahedral *versus* square planar arrangement of cyclopentadienyl ligands in bimetallic organosamarium complexes. X-ray crystal structure of $[(C_5H_4Me)_2(THF)Sm(\mu\text{-}Cl)]_2$ (W.J. Evans, R.A. Keyer and J.W. Ziller), (450) 115

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der

Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), (450) C1

## Scandium

Metallorganische Verbindungen der Lanthanoide. LXX. Bis(cyclopentadienyl)seltenerdkomplexe: Synthese und Röntgenstrukturanalyse von dem intramolekular stabilisierten Lutetiumalkyl $Cp_2\overline{Lu(CH_2)_3}NMe_2$ und dem monomeren basenfreien Yttriumcarboxylat $Cp_2Y[\eta^2\text{-}O_2C(CH_2)_3NMe_2]$ (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich and F.H. Görlitz), (430) 299

## Selenium

Zur Addition von Schwefel und Selen an Dicarbonyl($\eta^5$-cyclopentadienyl)[$\eta^2$-(methylthio)methylcarben]wolfram-tetrafluoroborat (F.R. Kreißl and N. Ullrich), (426) C8

Struktur und Reaktivität von Ytterbiumbenzamidinaten (M. Wedler, A. Recknagel, J.W. Gilje, M. Nottemeyer and F.T. Edelmann), (426) 295

Neue selenreiche 1,3-Dichalkogenol-2-selone *via* 4,5-Dilithio-1,3-dichalkogenol-2-selone (H. Poleschner, R. Radeglia and J. Fuchs), (427) 213

Chemistry of hexaruthenium carbidocarbonyl cluster complexes. Syntheses and X-ray crystal structures of $Ru_6C(CO)_{15}(\mu\text{-}SePh)(\mu\text{-}AuPPh_3)$, $Ru_6C(CO)_{14}(\mu\text{-}SePh)_2$, and $Ru_6C(CO)_{14}(\mu\text{-}SePh)(\mu,\eta^3\text{-}C_3H_5)$ (T. Chihara and H. Yamazaki), (428) 169

Structure and dynamics of $[C_5H_5Fe(CO)_2(E(CH_3)_2)]BF_4$ (E = S, Se, Te) complexes studied by $^{13}C$ solid state NMR spectroscopy (A.P.M. Kentgens, H. Karrenbeld, E. De Boer and H. Schumann), (429) 99

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Ferrocenhaltige Liganden in der Lanthanid-Chemie: Alkoxide und Thiolate (H. Gornitzka, F.T. Edelmann und K. Jacob), (436) 325

An *ab initio* study of some free radical homolytic substitution reactions at selenium (J.E. Lyons and C.H. Schiesser), (437) 165

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

New cyclic selenide. Synthesis, characterization and reactions of 2-methylselenolan (A.Z. Al-Rubaie), (438) 77

Synthesis and characterization of dinuclear palladium(II) complexes containing both chloro and organochalcogenides as bridging ligands (V.K. Jain and S. Kannan), (439) 231

Trigonal-planar koordiniertes Selen bzw. Tellur in $[Cp'(CO)_2Mn]_2EMes^+$ (E = Se, Te): Verbindungen vom "Iniden"-Typ (P. Lau, G. Huttner und L. Zsolnai), (440) 41

Cyclopentadienyl chromium chalcogenide complexes. Synthesis of $[CpCr(EPh)]_2E$ (E = S, Se) and their $Cr(CO)_5$ adducts. Crystal structures of $[CpCr(SePh)]_2Se \cdot 1/2C_6H_6$ and $[CpCr(SePh)]_2Se[Cr(CO)_5]$ (L.Y. Goh, M.S. Tay, Y.Y. Lim, W. Chen, Z.-Y. Zhou and T.C.W. Mak), (441) 51

Umsetzungen der lithiierten Halbsandwich-Chalkogenole, $(CO)_3MC_5H_4\text{–}ELi$ (M = Mn, Re; E = S, Se, Te) (M. Herberhold und M. Biersack), (443) 1

The redox behaviour of ferrocene derivatives. I. 1,2,3-Tritellura[3]ferrocenophane and 1,3-ditellura[3]ferrocenophanes (P. Zanello, G. Opromolla, M. Casarin, M. Herberhold and P. Leitner), (443) 199

Ligand exchange in cyclopentadienylcobalt diselenolenes. Isolation and characterization of the $Se_3$-chelate, $C_5H_5Co[(SeC_8H_{12})_2Se]$ (C.P. Morley and R.R. Vaughan), (444) 219

Synthesis of novel selenium-containing osmium carbonyl clusters: X-ray structures of $[Os_5(\mu\text{-}H)(CO)_{15}(\mu_3\text{-}SePh)]$ and $[Os_6(\mu\text{-}H)(CO)_{18}(\mu\text{-}SeH)]$ (T.M. Layer, J. Lewis, A. Martín, P.R. Raithby and W.-T. Wong), (444) C57

Stereochemistry of the compounds $[Fe_3(CO)_9XY]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[Fe_3(CO)_9XY]$ (X, Y = S, Se, or Te) (G. Gervasio), (445) 147

Un nouveau type de ferrocénophane, premier exemple de structure dimère (R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron), (445) C4

Photochemisch induzierte Addition von Alkinen und Phosphaalkinen an die Cluster $Fe_3(CO)_9(\mu_3\text{-}PR)(\mu_3\text{-}X)$ (X = Se, Te; R = $^i$Pr, $^t$Bu) (W. Imhof und G. Huttner), (447) 31

Substitution, nukleophile und oxidative Addition an Arsinidenkomplexe. Zur Reaktion von $[Cp'(CO)_2Mn]_2AsCl$ mit PhSeH und verwandten Chalkogenverbindungen (C. Emmerich und G. Huttner), (447) 81

*ansa*-Metallocenderivate des Samariums und Ytterbiums mit "weichen" Donorliganden (F.T. Edelmann, M. Rieckhoff, I. Haiduc und I. Silaghi-Dumitrescu), (447) 203

Facile synthesis of $Ru_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and its reactions with phosphine ligands (P. Mathur, M.M. Hossain and R.S. Rashid), (448) 211

The use of phosphine chalcogenides in the preparation of cobalt chalcogenides (S.M. Stuczynski, Y.-U. Kwon and M.L. Steigerwald), (449) 167

Bis(2-bromoethyl)selenium dibromide as the selenium-introducing reagent: One-pot preparation of 2,5-bis(alkoxymethyl)tetrahydroselenophenes by the cyclization of 1,5-hexadiene (Y. Takanohashi, N. Tabata, T. Tanase and S. Akabori), (450) 103

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), (450) 109

## Silicon

Silaheterocyclen. XI. Erzeugung und Cycloadditionsverhalten des Diphenylneopentylsilaethens, $Ph_2Si{=}CHCH_2{}^tBu$ (N. Auner, W. Ziche and E. Herdtweck), (426) 1

Laser-powered homogeneous pyrolysis of 1,1-dimethyl-1-silacyclobutane in the presence of some common monomers (J. Pola, D. Čukanová, M. Minárik, A. Lyčka and J. Tláskal), (426) 23

Siliciumverbindungen mit starken intramolekularen sterischen Wechselwirkungen. XLVI. Neue 2,4-Disilacyclobutan-1,3-diimine (M. Weidenbruch, J. Hamann, H. Piel, D. Lentz, K. Peters and H.G. von Schnering), (426) 35

Fast atom bombardment mass spectra of silatranes and silocanes (I. Mažeika, S. Grīnberga, A.P. Gaukhman, G.I. Zelchan and E. Lukevics), (426) 41

Darstellung und Reaktionen von Alkyl-Hydridotrispyrazolylborat-Komplexen des Titans (J. Ipaktschi and W. Sulzbach), (426) 59

Le 3,4-diméthylsilole (J.-P. Béteille, A. Laporterie and J. Dubac), (426) C1

Lithio-di-t-butylsilyldiamid, ein cyclisches Anion (B. Tecklenburg, U. Klingebiel and D. Schmidt-Bäse), (426) 287

Struktur und Reaktivität von Ytterbiumbenzamidinaten (M. Wedler, A. Recknagel, J.W. Gilje, M. Nottemeyer and F.T. Edelmann), (426) 295

Alkinkomplexe des Titanocens und Permethyltitanocens ohne zusätzliche Liganden — Erste Strukturvergleiche (U. Rosenthal, H. Görls, V.V. Burlakov, V.B. Shur and M.E. Vol'pin), (426) C53

Structure and dynamics of hindered organosilicon compounds. The conformations of symmetrical $(Me_3Si)_3C$ and $(PhMe_2Si)_3C$ derivatives (A.G. Avent, S.G. Bott, J.A. Ladd, P.D. Lickiss and A. Pidcock), (427) 9

Tetra-*p*-tolyl-Verbindungen *p*-$Tol_4Si$ und *p*-$Tol_4Ge$: ein Beitrag zur Konfiguration der Tetraaryl-Methan-Analoga $Ar_4M$ (M = C, Si, Ge, Sn, Pb) (M. Charissé, S. Roller and M. Dräger), (427) 23

Molekülstruktur und Ladungsverteilung in metallorganischen Verbindungen der 4*f*- und 5*f*-Elemente. II. Dielektrische Untersuchungen an metallorganischen Komplexen der 4*f*- und Übergangselemente mit $C_{3v}$- und $D_{3h}$-Molekülsymmetrie (R. Maier, B. Kanellakopulos and C. Apostolidis), (427) 33

The behaviour of medium-sized permethylated cyclosilanes towards $SOCl_2$ and $SOCl_2$–$HC(OCH_3)_3$ (P.K. Jenkner, A. Spielberger and E. Hengge), (427) 161

Platinum catalyzed hydrosilylation of alkynes: comparison of rates of addition of terminal olefins to internal alkynes (L.N. Lewis, K.G. Sy and P.E. Donahue), (427) 165

Übergangsmetall-Silyl-Komplexe. XLII. Einfluß des Phosphan-Liganden auf Bildung, Struktur und Stabilität der Hetero-Zweikernkomplexe $(CO)_3(R'_3P)(R_3Si)Fe–ML_n$ (M = Cu, Ag, Au, Hg) (G. Reinhard, B. Hirle and U. Schubert), (427) 173

Substitution of the acetoxy groups of dialkoxymethylacetates by organometallic reagents: a route to allyl-, propargyl-, homoallyl-, homopropargyl- and $\alpha$-stannylacetals (I. Beaudet, A. Duchêne, J.-L. Parrain and J.-P. Quintard), (427) 201

2,2′-Bipyridyl-bis[bis(trimethylsilyl)methyl]zink — Synthese, spektroskopische Charakterisierung und Struktur (M. Westerhausen, B. Rademacher and W. Schwarz), (427) 275

Regioselectivity of inter- and intramolecular hydrosilylation of the vinyloxy group (M.G. Voronkov, S.V. Kirpichenko, V.V. Keiko and A.I. Albanov), (427) 289

The synthesis and properties of $(CH_2F)SiH_3$ and related monofluoromethylsilanes (H. Bürger and P. Moritz), (427) 293

Silicon–carbon unsaturated compounds. XXXIX. Photolysis of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobutene (H. Sakamoto and M. Ishikawa), (427) C26

Platinum complex-catalyzed dehydrogenative double silylation of olefins and dienes with *o*-bis(dimethylsilyl)benzene (M. Tanaka, Y. Uchimaru and H.-J. Lautenschlager), (428) 1

Photoreactions of silyliron(II) complexes $Cp^*Fe(CO)_2SiMe_3$ ($Cp^*$ = $\eta^5$-$C_5H_5$, $\eta^5$-$C_5Me_5$) in the presence of trihydrosilanes (Y. Kawano, H. Tobita and H. Ogino), (428) 125

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CI. Stereoselektive Synthese gemischtalkylierter Osmiumoxide (W.A. Herrmann, S.J. Eder, P. Kiprof and P. Watzlowik), (428) 187

Conversion of hydrosilanes to alkoxysilanes catalyzed by $Cp_2TiCl_2$/$^n$BuLi (T.C. Bedard and J.Y. Corey), (428) 315

Synthese und Charakterisierung von 1,3-disubstituierten Decamethylcyclohexasilanen (E. Hengge and M. Eibl), (428) 335

Synthese, Struktur und Reaktivität der Ferriophosphonium-Salze $[CpFe(CO)(L)(PPh_2CH_2R')]BF_4$ (L = CO, $CH_3CN$, $P^nBu_3$; R′ = Ph, CN, COOEt, $PPh_2$, $SiMe_3$); Kristallstrukturen von $[CpFe(CO)_2PPh_2CH_2SiMe_3]BF_4$ und $[CpFe(PPh_2CH_2Ph)CpFe(CO)](\mu\text{-}CO)_2$ (C. Klasen, I.-P. Lorenz, S. Schmid and G. Beuter), (428) 363

Rhodium(I) complex-catalyzed hydrosilylation of dimethyl muconates (K. Yamamoto and T. Tabei), (428) C1

Photoelektronen-Spektren und Moleküleigenschaften. CXXXI. $C(SiH_3)_4$, $HC(SiH_3)_3$ und $(H_3C)HC(SiH_3)_2$ (H. Bock, M. Kremer and H. Schmidbaur), (429) 1

Convenient route to di- and triorganosilyl ethyl ethers and the corresponding di- and triorganosilanes (J.M. Tour, J.A. John and E.B. Stephens), (429) 301

Crystallographic evidence for intermolecular hydrogen bonding between aryl groups and OH groups in silanols (S.S. Al-Juaid, A.K.A. Al-Nasr, C. Eaborn and P.B. Hitchcock), (429) C9

Cyclopentadienyl-Liganden mit hydrophilen Tentakeln (U. Siemeling), (429) C14

Silicon–silicon interaction in bis(silylene)iron, disilanyliron, and bis(silyl)iron complexes (K. Ueno, H. Tobita and H. Ogino), (430) 93

Darstellung und Eigenschaften neuer Monosilylcyclopentasilanderivate (P.K. Jenkner and E. Hengge), (430) 259

Synthesis of silatranyl- and 3,7,10-trimethylsilatranyl-cyclopropanes (M. Nasim, V.S. Petrosyan, G.S. Zaitseva and J. Lorberth), (430) 269

Organometalloidal derivatives of the transition metals. XXX. Mass spectrometry of transition metal substituted disilanes (A. Guerrero, J. Gómez-Lara, J. Cervantes, L. Velasco, H. Sharma and K.H. Pannell), (430) 273

Synthese und ungewöhnliche Reaktivität eines Cyclotrisilans (J. Belzner), (430) C51

Permethylheteroatomcyclopolysilane mit Heteroatomen der VI. Hauptgruppe. Darstellung und spektroskopische Eigenschaften (H. Stüger, M. Eibl, E. Hengge and I. Kovacs), (431) 1

Si-, Ge- and Sn-diine derivatives in 1,3-dipolar cycloaddition reactions (A.D. Jurayev, A.G. Makhsumov, K. Yuldasheva and M.A. Tolipova), (431) 129

Dimere Alkalimetallbenzamidinate: Einfluß des Metallions auf die Struktur (D. Stalke, M. Wedler and F.T. Edelmann), (431) C1

Cleavage of siloxanes with organyltrifluoro- and diorganyldifluorosilanes (M.G. Voronkov, S.V. Basenko, I.A. Gebel, V.Y. Vitkovskii and R.G. Mirskov), (433) 1

Synthese 1,4-disubstituierter Tetrasilane durch selektive Spaltung von Si–Phenyl-Bindungen (H. Stüger), (433) 11

Dehydrierende Polymerisation von Methyldisilanen mittels Metallocen-Katalyse zu den Oligomeren $Me_3Si[Me_2Si]_nSiMe_2H$, $HMe_2Si[Me_2Si]_nSiMe_2H$ mit $n$ = 3–9, $H[MeSiH]_nH$ mit $n$ = 3–14 und hochpolymerem Poly(methylsilan) $(MeSiH_x)_n$ (E. Hengge und M. Weinberger), (433) 21

*Ab initio* study of the molecule $C_6H_5SiH_3$ and the molecular anion $C_6H_5SiH_2^-$: geometries and rotational barriers (F. Ramondo), (434) 19

Reaktionen subvalenter Verbindungen des Siliciums mit Benzol und mit Biphenyl (F. Huppmann, W. Maringgele, T. Kottke und A. Meller), (434) 35

Multinuclear NMR spectroscopic studies of some organometallic N-substituted anilines (B.K. Barr, A.J. Herman, L.K. Myers, P.I. Young, C.D. Schaeffer, Jr., H.J. Eppley, J.C. Otter and C.H. Yoder), (434) 45

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Polycylopentadienyls: synthesis of arylsilylcyclopentadienyl compounds and their $\eta^5$-complexes with tungsten (H. Plenio), (435) 21

Silicon–carbon unsaturated compounds. XL. Photolysis of 1,4-bis(2-phenyltetramethyldisilanyl)benzene (M. Ishikawa, K. Watanabe, H. Sakamoto and A. Kunai), (435) 249

Amination of vinylsilanes and vinylgermanes containing an activated double bond (V. Dirnens, D.I. Barabanov, E. Liepiņš, L.M. Ignatovich and E. Lukevics), (435) 257

Synthese und Kristallstruktur von $Cp'_2Zr\{P(SiMe_3)_2\}_2$ ($Cp' = \eta^5$-$C_5H_4Me$) — Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Bisphosphido-Komplexes (F. Lindenberg und E. Hey-Hawkins), (435) 291

Spectroscopic and AM1 semiempirical studies of vibrations of tris(trimethylsilyl)silane derivatives, $(Me_3Si)_3SiX$ (X = H, Cl, OH, OD, Me, OMe, $SiMe_3$) (B.H. Boo, H.K. Kang, S.K. Kang, S.S. Lee, D. Kim and M.H. Lee), (436) 1

Synthesis and structural characterization of cycloborasiloxanes: the X-ray crystal structures of *cyclo*-1,3,3,5,5-pentaphenyl-1-bora-3,5-disiloxane and *cyclo*-1,3,3,5,7,7-hexaphenyl-1,5-dibora-3,7-disiloxane (B.J. Brisdon, M.F. Mahon, K.C. Molloy and P.J. Schofield), (436) 11

Molecular geometry and ring deformation of trimethylsilylbenzenes: gas-phase electron-diffraction study of 1,3-bis(trimethylsilyl)benzene and 1,3,5-tris(trimethylsilyl)benzene (B. Rozsondai and I. Hargittai), (436) 127

Titanium-catalyzed cycloaddition reactions of phenyl(trimethylsilyl) acetylene to conjugated dienes and 1,3,5-cycloheptatriene. 1-Phenyl-2-(trimethylsilyl)-cyclohexa-1,4-dienes and their aromatization (R. Klein, P. Sedmera, J. Čejka and K. Mach), (436) 143

Ethinylferrocene durch direkte Einführung von Acetylenen (M. Buchmeiser und H. Schottenberger), (436) 223

A study by electron spin resonance spectroscopy of the di-t-butylsilanone radical anion (A.G. Davies and A.G. Neville), (436) 255

Cobaltcarbonyl-Komplexe von Alkinyl-Silanen (H. Lang, U. Lay und M. Weinmann), (436) 265

Palladium-catalyzed rearrangement of silanes containing oxygen or halogen $\alpha$ to silicon (V. Gevorgyan, L. Borisova and E. Lukevics), (436) 277

Zur Funktionalisierung von Decaphenylcyclopentasilan (W. Uhlig und C. Tretner), (436) C1

Silicon knocked into a cocked hat (I.M.T. Davidson), (437) 1

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of $Zn[C(SiMe_3)_2(SiMe_2OCOCF_3)]_2$ and $Cd[C(SiMe_3)_2(SiMe_2OMe)]_2$ (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

Carbanion mechanisms. XVIII. Generation of silyl anions by nucleophilic cleavage of disilanes (E. Buncel, T.K. Venkatachalam and U. Edlund), (437) 85

Regioselectivity of dechlorination: reductive dechlorination of polychlorobiphenyls by polymethylhydrosiloxane-alkali metal (J. Hawari), (437) 91

Reactions of trimethylaluminium with 2-[methyl-bis(trimethylsiloxy) silyl]but-2-ene-1,4-diol: synthesis and structure of $[Al(CH_3)][OCH_2(SiMe(OSiMe_3)_2)C=C(H)CH_2O]_2[Al(CH_3)_2]_2$ (S. Pasynkiewicz and W. Ziemkowska), (437) 99

Addition of sulphenyl halides to alkenyl–metal compounds. III. Arenesulphenyl chloride additions to triethoxy- and triphenylvinylsilanes and to triphenylvinylgermanium. Crystal structure of $(4\text{-Me-}2\text{-}O_2NC_6H_3S)CH(SiPh_3)CH_2Cl$ (R.A. Howie, G.M. Spencer, J.L. Wardell and J.N. Low), (437) 111

A convenient synthesis of 1,3-disilacyclobutanes (J.-H. Hong, J.S. Han, G.-H. Lee and I.N. Jung), (437) 265

Chemical vapour deposition of metals and metal silicides on the internal surfaces of porous silicon (D.G. Anderson, N. Anwar, B.J. Aylett, L.G. Earwaker, M.I. Nasir, J.P.G. Farr, K. Stiebahl and J.M. Keen), (437) C7

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl($\eta^5$-cyclopentadienyl)nickel] zum Carbonyl($\eta^5$-cyclopentadienyl)nickel-Anion durch $C_8K$. Synthese und Struktur von $(\eta^5\text{-}C_5H_5)(CO)Ni\text{–}Ga[CH_2C(CH_3)_3]_2(OC_4H_8)$ (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Solid-state and solution structures of three lithiumsulfinimidamides: identification of two distinct structural types (F.T. Edelmann, F. Knösel, F. Pauer, D. Stalke and W. Bauer), (438) 1

Condensation of primary silanes in the presence of $Cp_2MCl_2/{}^nBuLi$ (M = Ti, Zr, Hf) (J.Y. Corey and X.-H. Zhu), (439) 1

Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobutene (M. Ishikawa, H. Sakamoto, S. Okazaki and A. Naka), (439) 19

Generation and reactivities of methoxyphenylsilylene (Y.-W. Kwak, I.-H. Jeong, J.-Y. Ko and B.H. Boo), (439) 107

Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115

$^{13}C$ NMR studies of silyl and germyl complexes of rhodium and iridium containing carbonyl ligands (E.A.V. Ebsworth and S. Moreton), (439) 213

Reaktionen von Komplexliganden. LII. Sechsgliedrige Aminocarben-Chelatkomplexe: Synthese, Alkin/Carben-Verknüpfung und Carbenanellierung (K.H. Dötz, A. Rau und K. Harms), (439) 263

Hydride transfer reactions between penta- and tetra-coordinate silicon derivatives (R.J.P. Corriu, C. Guerin, B.J.L. Henner and Q. Wang), (439) C1

Die Bildung von $[Cp_2Ti(C{\equiv}CSiMe_3)]_2$ aus Titanocen und 1,4-Bis(trimethylsilyl)-1,3-Butadiin (U. Rosenthal und H. Görls), (439) C36

Intramolecular Peterson olefination of *ortho*-trimethylsilylmethyl-*N*-acyl-*N*-alkylbenzamides. A new route to 2-alkyl-1(2*H*)isoquinolones (A. Couture, H. Cornet and P. Grandclaudon), (440) 7

An investigation of steric effects along a cyclopentadienyl substituent: a study by $^1H$, $^{13}C$ and $^{29}Si$ NMR spectroscopy of bis(trimethylsilyl)cyclopentadienyl iron complexes (D. White, L. Carlton and N.J. Coville), (440) 15

The mechanism of the addition of haloalkanes to alkenes in the presence of $[RuH_3(SiMe_2Ph)(PPh_3)_3]$ and $[RuH_2(PPh_3)_4]$ (R. Davis, J.D. Furze, D.J. Cole-Hamilton and P. Pogorzelec), (440) 191

Le (chlorodiisopropyl)silyl fluorenyllithium: un equivalent synthetique du diisopropyl(fluorenylidène)silene (C. Couret, J. Escudié, G. Delpon-Lacaze et J. Satgé), (440) 233

Allénylsilanes fonctionnels. II. Synthèse par voie organoaluminique du 2-triméthylsilylbuta-2,3-diénal et application a la synthèse d'alcools secondaires $\alpha$-alléniques triméthylsilylés (D. Mesnard et L. Miginiac), (440) 277

Heterozyklen als Liganden. XVI. $(2,5\text{-}C_4{}^tBu_2RHN)MCl_3$ (M = Ti, Zr, Hf; R = H, $SiMe_3$)—Azacyclopentadienyl-Komplexe der Gruppe 4-Metalle (N. Kuhn, S. Stubenrauch, R. Boese und D. Bläser), (440) 289

On the synthesis of siloxanes. XXI. Verification of inductive and steric substituent constants for siloxy groups by reaction of triorganylchlorosilanes and chlorosiloxanes with lithium silanolates and lithium isopropylate (K. Käppler, U. Scheim, K. Rühlmann and A. Porzel), (441) 15

Rearrangement of silatranyl- and 3,7,10-trimethylsilatranyloxiranes to silatranylaldehydes and the crystal structure of silatranylacetaldehyde (M. Nasim, V.S. Petrosyan, G.S. Zaitseva, J. Lorberth, S. Wocadlo and W. Massa), (441) 27

Siliciumverbindungen mit starken intramolekularen sterischen Wechselwirkungen. XLVIII. Trisilacyclobutanimine: Molekülstrukturen und lichtinduzierte Reaktionen (M. Weidenbruch, J. Hamann, K. Peters, H.G. Von Schnering und H. Marsmann), (441) 185

Metallation reactions. XVIII. Regioselective metallation of (alkylthio)benzenes by superbases (S. Cabiddu, C. Fattuoni, C. Floris, G. Gelli and S. Melis), (441) 197

Metallorganische Lewis-Säuren. XLV. Pentacarbonylrhenium-Komplexe mit Oxoanionen (Trifluoromethoxyborat, Phosphat, Sulfat, Dichromat) sowie von Heteropolysäuren. Chemisorption von kationischen Carbonylrhenium-Komplexen auf $\gamma\text{-}Al_2O_3$, $SiO_2$, $TiO_2$ und in Zeolithen (E. Fritsch, J. Heidrich, K. Polborn und W. Beck), (441) 203

Dimethylvinylsilylation of $Si_8O_{20}^{8-}$ silicate anion in methanol solutions of tetramethylammonium silicate (I. Hasegawa and S. Motojima), (441) 373

Cleavage of Si–C and Ge–C bonds in heterylsilanes and -germanes by organolithium reagents (V. Gevorgyan, L. Borisova and E. Lukevics), (441) 381

Stereoselektive Additionsreaktionen von Komplex-gebundenen Phosphanen und Arsanen an Alkine (H. Lang und U. Lay), (441) 389

Dehydrierende Copolymerisation zu den neuen Polysilan-Copolymeren Poly(methyl-co-phenylsilan) $H[(MeSiH)_x(PhSiH)_y]_nH$ und Poly(methyl-co-dimethylsilan) $H[(MeSiH)_x(Me_2Si)_y]_nH$ (E. Hengge und M. Weinberger), (441) 397

Die Reaktion des Tetrakis[bis(trimethylsilyl)methyl]dialans(4) mit Schwefelkohlenstoff: Molekülstrukturen mit Al–S–Al- und Al–$CS_2$–Al-Fragment (W. Uhl, A. Vester und W. Hiller), (443) 9

First observation of stable primary radical cations $^tBu_3SiH^{+\cdot}$ formed by directed radiolysis of a pure compound: $^tBu_3SiH$ (C.J. Rhodes), (443) 19

Bis[2,2,4,4,6,6-hexamethyl-2,4,6-trisila-*cyclo*-hexyl]zink und sein 2,2′-Bipyridyl-Addukt – spektroskopische Charakterisierung und Struktur (M. Westerhausen und B. Rademacher), (443) 25

Viergliedrige anorganische Ringsysteme des zweiwertigen Zinns und Bleis: Synthese und Struktur von chelatstabilisierten Stannylenen und Plumbylenen (U. Kilimann, M. Noltemeyer und F.T. Edelmann), (443) 35

Sila-Riechstoffe und Riechstoffisostere. XII. Geruchsvergleiche homologer Organoelementverbindungen der vierten Hauptgruppe (C, Si, Ge, Sn) (U. Wannagat, V. Damrath, V. Huch, M. Veith und U. Harder), (443) 153

Mechanistische Aspekte zur übergangsmetall-katalysierten dehydrierenden Polymerisation von Disilanen und höheren Silanen (E. Hengge und M. Weinberger), (443) 167

Preparation of new *C*-alkyl-*C*-stannylimines (B. Jousseaume, M. Pereyre, N. Petit, J.-B. Verlhac and A. Ricci), (443) C1

Silicon-carbon unsaturated compounds. XLII. Novel dimerization of a silene generated from 1-pentamethyldisilanyl-4-(trimethylsilyl) benzene (M. Ishikawa, M. Kikuchi, K. Watanabe, H. Sakamoto and A. Kunai), (443) C3

Exclusive $\beta$-hydrosilylation of acrylates catalyzed by copper-tetramethylethylenediamine (P. Boudjouk, S. Kloos and A.B. Rajkumar), (443) C41

Ultrasound in organometallic chemistry. The effects of temperature, metal purity and power source on the ultrasound-promoted reaction between trimethylchlorosilane and lithium (P.D. Lickiss and R. Lucas), (444) 25

Synthese und Charakterisierung von 1,3,5-trisubstituierten Nonamethylcyclohexasilanen (M. Eibl, U. Katzenbeißer und E. Hengge), (444) 29

Regioselectivity in the trichlorosilylation of allylic halides. Synthesis of 1,1-dichloro-3-(methyldichlorosilyl)-1-silacyclopent-3-ene (R. Boukherroub, G. Manuel and W.P. Weber), (444) 37

Synthèse de phosphinites dérivés de sucres: applications en cyclodimérisation du penta 2,4-diénoate de méthyle, en hydrogénation et en hydrosilylation de la pentolactone (A. Bendayan, H. Masotti, G. Peiffer, C. Siv et A. Archavlis), (444) 41

Synthesis of the square-bipyramidal cluster $[Co_4(\mu_4\text{-}SiMe)_2(CO)_{11}]$ by two routes and its reaction with $GeMe_2H_2$. The crystal structures of $[Co_4(\mu_4\text{-}SiMe)_2(CO)_{11}]$ and $[Co_4(\mu_4\text{-}SiMe)_2\{\mu\text{-}GeMe_2\}(CO)_{10}]$ (S.G. Anema, S. Kim Lee, K.M. Mackay and B.K. Nicholson), (444) 211

Dérivés silylés issus d'aldimines $\alpha,\beta$-insaturées: préparations et applications en synthèse (M. Bellassoued et A. Majidi), (444) C7

Comb-like polycarbosilanes-routes to a new group of liquid crystal polymers (E. Białecka-Florjańczyk, T. Ganicz, M. Pluta and W. Stańczyk), (444) C9

Übergangsmetall-Silyl-Komplexe. XLV. Erzeugung von Fluorsilyl-Liganden durch selektive Spaltung metallgebundener Si–Ph-Gruppen (S. Gilbert und U. Schubert), (444) C12

Neue Cyclooctatetraenyl-lanthanid(III)-Komplexe (U. Kilimann und F.T. Edelmann), (444) C15

Synthesis of $Me_2Si\text{-}\eta^5\text{-}C_5H_4(CO)Fe(CO)_2Fe(CO)\text{-}\eta^5\text{-}C_5H_4SiMe_2$ and a novel reaction between its Si–Si and Fe–Fe bonds (H. Sun, S. Xu, X. Zhou, H. Wang, R. Wang and X. Yao), (444) C41

Sterically overcrowded or charge perturbed molecules. XXIII. Hexakis(trimethylsilyl)disilane: structure and photoelectron spectrum of a sterically overcrowded molecule (H. Bock, J. Meuret and K. Ruppert), (445) 19

Photoelectron spectrum and reactivity of silylalkyl sulphides. Stabilization of radical cations by the $\beta$-silyl effect (L. Nyulászi, T. Veszprémi and J. Réffy), (445) 29

Synthesis and characterization of bis(trichlorosilylmethyl)benzenes (M. Motevalli, D.L. Ou, A.C. Sullivan and S.W. Carr), (445) 35

Über gemischte Gruppe 14–Gruppe 14-Bindungen. V. Sechs Perphenylierte Propan-Analoga $Ph_3M\text{–}M'Ph_2\text{–}M''Ph_3$ (M, M′, M″ = Si/Ge): ein Beitrag zum Elektronegativitätsunterschied zwischen Silicium und Germanium (M. Charissé, M. Mathes, D. Simon und M. Dräger), (445) 39

Synthesis, reactivity, and molecular structure of $[\{N(CH_2CH_2O)_3Si\text{–}C_6H_5\}W(CO)_3]$ (J.-S. Lee, Y.K. Chung, D. Whang and K. Kim), (445) 49

Molecular $\lambda^5$-silicates: synthesis, structure and properties of zwitterionic $\lambda^5$-organospirosilicates and $\lambda^5$-organofluorosilicates (R. Tacke, J. Becht, A. Lopez-Mras and J. Sperlich), (446) 1

Organosiloxanes with functional groups – a short review (G. Schmaucks, R. Wagner and R. Wersig), (446) 9

Recent advances in catalytic hydrosilylation (B. Marciniec and J. Guliński), (446) 15

Dimethylsiloxy-aluminiumdihalide dimers. Molecular structures of $[Me_2HSiOAlX_2]_2$ (X = Cl, I) and $[Me_3SiOAl(BH_4)_2]_2$ (P. Bissinger, P. Mikulcik, J. Riede, A. Schier and H. Schmidbaur), (446) 37

A stable aquo-complex of lithiated di-tert-butylfluorosilanol. Synthesis and crystal structure (S. Schütte, U. Pieper, U. Klingebiel and D. Stalke), (446) 45

Beiträge zur Chemie der Halogensilan-Addukte. XXIII. Über die Ionisierung der SiCl-Bindung. Temperaturabhängige Übergänge zwischen penta- und tetrakoordinierten SiCl-Verbindungen. Die Kristall- und Molekülstruktur von Chloro-dimethyl-(3,4,7,8-tetrahydro-2*H*,6*H*-pyrimido[1,2-*a*]pyrimidin-1-ylmethyl-$C^1,N^9$)-silicium (D. Kummer, S.H.A. Halim, W. Kuhs und G. Mattern), (446) 51

Linear 2,2-diaryl-substituted trisilanes: structure and photolysis to disilenes (R.S. Archibald, Y. Van den Winkel, D.R. Powell and R. West), (446) 67

Synthesis of siloxanes. XX. Stereochemical investigations of substitution reactions at cyclotrisiloxanes with new types of model compounds (R. Gewald, U. Scheim, R. Lang, K. Rühlmann and R. Lehnert), (446) 79

Synthesis, properties and characterization of octadecamethylbicyclo [4.4.0]decasilane (P.K. Jenkner, E. Hengge, R. Czaputa and C. Kratky), (446) 83

Disproportionation of oligodimethylsiloxanols in the presence of a protic acid in dioxane (M. Cypryk, S. Rubinsztajn and J. Chojnowski), (446) 91

MNDO, AM1 and PM3 semiempirical molecular orbital study of 1-fluorosilatrane (G.I. Csonka and P. Hencsei), (446) 99

Synthesis and characterization of (4*S*)-silatrane-4-carboxylic acids; molecular structure of (3*R*,4*S*)-1-vinyl-3-methylsilatrane-4-carboxylic acid (R.-X. Zhuo, Z.-R. Lu, J. Liao and L.-F. Shen), (446) 107

Photoelectron spectra and molecular properties. CXXXVIII. 1,4-Di[tris(trimethylsilyl)silyl]benzene: synthesis, structural analogy, photoelectron spectrum and ESR/ENDOR characterization of its radical anion (H. Bock, J. Meuret, R. Baur and K. Ruppert), (446) 113

A novel route to the trisilacyclobutane moiety. A possible silene–disilene reaction (D. Bravo-Zhivotovskii, Y. Apeloig, Y. Ovchinnikov, V. Igonin and Y.T. Struchkov), (446) 123

Excimer laser photolysis of hexamethyldisilazane (J. Pola and R. Taylor), (446) 131

Synthèse d'aryl- et hétéroarylsilanes par scission de l'hexaméthyldisilane (P. Babin, B. Bennetau, M. Theurig et J. Dunoguès), (446) 135

Chemistry of decamethylsilicocene: oxidative addition of compounds with X–H bonds (X = F, Cl, Br, O, S) (P. Jutzi, E.-A. Bunte, U. Holtmann, B. Neumann and H.-G. Stammler), (446) 139

Cyclohydrosilylation dimer formation: evidence for $Pt^0 \leftrightarrow Pt^{II} \leftrightarrow Pt^{IV}$ catalysis (H.K. Chu and C.L. Frye), (446) 183

Direct and sequential synthesis of polysilazanes using lithiated (n-butylamino)silanes (B.J. Aylett and C.-F. Liaw), (446) C1

The effect of pentacoordination on silicon-29 NMR chemical shifts and silicon–hydrogen coupling constants (A.R. Bassindale and J. Jiang), (446) C3

Unexpected behaviour of a hexacoordinate silicon compound (F. Carré, C. Chuit, R.J.P. Corriu, A. Mehdi and C. Reyé), (446) C6

Insertion of dimethylsilylene into the sulphur–hydrogen bond of trialkoxysilanethiols (S. Konieczny, K. Wrzesień and W. Wojnowski), (446) 73

Metathesis of silicon-containing olefins. VIII. Synthesis of alkenyl (phenyl, methyl) substituted silanes by olefin metathesis (B. Marciniec and C. Pietraszuk), (447) 163

Sila et germacyclopentanes *C*-bifonctionnels. I. 1-Sila et 1-germacyclopentan-2,3 et 3,4-diols (G. Manuel et R. Boukherroub), (447) 167

Dehydrogenative silation, isomerization and the control of *syn- vs. anti*-addition in the hydrosilation of alkynes (C.-H. Jun and R.H. Crabtree), (447) 177

Organometalloidal derivatives of the transition metals. XXXIII. Reactions of ferrocenylcarboxaldehyde with base and trimethylsilylcyanide. A new high yield reaction for the formation of cyanoamines or silylethers (E. Peña, M. Rivera-Claudio, R.N. Kapoor and K.H. Pannell), (447) 265

An easy approach to 1-silylated ketones and asymmetrical 1,6- and 1,8-dicarbonyl compounds (V. Fiandanese, A. Punzi and N. Ravasio), (447) 311

Synthesis of the heterodinuclear Fe-Pt complex $[(OC)_3Fe\{\mu\text{-}CN(2,6\text{-}xylyl)\}(\mu\text{-}dppm)Pt(PPh_3)]$ containing a bridging isonitrile ligand and electrophilic additions leading to $\mu$-aminocarbyne complexes (M. Knorr, T. Faure and P. Braunstein), (447) C4

4-Phenylbenzylidene benzylamine: a new and convenient reagent for the titration of solutions of lithium alkyls and metal amides (L. Duhamel and J.-C. Plaquevent), (448) 1

The chemistry of the Si–H bond with acid treated clays (L.N. Lewis, D.S. Johnson and J.D. Rich), (448) 15

Characterization of new cyclosiloxazanes using both GC/MS and GC/FT-IR (A. Marchand, G. Bourgeois, P. Gerval, E. Duguet and A. Soum), (448) 19

Über gemischte Gruppe 14–Gruppe 14-Bindungen. VII. Ein Inkrementsystem für $^{13}$C-NMR chemische Verschiebungen bei arylierten Gruppe 14-Verbindungen (C. Schneider-Koglin, B. Mathiasch und M. Dräger), (448) 39

Über Tetraaryl-Methan-Analoga in der Gruppe 14. II. $Ph_{4-n}Si\text{-}p\text{-}Tol_n$ und $Ph_{4-n}Sn\text{-}p\text{-}Tol_n$ ($n$ = 0 bis 4): Einfluß der *p*-Tolyl-Substituenten auf Struktur und NMR-chemische Verschiebungen (M. Charissé, V. Gauthey und M. Dräger), (448) 47

Synthesis, isolation, and characterization of dimeric compounds containing two different exocyclic ligands on the Group 13 center. X-Ray crystal structures of $[R(Me_3SiCH_2)InE(SiMe_3)_2]_2$ (R = Ph, E = As; R = Me, E = As, P; R = Cl, E = P) (R.L. Wells, A.T. McPhail, L.J. Jones III and M.F. Self), (449) 85

Measurement of surface tension for polysilanes (T. Fujisaka, R. West and C. Murray), (449) 105

Pyrolysis of poly[(silylene)diacetylenes]: direct evidence between their morphology and thermal behavior (R. Corriu, Ph. Gerbier, C. Guérin, B. Henner and R. Fourcade), (449) 111

Siliciumverbindungen mit starken intramolekularen sterischen Wechselwirkungen. XLIX. Disilane und ein Disilen mit unsymmetrischer Substitution an den Siliciumatomen (M. Weidenbruch, A. Pellmann, Y. Pan, S. Pohl, W. Saak und H. Marsmann), (450) 67

Synthesis of siloxanes. XXII. Synthesis and crystal structure of 2-t-butoxy-2,4,6-trimethyl-4,6-diphenyl-(2$\alpha$,4$\alpha$,6$\alpha$)-cyclotrisiloxane (R. Gewald, U. Scheim, K. Rühlmann, H. Goesman and D. Fenske), (450) 73

Darstellung und spektroskopische Charakterisierung verzweigter funktioneller Hexasilangerüste (H. Stüger und P. Lassacher), (450) 79

Stability of the silicon–ruthenium bond in the presence of a strong nucleophile. Phase sensitive $^1$H NMR COSY and crystal structure of $Ru(CO)_2(NH_2CH_2C_6H_5)_2(Si(C_6H_5)(CH_3)_2)I$ (B.J. Rappoli, K.J. McGrath, C.F. George and J.C. Cooper), (450) 85

Rearrangements from the reactions of silenes with trimethylsilylketene (A.G. Brook and A. Baumegger), (446) C9

## Silver

Übergangsmetall-Silyl-Komplexe. XLII. Einfluß des Phosphan-Liganden auf Bildung, Struktur und Stabilität der Hetero-Zweikernkomplexe $(CO)_3(R'_3P)(R_3Si)Fe\text{–}ML_n$ (M = Cu, Ag, Au, Hg) (G. Reinhard, B. Hirle and U. Schubert), (427) 173

Fast-atom bombardment (FAB) mass spectra of coordination complexes: aggregation processes in the mass spectra of Group 11 alkynyl complexes (M.I. Bruce and M.J. Liddell), (427) 263

Trimethylsilylcyclooctadiene-transition metal complexes: metal-catalysed protodesilylation of cyclic vinylsilanes, and transfer hydrogenation promoted by the displaced silyl group (B.S. Bandodakar and G. Nagendrappa), (430) 373

A novel high nuclearity bimetallic cluster: the crystal structure of $[N(PPh_3)_2][Ag_6Cu_7(C_2Ph)_{14}]$ (M.S. Hussain and O.M. Abu-Salah), (445) 295

Crystal structure of $[CF_3CF{=}C(CF_3)Ag]_4$ and its use as a chemical vapor deposition precursor for silver films (P.M. Jeffries, S.R. Wilson and G.S. Girolami), (449) 203

## Sodium

The preference of 1-methylallyl polar organometallics and carbanions for *cis* rather than for *trans* geometries (P. von R. Schleyer, J. Kaneti, Y.-D. Wu and J. Chandrasekhar), (426) 143

Reactions of alkali metal macrocyclic complexes XIX. Reaction of potassium or sodium complexes with oxetane – novel route to

organometallic compounds (Z. Jedliński, A. Misiołek, A. Jankowski and H. Janeczek), (433) 231
Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115
Reactions of chelating alkali metal amides with the Grignard reagent $^{n}$BuMgCl: crystal structures and solution $^{1}$H NMR spectroscopic studies of the expected mono(amido)-product $[PhCH_2(Me_2NCH_2CH_2)NMg^{n}Bu]_2$ and the unexpected bis(amido)-product $\{[Ph(2\text{-}Pyr)N]_2Mg \cdot (THF)_2\}$ (K.W. Henderson, R.E. Mulvey, W. Clegg and P.A. O'Neil), (439) 237
A facile synthetic route to ($\eta^5$-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), (450) 27

## Sulphur

Zur Addition von Schwefel und Selen an Dicarbonyl($\eta^5$-cyclopentadienyl)[$\eta^2$-(methylthio)methylcarben]wolfram-tetrafluoroborat (F.R. Kreißl and N. Ullrich), (426) C8
Organometallic macrocycle chemistry. I. The reactions of $[RuCl_2(PPh_3)_3]$ with 1,4,7-trithiacyclononane and 1,4,8,11-tetrathiacyclotetradecane (A.F. Hill, N.W. Alcock, J.C. Cannadine and G.R. Clark), (426) C40
Structure and dynamics of $[C_5H_5Fe(CO)_2(E(CH_3)_2)]BF_4$ (E = S, Se, Te) complexes studied by $^{13}$C solid state NMR spectroscopy (A.P.M. Kentgens, H. Karrenbeld, E. De Boer and H. Schumann), (429) 99
Übergangsmetall-Heteroallen-Komplexe. XXVI. Synthese und Struktur von zweikernigen Molybdän-Thioketen-Komplexen (W. Ziegler, D. Wormsbächer and U. Behrens), (431) C11
Thiiran-Komplexe aus Thioketonen und $(CO)_5W{=}C(Ph)H$ bzw. aus Diphenyldiazomethan und $(CO)_5W[S{=}C(Ph)H]$ (H. Fischer, K. Treier und U. Gerbing), (433) 127
3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151
The redox behaviour of ferrocene derivatives. I. 1,2,3-Tritellura[3]ferrocenophane and 1,3-ditellura[3]ferrocenophanes (P. Zanello, G. Opromolla, M. Casarin, M. Herberhold and P. Leitner), (443) 199
Stereochemistry of the compounds $[Fe_3(CO)_9XY]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[Fe_3(CO)_9XY]$ (X, Y = S, Se, or Te) (G. Gervasio), (445) 147
Indium tert-butylthiolates as single source precursors for indium sulfide thin films: is molecular design enough? (A.N. MacInnes, M.B. Power, A.F. Hepp and A.R. Barron), (449) 95
The use of phosphine chalcogenides in the preparation of cobalt chalcogenides (S.M. Stuczynski, Y.-U. Kwon and M.L. Steigerwald), (449) 167

## Tantalum

Aspects of carbonyltantalum chemistry (M. Fornalczyk, F. Süssmilch, W. Priebsch and D. Rehder), (426) 159
Convenient synthesis of pentamethylcyclopentadienyl-tantalum-diene complexes via the reaction of $Cp^*TaCl_4$ with methylated-allyl anions (K. Mashima, Y. Yamanaka, S. Fujikawa, H. Yasuda and A. Nakamura), (428) C5
Reactions of tetrachlorocyclopentadienyltantalum(V) derivatives with hexamethyldialuminium: Crystal and molecular structure of dichlorodimethylpentamethylcyclopentadienyltantalum(V) (M. Gómez, G. Jimenez, P. Royo, J.M. Selas and P.R. Raithby), (439) 147
Methylation of (pentamethylcyclopentadienyl)trichloro(diphenyldimethylenephosphoranyl-*C*,*C*)tantalum(V). Crystal structures of $[TaCp^*Cl_3\{(CH_2)_2PPh_2\}]$ and $[TaCp^*Me_2\{(CH)(CH_2)PPh_2\}]$ (M. Gómez, G. Jimenez, P. Royo, M.A. Pellinghelli and A. Tiripicchio), (439) 309
Alkoxide, phenoxide and hydrido-phenoxide compounds of tantalum bearing the pentamethylcyclopentadienyl ligand (V.C. Gibson and T.P. Kee), (444) 91
Rigidity of the unsymmetric coordination geometry of the two dithiolates in $(C_5Me_5)Ta$(norbornane-exo-2,3-dithiolate)$_2$ (K. Tatsumi, Y. Inoue and A. Nakamura), (444) C25

## Technetium

Metallorganische Chemie des Technetiums. VIII. Technetium(I)-carbonyl-Komplexe mit Polypyrazol-1-yl-borato-Liganden im Vergleich mit seinen Mn- und Re-Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, R. Maier, N. Marques, D. Meyer, J. Müller, A. Pires de Matos, B. Nuber, J. Rebizant und M.L. Ziegler), (448) 119

## Tellurium

Struktur und Reaktivität von Ytterbiumbenzamidinaten (M. Wedler, A. Recknagel, J.W. Gilje, M. Nottemeyer and F.T. Edelmann), (426) 295
Structure and dynamics of $[C_5H_5Fe(CO)_2(E(CH_3)_2)]BF_4$ (E = S, Se, Te) complexes studied by $^{13}$C solid state NMR spectroscopy (A.P.M. Kentgens, H. Karrenbeld, E. De Boer and H. Schumann), (429) 99
FT Raman spectroscopy—the preferred technique for routine vibrational spectroscopic studies of organotellurium compounds (M.R. Greaves, W.R. McWhinnie, S.L.W. McWhinnie and D.N. Waters), (430) 37
Homolytic reactions of diorganotellurium and diorganoditellurium compounds in solution; an EPR study (W. Bell, D.J. Cole-Hamilton, P.N. Culshaw, A.E.D. McQueen, D.V. Shenai-Khatkhate, J.C. Walton and J.E. Hails), (430) 43
Ferrocenhaltige Liganden in der Lanthanid-Chemie: Alkoxide und Thiolate (H. Gornitzka, F.T. Edelmann und K. Jacob), (436) 325
Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299
Synthesis and characterization of dinuclear palladium(II) complexes containing both chloro and organochalcogenides as bridging ligands (V.K. Jain and S. Kannan), (439) 231
Trigonal-planar koordiniertes Selen bzw. Tellur in $[Cp'(CO)_2Mn]_2$-$EMes^+$ (E = Se, Te): Verbindungen vom "Iniden"-Typ (P. Lau, G. Huttner und L. Zsolnai), (440) 41
Crystal and molecular structure of bis($\mu_3$-tellurido)-decacarbonyltriiron, $[Fe_3(CO)_{10}Te_2]$ (G. Gervasio), (441) 271
Umsetzungen der lithiierten Halbsandwich-Chalkogenole, $(CO)_3MC_5H_4$–ELi (M = Mn, Re; E = S, Se, Te) (M. Herberhold und M. Biersack), (443) 1
Synthesis and characterization of new organotellurium compounds containing an *ortho*-amino group (A.Z. Al-Rubaie, N.I. Al-Salim and S.A.N. Al-Jadaan), (443) 67
The redox behaviour of ferrocene derivatives. I. 1,2,3-Tritellura[3]ferrocenophane and 1,3-ditellura[3]ferrocenophanes (P. Zanello, G. Opromolla, M. Casarin, M. Herberhold and P. Leitner), (443) 199
Stereochemistry of the compounds $[Fe_3(CO)_9XY]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[Fe_3(CO)_9XY]$ (X, Y = S, Se, or Te) (G. Gervasio), (445) 147
Photochemisch induzierte Addition von Alkinen und Phosphaalkinen an die Cluster $Fe_3(CO)_9(\mu_3\text{-}PR)(\mu_3\text{-}X)$ (X = Se, Te; R = $^{i}$Pr, $^{t}$Bu) (W. Imhof und G. Huttner), (447) 31
Evidence for a free radical mechanism in the decomposition of bis(but-2-enyl)tellurium (J. Stevenson, W. Bell, J. Ferry, D.J. Cole-Hamilton and J.E. Hails), (449) 141

The use of phosphine chalcogenides in the preparation of cobalt chalcogenides (S.M. Stuczynski, Y.-U. Kwon and M.L. Steigerwald), (449) 167

## Terbium

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXIII. Esteraddukte des Grundkörpers Tris($\eta^5$-cyclopentadienyl)-lanthan(III)—ideale Wirtsgitter für einkristalloptische Untersuchungen von Lanthanoid-Ionen in metallorganischer Umgebung (H. Schulz und H.-D. Amberger), (443) 71

Metallorganische Verbindungen der Lanthanoide. LXXIV. Tris(tetramethylcyclopentadienyl)komplexe der Lanthanoide (H. Schumann, M. Glanz und H. Hemling), (445) C1

## Thallium

Metallorganische Verbindungen der Lanthanoide. LXXI. Synthese und Röntgenstrukturanalyse von $CpLa(C_5H_4PPh_2)_2(THF)$, einem zweizähnigen Liganden zur Herstellung heterobimetallischer Lanthanoidkomplexe (H. Schumann, J.A. Meese-Marktscheffel, B. Gorella and F.H. Görlitz), (428) C27

Substituted cyclopentadienyl compounds. I. Formylation of methylcyclopentadienide and the synthesis and NMR study of some thallium(I) and rhodium(I) derivatives of cyano-, methyl-, methanoyl- and dimethylamidocyclopentadienes (M. Arthurs, J.C. Bickerton, M. Kirkley, J. Palin and C. Piper), (429) 245

Dimethyl(diorganophosphinodithioformato-*S,S'*)-thallium(III) compounds. X-Ray structure of $[Tl(CH_3)_2\{S_2CP(C_6H_5)_2\}(THF)]$ (E.M. Váquez-López, A. Sánchez, J.S. Casas, J. Sordo and E.E. Castellano), (438) 29

A facile synthetic route to ($\eta^5$-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), (450) 27

Molecular structure of *meso*-tetraphenylporphyrinatothallium(III) cyanide: Tl(tpp)(CN) (W.-B. Lee, S.-C. Suen, T.-T. Jong, F.-E. Hong, J.-H. Chen, H.-J. Lin and L.-P. Hwang), (450) 63

## Thorium

Organo-f-element thermochemistry. Thorium–ligand bond disruption enthalpies in $\{(CH_3)_3SiC_9H_6\}_3ThX$ (X = H or D) and in $\{(CH_3)_3SiC_5H_4\}_3ThH$ complexes (X. Jemine, J. Goffart, M. Ephritikhine and J. Fuger), (448) 95

## Thulium

Zur Elektronenstruktur metallorganischer Komplexe der *f*-Elemente. XXXIII. Esteraddukte des Grundkörpers Tris($\eta^5$-cyclopentadienyl)-lanthan(III)—ideale Wirtsgitter für einkristalloptische Untersuchungen von Lanthanoid-Ionen in metallorganischer Umgebung (H. Schulz und H.-D. Amberger), (443) 71

## Tin

Alkinkomplexe des Titanocens und Permethyltitanocens ohne zusätzliche Liganden — Erste Strukturvergleiche (U. Rosenthal, H. Görls, V.V. Burlakov, V.B. Shur and M.E. Vol'pin), (426) C53

Tetra-*p*-tolyl-Verbindungen *p*-$Tol_4Si$ und *p*-$Tol_4Ge$: ein Beitrag zur Konfiguration der Tetraaryl-Methan-Analoga $Ar_4M$ (M = C, Si, Ge, Sn, Pb) (M. Charissé, S. Roller and M. Dräger), (427) 23

Übergangsmetall-Silyl-Komplexe. XLII. Einfluß des Phosphan-Liganden auf Bildung, Struktur und Stabilität der Hetero-Zweikernkomplexe $(CO)_3(R'_3P)(R_3Si)Fe–ML_n$ (M = Cu, Ag, Au, Hg) (G. Reinhard, B. Hirle and U. Schubert), (427) 173

Crystal structure of [Rh($SnCl_3$)(norbornadiene)(dppp)]. A $^1H$ NMR study of [Rh($SnCl_3$)(norbornadiene)(diphosphine)] complexes (M.A. Garralda, E. Pinilla and M.A. Monge), (427) 193

Substitution of the acetoxy groups of dialkoxymethylacetates by organometallic reagents: a route to allyl-, propargyl-, homoallyl-, homopropargyl- and $\alpha$-stannylacetals (I. Beaudet, A. Duchêne, J.-L. Parrain and J.-P. Quintard), (427) 201

The structure of $(^iBu_3Sn)_2CO_3$ and $(Me_3Sn)_2CO_3$ in solution and in the solid state studied by $^{13}C/^{119}Sn$ NMR spectroscopy and X-ray diffraction (J. Kümmerlen, A. Sebald and H. Reuter), (427) 309

Synthesis and spectral characterization of medium ring distannacycloalkanes and their Lewis acid derivatives (D. Farah, K. Swami and H.G. Kuivila), (429) 311

Structural chemistry of organotin carboxylates. XVII. Diorganotin (IV) derivatives of *N*-phthaloyl-DL-valine (G.K. Sandhu, R. Hundal and E.R.T. Tiekink), (430) 15

Organotin mediated cycloaddition reactions: a re-investigation of the reaction between organotin azides and isothiocyanates (R.J. Deeth, K.C. Molloy, M.F. Mahon and S. Whittaker), (430) 25

Dicyclohexylammonium (dicarboxylato)triorganostannates. Crystal structure of bis(dicyclohexylammonium) tris(malonato)tetrakis (tributylstannate) (S.W. Ng, V.G. Kumar Das, B.W. Skelton and A.H. White), (430) 139

Synthesis and spectroscopic studies of thienyl triorganotin(IV) compounds. Crystal structures of [2-(4,4-dimethyl-2-oxazolinyl)-3-thienyl]dimethyltin *N,N*-dimethyldithiocarbamate and [2-(4,4-dimethyl-2-oxazolinyl)-3-thienyl]diphenyltin chloride (K.M. Lo, S. Selvaratnam, S.W. Ng, C. Wei and V.G. Kumar Das), (430) 149

Molecular structure of 1,2;3,4,di-$\mu$-nitrobenzoato-OO'-1,3-bis(*o,m-*, or *p*-nitrobenzoato)-1,2,4;2,3,4-di-$\mu_3$-oxotetrakis [di-n-butyltin-(IV)] compounds (S.P. Narula, S.K. Bharadwaj, Y. Sharda, D.C. Povey and G.W. Smith), (430) 167

The effect of ligands, solvent and temperature on the reactions of allyltin(IV) compounds with singlet oxygen (H.-S. Dang and A.G. Davies), (430) 287

Addition of sulphenyl halides and thiocyanates to alkenyl-metal compounds. Structures of [1-chloro-2-(4-methyl-2-nitrophenyl) ethyl]-triphenylstannane and [2-(2-nitrophenyl)-1-thiocyanato-ethyl]triphenylstannane (R.A. Howie, J.L. Wardell, E. Zanetti, P.J. Cox and S.M.S.V. Doidge-Harrison), (431) 27

Si-, Ge- and Sn-diine derivatives in 1,3-dipolar cycloaddition reactions (A.D. Jurayev, A.G. Makhsumov, K. Yuldasheva and M.A. Tolipova), (431) 129

Structural chemistry of organotin carboxylates. XVIII. Synthesis, characterization and X-ray crystal structure of bis($\mu$-hydroxo)-bis[di-t-butyltin(IV)acetate]: $[^tBu_2Sn(O_2CCH_3)(\mu\text{-}OH)]_2$ (V.B. Mokal, V.K. Jain and E.R.T. Tiekink), (431) 283

Darstellung und spektroskopische Eigenschaften der Halogen-(trifluormethyl)stannane, $(CF_3)_nSnX_{4-n}$ (R. Eujen und U. Thurmann), (433) 63

Multinuclear NMR spectroscopic studies of some organometallic N-substituted anilines (B.K. Barr, A.J. Herman, L.K. Myers, P.I. Young, C.D. Schaeffer, Jr., H.J. Eppley, J.C. Otter and C.H. Yoder), (434) 45

Reactivity of main-group–transition-metal bonds. X. The kinetics of iodination of compounds containing one, two, three or four tin–cobalt bonds (J.R. Chipperfield, D.E. Webster and H. Yusof), (434) 53

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Darstellung und Eigenschaften trifluormethylsubstituierter Stannane, $(CF_3)_nSnH_{4-n}$ ($n$ = 1–3) (R. Eujen, N. Jahn und U. Thurmann), (434) 159

Übergangsmetall-Stannyl-Komplexe. V. Darstellung der anionischen Stannyl-Komplexe K[($\pi$-Aromat)$(CO)_2CrSnPh_3$] und Reaktion mit Organozinnhalogeniden zu Bis(stannyl)-Komplexen ($\pi$-

Aromat)$(CO)_2Cr(SnPh_3)(SnR_3)$ ($\pi$-Aromat = $C_6H_{6-n}Me_n$) (U. Schubert und J. Schubert), (434) 169

Organotin compounds with 2,2′-biimidazole derivatives. The crystal structure of dibromo(*N*,*N*′-dimethyl-2,2′-biimidazole)dimethyltin(IV) (C. López, A. Sánchez González, M.E. García, J.S. Casas, J. Sordo, R. Graziani and U. Casellato), (434) 261

Stereoselective hydrostannation: synthesis and absolute configuration of (−)-menthyl 2,3-diphenyl-3-(trimethylstannyl) propanoates and derivatives (J.C. Podestá, A.B. Chopa, L.C. Koll and S.D. Mandolesi), (434) 269

Complexes of dibutyldihalotin(IV) with imidazole and pyrazole. The crystal structure of dibutyldichlorobis(pyrazole)tin(IV) (A. Sánchez González, J.S. Casas, J. Sordo and G. Valle), (435) 29

Sterically hindered organotin compounds. II. Synthesis of the organotin halides $(mesityl)_2SnX_nY_{2-n}$, $(mesityl)SnX_nY_{3-n}$ and $R_4Sn_2X_2$ (R = 2,4,6-$^iPr_3C_6H_2$, X = Cl, Y = Br). Crystal structure of the ditin species $(R_2BrSn)_2$ (P. Brown, M.F. Mahon and K.C. Molloy), (435) 265

Main group metal 1,3-dithiole-2-thione-4,5-dithiolate (DMIT) compounds. II. Synthesis and structures of tetrabutylammonium butyl- and phenyl-bis(1,3-dithiole-2-thione-4,5-dithiolato)stannates, $[Bu_4N][RSn(DMIT)_2]$ (R = Bu or Ph) (S.M.S.V. Doidge-Harrison, R.A. Howie, J.T.S. Irvine, G.M. Spencer and J.L. Wardell), (436) 23

A Mössbauer study of tin(IV) and organotin(IV) adducts of bis(pyrazolyl)methane-type ligands (G. Gioia Lobbia, A. Cingolani, P. Cecchi, S. Calogero and F.E. Wagner), (436) 35

Some triphenyltin(IV) complexes containing potentially bidentate, biologically active anionic groups (B.D. James, S. Gioskos, S. Chandra, R.J. Magee and J.D. Cashion), (436) 155

Preparation, IR, $^{13}C$ and $^{119m}Sn$ Mössbauer spectral studies of organotin(IV) derivatives of ethylenediaminetetraacetic acid (G.K. Sandhu and R. Hundal), (436) 287

Synthesis and structure of organotin complexes of ytterbium (L.N. Bochkarev, O.V. Grachev, S.F. Ziltsov, L.N. Zakharov and Y.T. Struchkov), (436) 299

Zur Funktionalisierung von Decaphenylcyclopentasilan (W. Uhlig und C. Tretner), (436) C1

Anchimerically assisted cleavage of a one-electron bond in the $[Me_2N(CH_2)_3Sn^nBu_3]^{+\cdot}$ radical cation (E. Butcher, C.J. Rhodes, R.S. Davidson and R. Bowser), (436) C5

Use of organotin halides as catalytic precursors in dehydration processes (G. Tagliavini), (437) 15

Tin for organic synthesis. VI. The new role of organotin reagents in organic synthesis Part 1: Stannyl groups as leaving groups in electrophilic substitutions Part 2: Polymer-supported organotin reagents for organic synthesis (W.P. Neumann), (437) 23

The first synthesis of 1,1,2-tristannylalkenes (T.N. Mitchell and B. Kowall), (437) 127

Preparation, spectroscopic studies and structure of bis(triorganostannyl) esters of substituted aliphatic dicarboxylic acids (A. Samuel-Lewis, P.J. Smith, J.H. Aupers, D. Hampson and D.C. Povey), (437) 131

FT-IR study of the gas phase thermal decomposition of dimethyldivinyltin in the presence of oxygen (P.G. Harrison and E.N. Clark), (437) 145

Polysulfonylamine. XXXV. Synthese, Röntgenstrukturanalysen und hochaufgelöste Festkörper-NMR-Spektren der ionischen Organozinn(IV)-dimesylamide $[Me_3Sn(NH_3)_2][N(SO_2Me)_2]$ und $[Me_2Sn(DMSO)_4][N(SO_2Me)_2]_2$ (A. Blaschette, I. Hippel, J. Krahl, E. Wieland, P.G. Jones und A. Sebald), (437) 279

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the $\{C_2B_8H_9X\}$ ligand, where X = H and Ph (J.D. Kennedy, K. Nestor, B. Štíbr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

Synthesis of acylsilanes via transmetalation of 1-triorganosilyloxyvinyltin derivatives (J.-B. Verlhac, H.A. Kwon and M. Pereyre), (437) C13

Stereoselective opening of chiral $\alpha$-stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl($\eta^5$-cyclopentadienyl)nickel] zum Carbonyl($\eta^5$-cyclopentadienyl)nickel-Anion durch $C_8K$. Synthese und Struktur von $(\eta^5\text{-}C_5H_5)(CO)Ni\text{–}Ga[CH_2C(CH_3)_3]_2(OC_4H_8)$ (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Synthesis and coordination chemistry of itaconic estertin(IV) complexes (O.-S. Jung, J.H. Jeong and Y.S. Sohn), (439) 23

The palladium-catalysed addition of hexamethylditin to 1,3-dienes (T.N. Mitchell, B. Kowall, H. Killing and C. Nettelbeck), (439) 101

Some further studies on acyltrimethylstannanes (T.N. Mitchell and K. Kwetkat), (439) 127

Complex salts derived from the reactions of $Me_2SnCl_2$ with some aromatic Schiff bases. Crystal structure of bis[*N*-(2-methoxy-1-naphthalidene)-3-methoxyanilinium]hexachlorotetramethyldistannate(IV)dihydrate: $[CH_3OC_{10}H_6CH : NHC_6H_4OCH_3]_2[(CH_3)_4Sn_2Cl_6][H_2O]_2$ (S.-G. Teoh, S.-B. Teo, G.-Y. Yeap and H.-K. Fun), (439) 139

Mössbauer and NMR study of tin(IV) and organotin(IV) hydridotris(3-Me-1*H*-pyrazol-1-yl)borates. The X-ray crystal structure of phenyldichlorotin(IV) derivative (G. Gioia Lobbia, S. Calogero, B. Bovio and P. Cecchi), (440) 27

Steric effects on the formation of isolable products in the reactions of dibutyltin oxides with carboxylic acids (V.B. Mokal and V.K. Jain), (441) 215

Synthesis of stanna- and germa-cycloheptatrienes (Y. Nakadaira, R. Sato and H. Sakurai), (441) 411

Insertions- und Imintransfer-Reaktionen mit Schwefel und *N*-stannylierten Schwefelimiden (D. Hänssgen, H. Salz, S. Rheindorf und C. Schrage), (443) 61

Sila-Riechstoffe und Riechstoffisostere. XII. Geruchsvergleiche homologer Organoelementverbindungen der vierten Hauptgruppe (C, Si, Ge, Sn) (U. Wannagat, V. Damrath, V. Huch, M. Veith und U. Harder), (443) 153

Selectivity of mercury(II) salts in reactions with $\alpha,\beta$-unsaturated stannyl esters (C. Deb and B. Basu), (443) C24

Novel polynuclear organotin complexes of samarium and ytterbium (L.N. Bochkarev, O.V. Grachev, N.E. Molosnova, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), (443) C26

A tetranuclear $\beta$-diketonato complex of organotin(IV): synthesis and crystal structure of (benzoyltrifluoroacetonato)-(trifluoroacetato) tetramethyldistannoxane dimer $[\{C_6H_5C(O)CHCO(CF_3)Sn(CH_3)_2\}O\{Sn(CH_3)_2O_2CCF_3\}]_2$ (B.K. Agarwal, Y.P. Singh, R. Bohra, G. Srivastava and A.K. Rai), (444) 47

Additionsreaktionen von $(CO)_5CrEPhH_2$ (E = P, As) an Di(ethinyl)-Phosphane und Stannane; Stufenweise Darstellung von Komplex-gebundenen 1,4-Dihetero-cyclohexa-2,5-dienen (H. Lang, U. Lay und W. Imhof), (444) 53

Subvalent Group 14 metal compounds. XV. Germanium and tin amides $M(NR_2)_2$ as ligands in carbonylchromium(0) chemistry. The crystal structure of the compounds *cis*-$[Cr(CO)_4\{Sn(NR'_2)_2\}_2]$ [M = Ge or Sn, R′ = $SiMe_3$ or $NR_2 = NCMe_2(CH_2)_3CMe_2$] (S.L. Ellis, P.B. Hitchcock, S.A. Holmes, M.F. Lappert and M.J. Slade), (444) 95

Un nouvel hydrure organostannique greffé sur support insoluble (G. Ruel, N.K. The, G. Dumartin, B. Delmond et M. Pereyre), (444) C18

Polysulfonylamine. XXXVIII. Darstellung und Festkörperstruktur von Bis(trimethylzinn)-dimesylamid-hydroxid $[Me_3Sn\{\mu\text{-}(MeSO_2)_2N\}Me_3Sn(\mu\text{-}OH)]_n$ (A. Blaschette, E. Wieland, P.G. Jones und I. Hippel), (445) 55

Zur Struktur sterisch gehinderter Zinn-Elementverbindungen: Kristallstruktur der Zinn-Schwefel-Stickstoff-Ringe $[(^tBu_2Sn)_2N_2S_2]$ und $[(^tBu_2Sn)N_2S_2]_2$ (D. Hänssgen, M. Jansen, W. Assenmacher und H. Salz), (445) 61

1:1 Complexes of dimethyltin dihalides with tris(2,6-dimethoxyphenyl)- phosphine oxide, its sulphide, and related compounds (M. Wada, T. Fujii, S. Iijima, S. Hayase, T. Erabi and G.-e. Matsubayashi), (445) 65

Preparation and crystal structures of the crowded triorganotin isothiocyanate $(PhMe_2Si)_3CSnMe_2NCS$ and nitrate $(PhMe_2Si)_3CSnMe_2ONO_2$ (S.S. Al-Juaid, M. Al-Rawi, C. Eaborn, P.B. Hitchcock and J.D. Smith), (446) 161

The first authenticated example of triorganotin(IV) perchlorate complexes of some heterocyclic bases. I. Synthesis, characterization and assessment of bonding and structure (T.S. Basu Baul, D. Dey, D.D. Mishra, W.L. Basaiawmoit and E. Rivarola), (447) 9

Synthesis and molecular structure of $^nBu_2[(MeO)_3C_6H_2C(O)N_2CHC_6H_4O]Sn$ formed in the reaction of di-n-butyltin(IV) oxide with 3,4,5-trimethoxy-benzoyl salicylahydrazone (Z.-K. Yu, S.-H. Wang, Z.-Y. Yang, X.-M. Liu and N.-H. Hu), (447) 189

Über gemischte Gruppe 14–Gruppe 14-Bindungen. VI. Hexa-*o*-tolylethan-Analoga *o*-$Tol_6Sn_2$, *o*-$Tol_6PbSn$ und *o*-$Tol_6Pb_2$: ein Vergleich von Bindungsstärke und Polarität in der Reihung Sn–Sn, Pb–Sn, Pb–Pb (C. Schneider-Koglin, K. Behrends und M. Dräger), (448) 29

Über gemischte Gruppe 14–Gruppe 14-Bindungen. VII. Ein Inkrementsystem für $^{13}C$-NMR chemische Verschiebungen bei arylierten Gruppe 14-Verbindungen (C. Schneider-Koglin, B. Mathiasch und M. Dräger), (448) 39

Über Tetraaryl-Methan-Analoga in der Gruppe 14. II. $Ph_{4-n}Si$-*p*-$Tol_n$ und $Ph_{4-n}Sn$-*p*-$Tol_n$ ($n = 0$ bis 4): Einfluß der *p*-Tolyl-Substituenten auf Struktur und NMR-chemische Verschiebungen (M. Charissé, V. Gauthey und M. Dräger), (448) 47

The structure and Lewis acidity of some triorganotin carboxylates (C.H. Yoder, R.A. Morreall, C.I. Butoi, W.J. Kowalski and J.N. Spencer), (448) 59

Polysulfonylamine. XXXIX. Charakterisierung des Kations $[Me_2Sn(H_2O)_4]^{2+}$ im kristallinen Zustand: Bildung und Röntgenstrukturanalyse von Tetraaquadimethylzinn(IV)-bis(1,1,3,3-tetraoxo-1,3,2-benzodithiazolid) (I. Hippel, P.G. Jones und A. Blaschette), (448) 63

Synthesis of $\alpha$-stannyl $\alpha,\beta$-unsaturated carboxylic esters (A.J. Zapata, C. Fortoul R. and C. Acuña A.), (448) 69

Organotin diphenylmonothiophosphinates. Crystal structure of bis(diphenylmonothiophosphinato)dimethyltin(IV), $Me_2Sn(OSPPh_2)_2$ (C. Silvestru, I. Haiduc, F. Caruso, M. Rossi, B. Mahieu and M. Gielen), (448) 75

Low-temperature organometallic synthesis of crystalline and glassy ternary semiconductors $M^{II}M^{IV}P_2$ where $M^{II}$ = Zn and Cd, and $M^{IV}$ = Ge and Sn (S.C. Goel, W.E. Buhro, N.L. Adolphi and M.S. Conradi), (449) 9

Synthesis and thermal decomposition of substituted [2-(acyloxy)alkyl]diorganotins compounds, $Bu_2Sn(X)CH_2CHR^1OCOR^2$ (X = halogen, 2,4-pentanedionate, or OCOR), potential sources of organotin catalysts (B. Jousseaume, V. Guillou, N. Noiret, M. Pereyre and J.-M. Francès), (450) 97

## Titanium

Darstellung und Reaktionen von Alkyl-Hydridotrispyrazolylborat-Komplexen des Titans (J. Ipaktschi and W. Sulzbach), (426) 59

Direct proof of the molecular structure of dimeric titanocene; the X-ray structure of $\mu$-($\eta^5:\eta^5$-fulvalene)-di-($\mu$-hydrido)-bis($\eta^5$-cyclopentadienyltitanium) · 1.5benzene (S.I. Troyanov, H. Antropiusová and K. Mach), (427) 49

Conversion of hydrosilanes to alkoxysilanes catalyzed by $Cp_2TiCl_2$/$^n$BuLi (T.C. Bedard and J.Y. Corey), (428) 315

The crystal structure of $(\eta^6\text{-}C_6Me_6)Ti[(\mu\text{-}Cl)_2(AlClEt)]_2$ and the catalytic activity of the $(C_6Me_6)TiAl_2Cl_{8-x}Et_x$ ($x = 0$–4) complexes towards butadiene (S.I. Troyanov, J. Poláček, H. Antropiusová and K. Mach), (430) 317

Die Struktur von $[Cp_2Ti^{III}(CN)]_4$ (P. Schinnerling and U. Thewalt), (431) 41

Dehydrierende Polymerisation von Methyldisilanen mittels Metallocen-Katalyse zu den Oligomeren $Me_3Si[Me_2Si]_nSiMe_2H$, $HMe_2Si[Me_2Si]_nSiMe_2H$ mit $n = 3$–9, $H[MeSiH]_nH$ mit $n = 3$–14 und hochpolymerem Poly(methylsilan) $(MeSiH_x)_n$ (E. Hengge und M. Weinberger), (433) 21

Controlled synthesis of $(1,3\text{-}^tBu_2\text{-}C_5H_3)_2TiCl_2$ and $(1,3\text{-}^tBu_2\text{-}C_5H_3)TiCl_3$. Crystal structure and reactions of $(1,3\text{-}^tBu_2\text{-}C_5H_3)TiCl_3$ (I. Jibril, S. Abu-Orabi, S.A. Klaib, W. Imhof and G. Huttner), (433) 253

Base-free cationic 14-electron alkyls of Ti, Zr and Hf as polymerisation catalysts: a comparison (M. Bochmann and S.J. Lancaster), (434) C1

*ansa*-Metallocene derivatives of $Ti^{IV}$ and $Zr^{IV}$ with the shortest $-C(CH_3)_2-$ bridge (I.E. Nifant'ev, A.V. Churakov, I.F. Urazowski, S.G. Mkoyan and L.O. Atovmyan), (435) 37

Synthesis and characterization of Group IV metal–iron complexes bridged by carboxylate substituted cyclopentadienyl group. The structure of $Cp_2Ti[(\mu\text{-}O_2CC_5H_4)Fe(CO)_2(CH_2C_6H_5)]_2$ (H.-M. Gau, C.-C. Schei, L.-K. Liu and L.-H. Luh), (435) 43

Titanium-catalyzed cycloaddition reactions of phenyl(trimethylsilyl)acetylene to conjugated dienes and 1,3,5-cycloheptatriene. 1-Phenyl-2-(trimethylsilyl)-cyclohexa-1,4-dienes and their aromatization (R. Klein, P. Sedmera, J. Čejka and K. Mach), (436) 143

Zum Koordinationsverhalten der Lewis-Basen HCN und DCN gegenüber $Cp_2Ti(AsF_6)_2$ (A. Schulz und T.M. Klapötke), (436) 179

Condensation of primary silanes in the presence of $Cp_2MCl_2$/$^n$BuLi (M = Ti, Zr, Hf) (J.Y. Corey and X.-H. Zhu), (439) 1

Catalytic activity of the titanocene complex with tolane in homogeneous hydrogenation of unsaturated hydrocarbons (V.B. Shur, V.V. Burlakov and M.E. Vol'pin), (439) 303

Die Bildung von $[Cp_2Ti(C{\equiv}CSiMe_3)]_2$ aus Titanocen und 1,4-Bis(trimethylsilyl)-1,3-Butadiin (U. Rosenthal und H. Görls), (439) C36

Heterozyklen als Liganden. XVI. $(2,5\text{-}C_4{}^tBu_2RHN)MCl_3$ (M = Ti, Zr, Hf; R = H, $SiMe_3$)—Azacyclopentadienyl-Komplexe der Gruppe 4-Metalle (N. Kuhn, S. Stubenrauch, R. Boese und D. Bläser), (440) 289

Dehydrierende Copolymerisation zu den neuen Polysilan-Copolymeren Poly(methyl-co-phenylsilan) $H[(MeSiH)_x(PhSiH)_y]_nH$ und Poly(methyl-co-dimethylsilan) $H[(MeSiH)_x(Me_2Si)_y]_nH$ (E. Hengge und M. Weinberger), (441) 397

Reactions of $TiCl_4$ with diesters. Crystal structures of $[CH_2(CO_2Et)_2Cl_4Ti]$ and $[C_2H_4(CO_2CH_2CH_2OPh)_2Cl_4Ti]$ (P. Sobota, S. Szafert and T. Lis), (443) 85

Benzylverbindungen elektronenarmer Übergangsmetalle. Molekülstrukturen von $Cp_2Ti(CH_2Ph)_2$ und $CpZr(CH_2Ph)_3$ (J. Scholz, F. Rehbaum, K.-H. Thiele, R. Goddard, P. Betz und C. Krüger), (443) 93

Mechanistische Aspekte zur übergangsmetall-katalysierten dehydrierenden Polymerisation von Disilanen und höheren Silanen (E. Hengge und M. Weinberger), (443) 167

Carbonyl adducts of open titanocenes – syntheses and structures (Y. Wang, Y.-Q. Liang, Y.-J. Liu and J.-Z. Liu), (443) 185

Photochemistry of $Cp_2Ti(CO)_2$ and $Cp_2Ti(N_3)_2$ in solid matrices and in solution at low temperatures (M. Tacke, C. Klein, D.J. Stufkens and A. Oskam), (444) 75

Cyclische Metallamide. III. Flüchtige Tetrahydroborat-Komplexe von Titan und Zirkonium (W.A. Herrmann, M. Denk, W. Scherer und F.-R. Klingan), (444) C21

Ketene acetal metallocene complexes. Crystal structure of $(C_5H_5)_2Ti(Cl)OC(OCH_3)=C(CH_3)_2$ (K. Hortmann, J. Diebold and H.-H. Brintzinger), (445) 107

Ti-Verbindungen mit Fulvalenbrücken. Die Struktur von $[CpTiBr]_2(C_{10}H_8,O)\cdot$ Toluol (T. Wöhrle und U. Thewalt), (447) 45

Fulvalene cyclopentadienyl titanium and zirconium(III) and -(IV) complexes. X-Ray crystal structure of $[\{Ti(\eta^5\text{-}C_5H_5)Cl\}_2(\mu\text{-}O)(\mu\text{-}\eta^5\text{-}\eta^5\text{-}C_{10}H_8)]$ (A. Cano, T. Cuenca, G. Rodríguez, P. Royo, C. Cardin and D.J. Wilcock), (447) 51

Synthesis and structure of polymeric $[1,3,5\text{-}C_6H_3(CO_2Me)_3\cdot 3TiCl_4]$ and dimeric $[\{\mu\text{-}1,3,5\text{-}C_6H_3(CO_2Me)_3\}_2Cl_8Ti_2]\cdot 2CH_2Cl_2$ compounds (P. Sobota, J. Utko and T. Lis), (447) 213

Crystal and molecular structure of bis(tetramethylcyclopentadienyl)titanium halides, $(C_5HMe_4)_2TiCl$, $(C_5HMe_4)_2TiI$ and $(C_5HMe_4)_2TiCl_2$ (S.I. Troyanov, V.B. Rybakov, U. Thewalt, V. Varga and K. Mach), (447) 221

Isodicyclopentadienes and related molecules. LVII. Solid state structural studies of the diastereomeric *exo*- and *endo*-($\eta^5$-cyclopentadienyl)($\eta^5$-(1*S*,8*R*)-9,9-dimethyltricyclo[6.1.1.0$^{2,6}$]deca-2,5-dienyl)dichlorotitaniums and a stereopure *exo*-($\eta^5$-pentamethyl-cyclopentadienyl) congener (R.D. Rogers, M.R. Sivik and L.A. Paquette), (450) 125

## Tungsten

Zur Addition von Schwefel und Selen an Dicarbonyl($\eta^5$-cyclopentadienyl)[$\eta^2$-(methylthio)methylcarben]wolfram-tetrafluoroborat (F.R. Kreißl and N. Ullrich), (426) C8

Electrochemistry and bonding in biscyclopentadienyl complexes of molybdenum, tungsten, and niobium with *o*-phenanthroline and bipyridine. Crystal and molecular structures of $[Nb(\eta^5\text{-}C_5H_5)_2(bpy)][PF_6]_2$ and $[M(\eta^5\text{-}C_5H_5)_2(o\text{-phen})][PF_6]_2$ (M = Mo or W) (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A. Bram, P.N. Olsen, A.R. Dias, A.M. Freitas, M.H. Garcia and M.F.M. Piedade), (426) 195

Synthesis and evaluation of the catalytic properties of homo- and hetero-bimetallic complexes containing bridging diphenylphosphido ligands (Z. He, N. Lugan, D. Neibecker, R. Mathieu and J.-J. Bonnet), (426) 247

A study of polarities, polarisabilities and infrared spectra of $LM(CO)_5$ complexes (M = Cr, Mo or W; L = trimethylamine, quinuclidine, pyridine, *p*-methyl- or *p*-t-butylpyridine) and of the X-ray crystal structure of quinuclidine-$Cr(CO)_5$: evidence for $\pi$-acceptor behaviour of coordinated pyridine (M.J. Aroney, R.M. Clarkson, T.W. Hambley and R.K. Pierens), (426) 331

Metallorganische Lewis-Säuren. XLIV. Rheniooxy(organyl)carben-Komplexe von Chrom, Molybdän und Wolfram (P.M. Fritz, J. Breimair, B. Wagner and W. Beck), (426) 343

Metathesis of 2-pentene with the $W(CO)_6/CCl_4/h\nu$-system. Role and physical properties of the photogenerated precipitate (P.G.M. Schilder, D.J. Stufkens, A. Oskam and J.C. Mol), (426) 351

Reaktionen von Komplexliganden. XLVIII. Carben-Liganden in intramolekularen Pauson–Khand-Reaktionen (K.H. Dötz and J. Christoffers), (426) C58

Kinetische und mechanistische Untersuchungen von Übergangsmetall-Komplex-Reaktionen. XXVI. Kinetische Untersuchungen zur Cyclopropanierung von Olefinen mit Benzyliden(pentacarbonyl)wolfram-Komplexen (H. Fischer, E. Mauz, M. Jaeger and R. Fischer), (427) 63

Syntheses of $W(PhC{\equiv}CPh)_3(\eta^1\text{-}PPh_2CH_2PPh_2)$ and $W(PhC{\equiv}CPh)_3(PPh_3)$ from $W(PhC{\equiv}CPh)_3(NCCH_3)$ (W.-Y. Yeh, C.-S. Ting and C.-f. Chih), (427) 257

The synthesis and substitution reactions of $CpM(CO)_2(\mu\text{-}RC{\equiv}CR)Co(CO)_3$ (M = Mo, W; R = COOEt, COOMe) (C.-A. Dickson and N.J. Coville), (427) 335

Synthese und Kristallstrukturanalyse von Alkinylcarbenkomplexverbrückten Dicobalthexacarbonylkomplexen (A. Wienand, H.-U. Reissig, H. Fischer, D. Pflumm and C. Troll), (427) C9

Reaction of bis(cyclopentadienyl)hydridophenyltungsten(IV) with carboxylic acids, carbon dioxide, and related compounds (T. Ito, S. Sugimoto, T. Ohki, T. Nakano and K. Osakada), (428) 69

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XXXIX. Synthese und dynamisches Verhalten von Tetracarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-metall(0)- und Dicarbonyl-bis($\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (S. Özkar, N.K. Tunali and C.G. Kreiter), (428) 345

Thermolysis of $Cp(CO)_nM\text{–}CH(CH_3)C_6H_5$ ($n$ = 2, M = Fe, Ru; $n$ = 3, M = Mo, W). Some vertical trends in transition metal–alkyl bond dissociation energies (C. Mancuso and J. Halpern), (428) C8

Organometallic complexes of the diphosphene $[2,4,6\text{-}(CF_3)_3C_6H_2]_2P_2$ (K.B. Dillon and H.P. Goodwin), (429) 169

Tris($\eta^4$-1-oxa-1,3-diene)molybdenum and -tungsten: Preparation and properties of new homoleptic enone complexes (T. Schmidt and S. Neis), (430) C5

Reactivity of dinuclear tungsten carbonyls bridged both by hydride and by bidentate phosphine ligands, $(\mu\text{-}H)(\mu\text{-}Ph_2P(CH_2)_nPPh_2)\text{-}W_2(CO)_7(NO)$ ($n$ = 1–3) (J.T. Lin, K.-Y. Chang, M.L. Gong, C.-C. Chang, H.-M. Gau, L.-H. Tsen and Y.S. Wen), (431) 65

Synthese und strukturelle Charakterisierung von bcpm-Metallcarbonyl-Dimeren (bcpm = Biscyclopentadienylmethan) mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, J. Wachter, B. Nuber and M.L. Ziegler), (431) 143

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XL. Synthese und dynamisches Verhalten von Tricarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-trimethylphosphit-metall(0)- und Dicarbonyl-$\eta^4$-tricyclo[6.3.0.0$^{2,7}$]undeca-3,5-dien-bis(trimethylphosphit)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (C.G. Kreiter, M. Kotzian, S. Özkar and I. Abu-Mour), (431) 159

Dihydropyridine-induced reductions of methyl(ethoxy)carbene complexes of chromium and tungsten: formation and X-ray crystal structure of the adduct between pyridine and the corresponding ethylidene carbene complexes (F. Cohen, R. Goumont, H. Rudler, J.C. Daran and R.A. Toscano), (431) C6

Thiiran-Komplexe aus Thioketonen und $(CO)_5W{=}C(Ph)H$ bzw. aus Diphenyldiazomethan und $(CO)_5W[S{=}C(Ph)H]$ (H. Fischer, K. Treier und U. Gerbing), (433) 127

Reactions of $\alpha$-lithio (aminocarbene)tungsten anions with diiodoalkanes: synthesis of ($\mu$-bis(aminocarbene))ditungsten complexes (D.W. Macomber and P. Madhukar), (433) 279

Synthesis of molybdenum–triosmium cluster complexes: reaction of $(\mu\text{-}H)_2Os_3(CO)_{10}$ with $(\eta^5\text{-}C_5H_5)(CO)_2Mo{\equiv}CC_6H_4Me$ (J.T. Park, J.-J. Cho, K.-M. Chun and S.-S. Yun), (433) 295

Einfluß verschiedenartig substituierter Cyclopentadienylliganden auf die Chemie schwefelreicher Organometallkomplexe mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, W. Meier, J. Wachter, B. Nuber und M.L. Ziegler), (434) 63

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XLI. Das dynamische Verhalten von 1,2-Bis(dimethylphosphino) ethan-dicarbonyl- ($\eta^4$-dien)-wolfram(0) (S. Özkar, C. Kayran und C.G. Kreiter), (434) 79

Mercury-bridged transition-metal clusters. Synthesis of pentanuclear $Ru_3HgM$ (M = Mo, W, or Co) clusters and X-ray structure of

[{$Ru_3(\mu_3,\eta^2$-ampy)$(CO)_9$}- ($\mu_3$-Hg)$Co(CO)_4$] (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123

Carbyne–carbyne coupling at a single metal center. Synthesis and structure of bis(diethylamino)acetylene complexes of molybdenum(II) and tungsten(II) (A.C. Filippou, C. Völkl, W. Grünleitner and P. Kiprof), (434) 201

Reactions of [$WI_2(CO)(NCMe)(\eta^2$-$RC_2R)_2$] (R = Me or Ph) with t-butylisonitrile (E.M. Armstrong, P.K. Baker, T. Callow, K.R. Flower, P.D. Jackson and L.M. Severs), (434) 321

Polycylopentadienyls: synthesis of arylsilylcyclopentadienyl compounds and their $\eta^5$-complexes with tungsten (H. Plenio), (435) 21

Preparation and properties of molybdenum and tungsten dinitrogen complexes. XXXV. Synthesis of diazoalkane and hydrazido(2 – ) complexes of tungsten containing a $\pi$-acceptor ligand (T. Aoshima, T. Tamura, Y. Mizobe and M. Hidai), (435) 85

Synthese und Reaktivität kohlenwasserstoffüberbrückter Komplexe von Mangan, Rhenium, Molybdän und Wolfram (E. Lindner, M. Pabel, R. Fawzi, H.A. Mayer und K. Wurst), (435) 109

Structural properties of cationic molybdenum and tungsten allyl derivatives (B.J. Brisdon, M. Cartwright, A.G.W. Hodson, M.F. Mahon and K.C. Molloy), (435) 319

EPR studies of photochemical reactions of hexacarbonylbis($\eta^5$-2,4-cyclopentadien-1-yl)ditungsten, $[CpW(CO)_3]_2$, with quinones (M. Hanaya and M. Iwaizumi), (435) 337

Reactions of silyl enol ethers with [ethoxy(phenylethynyl)carbene] chromium and -tungsten complexes (F. Camps, L. Jordi, J.M. Moretó, S. Ricart, A.M. Castaño and A.M. Echavarren), (436) 189

Oxidative addition reactions of $[Os_3(CO)_{10}(MeCN)_2]$ with 2-imine-substituted derivatives of furan, thiophene, selenophene and pyrrole (A.J. Arce, Y. De Sanctis, L. Hernandez, M. Marquez and A.J. Deeming), (436) 351

Zur Addition des Thiomethyl-Kations an die Wolfram–Kohlenstoff-Doppelbindung in [$Cp(CO)(PMe_3)W{=}C(Tol)PR_2$][$PF_6$] (J. Ostermeier, W. Schütt und F.R. Kreißl), (436) C17

Static and dynamic structures of pentacarbonyl-chromium(0) and -tungsten(0) complexes of dithioether ligands. I. Symmetrical dithioether complexes and X-ray crystal structure of [$W(CO)_5$($^t$BuSCH$_2$S$^t$Bu)] (E.W. Abel, K.G. Orrell, H. Rahoo, V. Šik, M.A. Mazid and M.B. Hursthouse), (437) 191

Organometallics of diphosphazanes. V. The different coordination behaviour of *cis*- and *trans*-cyclodiphosphazanes towards Group 6 metal carbonyl moieties (V.S. Reddy, S.S. Krishnamurthy and M. Nethaji), (438) 99

Heterobimetallic Group 6-rhodium complexes. II. Reactions of [$Rh(S_2CNEt_2)(CO)_2$] with the complexes [$M(CO)_3(\eta^2$-phen)($\eta^1$-dppm)] (M = Mo or W) and [$Mo(CO)_4(\eta^2$-dppm)] as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

Übergangsmetall-Carbin-Komplexe. CIII. Aktivierung von Ethylisocyanid an elektronenreichen Metallzentren; Synthese von einkernigen Wolfram-Aminocarbin-Komplexen des Typs Tp′$(CO)_2W{\equiv}CN(R)Et$ (R = Me, Et) (A.C. Filippou, C. Wagner, E.O. Fischer und C. Völkl), (438) C15

Phosphinic complexes of rhenium and tungsten in reactions with stereoindicators (Z.V. Todres, E.A. Ionina and A.J.L. Pombeiro), (438) C23

$\eta^1$- und $\eta^2$-Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammler), (439) 279

The synthesis of dinuclear molybdenum and tungsten complexes with the bridging heterodifunctional ligand $C_5H_4PPh_2$: X-ray crystal structure of $Mo_2(\mu$-$C_5H_4PPh_2)(\eta^5$-$C_5H_5)(CO)_5$ (T.J. Duckworth, M.J. Mays, G. Conole and M. McPartlin), (439) 327

Synthesis of tetranuclear heterometallic cluster complexes via condensation of triosmium alkyne complexes $Os_3(CO)_{10}(C_2R_2)$, R = Tol and Me, and mononuclear tungsten acetylide complexes $LW(CO)_3C{\equiv}CR'$, L = Cp and Cp*, R′ = Ph and $^t$Bu (Y. Chi, R.-C. Lin, C.-C. Chen, S.-M. Peng and G.-H. Lee), (439) 347

Cycloadditionsreaktionen von Phospheniumkomplexen. VIII. Regioselektive Cycloaddition chiraler Phosphenium-Komplexe $Cp(OC)[Ph_2(R)P]M{=}PPh_2$ (M = Mo, W; R = H, Me) mit Isothiocyanaten (H. Pfister und W. Malisch), (439) C11

Phosphenium-Übergangsmetallkomplexe. XX. Stabilisierung von Mesitylphosphiniden durch ein $Cp(CO)_2W$- und ein $Cp(CO)_2Fe$-Fragment (U.-A. Hirth und W. Malisch), (439) C16

Phosphenium-Übergangsmetallkomplexe. XXI. Schwefel- und Selenaddition an die Metall–Phosphor-Doppelbindung der zweikernigen Phosphinidenkomplexe $Cp(CO)_2M{=}PMes[M(CO)_3Cp]$ (M = Mo, W) (U.-A. Hirth, W. Malisch und H. Käb), (439) C20

Studies on olefin-coordinating transition metal carbene complexes. XIX. Synthesis and structural characterization of the cycloalkene ligated carbonyl-chromium and -tungsten carbene complexes (J. Chen and B. Wang), (440) 67

Conjugate additions to alkynylalkoxycarbenemetal (Cr or W) complexes (A. Llebaria, J.M. Moretó, S. Ricart, J. Ros, J.M. Viñas and R. Yáñez), (440) 79

Methylisocyanide derivatives of molybdenocene and tungstenocene: preparation, reactivity and electronic structure: crystal structures of [$(\eta^5$-$C_5H_5)_2WBr(CNMe)$]Br and [$(\eta^5$-$C_5H_5)_2MoC${N(H)$CH_3$}-N(H)C{N(H)$CH_3$}][$BF_4$]$_2 \cdot CH_3CN$ (M.J. Calhorda, A.R. Dias, M.T. Duarte, A.M. Martins, P.M. Matias and C.C. Romão), (440) 119

Electron transfer catalyzed substitution in carbonyl complexes. VI. Highly variable rates of substitution by tetracyanoethylene (B. Schwederski, W. Kaim, B. Olbrich-Deussner and T. Roth), (440) 145

Schwefel(IV)-Verbindungen als Liganden. XVII. Übergangsmetallvermittelte Insertion von Schwefeldioxid in die C–O-Einfachbindung (W.A. Schenk und J. Pfeffermann), (440) 341

Das Verhalten von stereoisomeren Bistriflaten des Tetrahydrofurans gegenüber ein- und zweiwertigen Carbonylmetallaten (E. Lindner, M. Pabel, R. Fawzi und M. Steimann), (441) 63

Reversible Acyl-Keten-Umwandlung (F.R. Kreißl, H. Keller und W. Schütt), (441) 75

Static and dynamic structures of pentacarbonyl-chromium(0) and -tungsten(0) complexes of dithioether ligands. II. Unsymmetrical dithioether ligand complexes of general type [$M(CO)_5$($MeSCH_2$-SR)] (E.W. Abel, K.G. Orrell, H. Rahoo and V. Šik), (441) 255

Kohlenwasserstoffverbrückte Komplexe. XXVI. Reaktionen von anionischen Aromatenkomplexen $[(OC)_3Cr(Ar)]^-$ mit metallorganischen Elektrophilen. Darstellung von $(OC)_3Cr(\mu$-$\eta^6:\eta^6$-$C_6H_5$–$C_7H_7)M(CO)_3$ (M = Cr, Mo), $(OC)_3Cr(\mu$-$\eta^6:\eta^5$-$C_6H_5$–$C(O)C_5H_4)Fe(\eta^5$-$C_5H_5)$, $(OC)_3Cr(\mu$-$\eta^6:\eta^6$-$C_8H_5S$–$C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu$-$\eta^6:\eta^6$-$C_9H_7$–$C_7H_7)Mo(CO)_3$, $(OC)_3Cr(\mu$-$\eta^6:\eta^6$-$C_{13}H_9$–$C_7H_7)M(CO)_3$ und $(OC)_3Cr(\mu$-$\eta^6:\eta^6$-$C_{13}H_{11}$–$C_7H_7)M(CO)_3$ (M = Cr, Mo, W) (J. Breimair, M. Wieser und W. Beck), (441) 429

Static and dynamic structures of pentacarbonyl-chromium(0) and tungsten(0) complexes of dithioether ligands. III. 1,3-Metallotropic shifts of sulphur coordination sites (E.W. Abel, K.G. Orrell, H. Rahoo and V. Šik), (441) 441

Synthesis, structure, and chemistry of heterobimetallic phosphido-bridged complexes $CpFe(CO)_2(\mu$-$PPh_2)M(CO)_5$ (M = Cr, Mo, W) (S.-G. Shyu, P.-J. Lin and Y.-S. Wen), (443) 115

Darstellung und Röntgenstrukturuntersuchung von [1-Carbonyl-1-($\eta^5$-cyclopentadienyl)- 2,3-dimethyl-1-trimethylphosphin-3-trimethylphosphoranyliden- 1-wolframa-2-thiacyclopropan]- tetrafluoroborat (W. Schütt, E. Herdtweck, F. Hahn and F.R. Kreißl), (443) C33

Wolfram(0)-Komplexe des $\pi$-aciden *N*-Methylpyrazinium-Kations und des *N*-Methylpyrazinium-Radikals. Kristall- und Molekülstruktur von $[(C_4H_4N_2\text{-}Me)W(CO)_3(PCy_3)_2]$ $(PF_6)$, Cy = Cyclohexyl (W. Bruns, H.-D. Hausen, W. Kaim und A. Schulz), (444) 121

Unexpected ring-expansion of "axially prostereogenic" biaryl lactones by methylenephosphoranyl-substituted imido complexes of molybdenum and tungsten (J. Sundermeyer, K. Weber, H. Werner, N. Mahr, G. Bringmann and O. Schupp), (444) C37

Synthesis, reactivity, and molecular structure of $[\{N(CH_2CH_2O)_3Si\text{–}C_6H_5\}W(CO)_3]$ (J.-S. Lee, Y.K. Chung, D. Whang and K. Kim), (445) 49

Darstellung und Charakterisierung von Indenyl- und Fluorenyl-funktionalisierten Cyclopentadienylcarbonyl-Methylkomplexen des Molybdäns und Wolframs. Molekülstrukturen von ($\eta^5$-$C_5H_4CMe_2C_9H_7$)$M(CO)_3Me$ (M = Mo, W), ($\eta^5$-$C_5H_4CMe_2$-$C_{13}H_9$)$M(CO)_3Me$ und ($\eta^5:\eta^2$-$C_5H_4CMe_2C_9H_7$)$Mo(CO)_2Me$ (H.G. Alt, J.S. Han und R.D. Rogers), (445) 115

Electrospray mass spectrometric studies of some cationic and anionic Group 6 and Group 7 metal carbonyl complexes (I. Ahmed, A.M. Bond, R. Colton, M. Jurcevic, J.C. Traeger and J.N. Walter), (447) 59

Reactions of the cationic bis(but-2-yne) complex $[W(CO)(NCMe)(S_2CNC_4H_8)(\eta^2\text{-}MeC_2Me)_2][BF_4]$ with bidentate anionic oxygen and sulphur donor ligands (P.K. Baker and K.R. Flower), (447) 67

Darstellung und Struktur von 1-Metalla-2,3,4-triazolen des Molybdäns und Wolframs (C.M. Stegmair, W. Schütt, W. Ullrich, P. Kiprof, J. Ostermeier und F.R. Kreißl), (447) 251

$P_4$-Liganden mit maximaler Elektronendonorfähigkeit. V. Zur Chlorierung eines *cyclo*-$P_4$-Ligand-Komplexes (M. Scheer, M. Dargatz und P.G. Jones), (447) 259

## Uranium

Anionic triscyclopentadienyluranium(III) hydrides (J.-C. Berthet, C. Villiers, J.-F. Le Maréchal, B. Delavaux-Nicot, M. Lance, M. Nierlich, J. Vigner and M. Ephritikhine), (440) 53

Synthesis, structure and oxidative addition reactions of triscyclopentadienyluranium(III) nitrile complexes (R. Adam, C. Villiers, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), (445) 99

## Vanadium

*ansa*-Metallocene derivatives. XXV. Synthesis, crystal structure and reactions of a tetramethylethano-bridged vanadocene dichloride, $(CH_3)_4C_2(C_5H_4)_2VCl_2$ (B. Dorer, J. Diebold, O. Weyand and H.-H. Brintzinger), (427) 245

Cyclopentadienyl- and methylcyclopentadienyl-vanadium complexes containing chalcogen bridges: dechalcogenation to pseudocubane clusters (M. Herberhold, M. Schrepfermann and J. Darkwa), (430) 61

Organo-Übergangsmetall-Chemie hochfluorierter Ligand-Systeme. XIV. Vanadocenhexafluoroarsenat-Komplexe: Struktur von $Cp_2V(AsF_6)_2$ und $^{51}$V-NMR von $[Cp_2VCl_2]^+[AsF_6]^-$ (P. Gowik, T.M. Klapötke, K. Siems and U. Thewalt), (431) 47

Preparation and structure of half-open vanadocene, V[2,4-$(CH_3)_2C_5H_5$]$(C_5H_5)$CO (Y. Wang, Y. Liang, J. Liu, S. Jin and Y. Lin), (435) 311

Reactions of metallocenes with organocadmium and organomercury compounds (V.P. Maryin), (441) 241

## Ytterbium

Struktur und Reaktivität von Ytterbiumbenzamidinaten (M. Wedler, A. Recknagel, J.W. Gilje, M. Nottemeyer and F.T. Edelmann), (426) 295

Synthesis and characterization of pentaphenyldiytterbium $Ph_2Yb(THF)(\mu\text{-}Ph)_3Yb(THF)_3$ (M.N. Bochkarev, V.V. Khramenkov, Y.F. Rad'kov, L.N. Zakharov and Y.T. Struchkov), (429) 27

Bis(cyclopentadienyl)ytterbium(III)-triflat: Ein Zweikernkomplex mit Trifluormethylsulfonat-Brücken (J. Stehr and R.D. Fischer), (430) C1

Synthesis, thermal stability and X-ray crystal structure of the bis(cyclopentadienyl)ytterbium naphthoxide derivative $(C_5H_5)_2Yb(OC_{10}H_7)(THF)$ (X.-G. Zhou, Z.-Z. Wu and Z.-S. Jin), (431) 289

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Synthesis and structure of organotin complexes of ytterbium (L.N. Bochkarev, O.V. Grachev, S.F. Ziltsov, L.N. Zakharov and Y.T. Struchkov), (436) 299

The first examples of intermolecular weak (agostic) $\gamma$-methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of $[\{Yb(\eta\text{-}Cp'')_2\}_\infty]$ and $[\{Eu(\eta\text{-}Cp'')_2\}_\infty]$ [Cp'' = $C_5H_3(SiMe_3)_2$-1,3] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

Alpha-metalated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

Ferrocenliganden in der Lanthanid-Chemie: Chelatstabilisierung des ersten Diorganyllanthanid(III)-halogenids (H. Gornitzka, A. Steiner, D. Stalke, U. Kilimann, F.T. Edelmann, K. Jacob und K.-H. Thiele), (439) C6

Studies on organolanthanide complexes. XLIV. Synthesis of bis(2-methoxyethylcyclopentadienyl) divalent organolanthanides (Ln = Sm, Yb) and molecular structure of solvated $(MeOCH_2CH_2C_5H_4)_2Yb \cdot OC_4H_8$ (D. Deng, C. Qian, F. Song, Z. Wang, G. Wu and P. Zheng), (443) 79

Novel polynuclear organotin complexes of samarium and ytterbium (L.N. Bochkarev, O.V. Grachev, N.E. Molosnova, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), (443) C26

Umlagerung von Tetrahydrofuran im Lanthanoid-Organyl: Die Kristall- und Molekülstrukturen von Bis(cyclopentadienyl)ytterbium(III) ($\mu$-n-buten-2-olat) und Bis(methylcyclopentadienyl)-ytterbium(III) ($\mu$-$\eta^2:\eta^1$-tetrahydrofuran-2-olat) (G. Massarweh und R.D. Fischer), (444) 67

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides (C. Qian and D. Zhu), (445) 79

Synthesis and characterization of novel covalent biphenyldiyl $Sm^{II}$ and $Yb^{II}$ complexes (Y. Chauvin, N. Marchal, H. Olivier and L. Saussine), (445) 93

*ansa*-Metallocenderivate des Samariums und Ytterbiums mit "weichen" Donorliganden (F.T. Edelmann, M. Rieckhoff, I. Haiduc und I. Silaghi-Dumitrescu), (447) 203

Structural investigation of the organolanthanide di-$\eta^5$-cyclopentadienyl 1,1,1-trifluoroacetylacetonato ytterbium (Z. Ye, Y. Yu, S. Wang and X. Jin), (448) 91

Synthesis and molecular structure of $(CH_3Cp)_2Yb \cdot DME$ and its catalytic activity for the polymerization of methyl methacrylate (T. Jiang, Q. Shen, Y. Lin and S. Jin), (450) 121

## Yttrium

Studies on organolanthanide complexes. XLI. Catalytic isomerization of olefins by organolanthanide complex/sodium hydride systems (C. Qian, D. Zhu and D. Li), (430) 175

Metallorganische Verbindungen der Lanthanoide. LXX. Bis(cyclopentadienyl)seltenerdkomplexe: Synthese und Röntgen-strukturanalyse von dem intramolekular stabilisierten Lutetiumalkyl $Cp_2Lu(CH_2)_3NMe_2$ und dem monomeren basenfreien Yttriumcarboxylat $Cp_2Y[\eta^2\text{-}O_2C(CH_2)_3NMe_2]$ (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich and F.H. Görlitz), (430) 299

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Alpha-metalated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides (C. Qian and D. Zhu), (445) 79

## Zinc

Substitution of the acetoxy groups of dialkoxymethylacetates by organometallic reagents: a route to allyl-, propargyl-, homoallyl-, homopropargyl- and $\alpha$-stannylacetals (I. Beaudet, A. Duchêne, J.-L. Parrain and J.-P. Quintard), (427) 201

2,2′-Bipyridyl-bis[bis(trimethylsilyl)methyl]zink — Synthese, spektroskopische Charakterisierung und Struktur (M. Westerhausen, B. Rademacher and W. Schwarz), (427) 275

Complexation of diphenylzinc with simple ethers. Crystal structures of the complexes $Ph_2Zn \cdot$ glyme and $Ph_2Zn \cdot$ diglyme (P.R. Markies, G. Schat, O.S. Akkerman, F. Bickelhaupt and A.L. Spek), (430) 1

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CX. Methylierte Nitridomolybdän(VI)-Komplexe (W.A. Herrmann, S. Bogdanović, J. Behm and M. Denk), (430) C33

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of $Zn[C(SiMe_3)_2(SiMe_2OCOCF_3)]_2$ and $Cd[C(SiMe_3)_2(SiMe_2OMe)]_2$ (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXV. Dihalogenoxoosmium(VI)-Komplexe des Pinakols: Synthese, Spektroskopie und Alkylierung (W.A. Herrmann und P. Watzlowik), (437) 363

Preparation of polyfunctional diorganomercurials and their transmetallation to diorganozincs. Applications to the preparation of optically active secondary alcohols (M.J. Rozema, D. Rajagopal, C.E. Tucker and P. Knochel), (438) 11

Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115

Etude de la fixation du groupe tertiaire *gem*-diméthylpropynyle $HC{\equiv}CC(CH_3)_2$ par voie organométallique; applications (F. Barbot et P. Miginiac), (440) 249

Allénylsilanes fonctionnels. II. Synthèse par voie organoaluminique du 2-triméthylsilylbuta-2,3-diénal et application a la synthèse d'alcools secondaires $\alpha$-alléniques triméthylsilylés (D. Mesnard et L. Miginiac), (440) 277

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. VI. Synthese und Eigenschaften von Zincacyclohexankomplexen des Typs $\{Li(D)_2\}_2Zn\{CH_2CH_2CH_2CH_2CH_2CH_2\}_2$ (D = $(C_2H_5)_2O$; 2D = $(CH_3)_2NC_2H_4N(CH_3)_2$); Molekülstruktur von $\{Li(CH_3)_2NC_2H_4N(CH_3)_2\}_2Zn\{CH_2CH_2CH_2CH_2CH_2CH_2\}_2$ (H.-O. Fröhlich, B. Kosan, B. Müller und W. Hiller), (441) 177

Bis[2,2,4,4,6,6-hexamethyl-2,4,6-trisila-*cyclo*-hexyl]zink und sein 2,2′-Bipyridyl-Addukt – spektroskopische Charakterisierung und Struktur (M. Westerhausen und B. Rademacher), (443) 25

New method of zinc activation by electrochemistry: synthetic applications to the Blaise reaction (N. Zylber, J. Zylber, Y. Rollin, E. Duñach and J. Perichon), (444) 1

Trisubstituted alkenes from alkynes and aryl iodides by boron-to-zinc transmetallation and palladium(0) catalyzed cross coupling (K.A. Agrios and M. Srebnik), (444) 15

Structural studies of some Group 12 metal alkyl adducts: the X-ray crystal structures of $Me_2Zn[Me_2N(CH_2)_2NMe_2]$, $Me_2Cd[Me_2N(CH_2)_2NMe_2]$, $(Me_3CCH_2)_2Zn[Me_2N(CH_2)_2NMe_2]$ and $(Me_3CCH_2)_2Cd[Me_2N(CH_2)_2NMe_2]$ (P. O'Brien, M.B. Hursthouse, M. Motevalli, J.R. Walsh and A.C. Jones), (449) 1

Low-temperature organometallic synthesis of crystalline and glassy ternary semiconductors $M^{II}M^{IV}P_2$ where $M^{II}$ = Zn and Cd, and $M^{IV}$ = Ge and Sn (S.C. Goel, W.E. Buhro, N.L. Adolphi and M.S. Conradi), (449) 9

Formation of a high surface area, regular porous solid from the cluster of clusters, $Zn_4^{II}O[(CO)_9Co_3CCO_2]_6$ (W. Cen, B. Ladna, T.P. Fehlner, A.E. Miller and D. Yue), (449) 19

Etude de la régiosélectivité de l'action des organozinciques sur les $\alpha$-iminoesters issus de 2-amino ou 3-aminoalcools. I. Synthèse d'$\alpha$-aminoesters polyfonctionnels (G. Courtois et L. Miginiac), (450) 33

## Zirconium

Di(tertiobutylcyclopentadienyl)zircona[1]ferrocenophane precurseur de zirconocenes disubstitues dissymetriquement (R. Broussier, A. Da Rold and B. Gautheron), (427) 231

Insertion of alkynes into zirconium–nitrogen bonds leading to 2,3-diazametallacyclopentenes. Generation and reactivity of $Cp_2Zr(N_2Ph_2)$ (P.J. Walsh, F.J. Hollander and R.G. Bergman), (428) 13

Agostic interaction in early transition metal alkyls and their role in catalytic activity for olefin polymerizations (K. Mashima and A. Nakamura), (428) 49

Cyclohexyl[*trans*-1,2-bis(1-indenyl)]zirkonium(IV)dichlorid: Ein chiraler Polymerisationskatalysator mit stereochemisch starrer Brücke (B. Rieger), (428) C33

Hydrozirconation of oleyl sulphides and oleyl phenylsulphone (S. Karlsson, A. Hallberg and S. Gronowitz), (430) 53

Structure of an oxazirconacyclohexadiene synthesized by thermolysis of difurylzirconocene (G. Erker, R. Petrenz, C. Krüger and M. Nolte), (431) 297

Dehydrierende Polymerisation von Methyldisilanen mittels Metallocen-Katalyse zu den Oligomeren $Me_3Si[Me_2Si]_nSiMe_2H$, $HMe_2Si[Me_2Si]_nSiMe_2H$ mit $n$ = 3–9, $H[MeSiH]_nH$ mit $n$ = 3–14 und hochpolymerem Poly(methylsilan) $(MeSiH_x)_n$ (E. Hengge und M. Weinberger), (433) 21

Mehrkernige Zirkonocen-Ethylkomplexe (H.G. Alt, C.E. Denner und R. Zenk), (433) 107

Base-free cationic 14-electron alkyls of Ti, Zr and Hf as polymerisation catalysts: a comparison (M. Bochmann and S.J. Lancaster), (434) C1

*ansa*-Metallocene derivatives of $Ti^{IV}$ and $Zr^{IV}$ with the shortest $-C(CH_3)_2-$ bridge (I.E. Nifant'ev, A.V. Churakov, I.F. Urazowski, S.G. Mkoyan and L.O. Atovmyan), (435) 37

Synthesis and characterization of Group IV metal–iron complexes bridged by carboxylate substituted cyclopentadienyl group. The structure of $Cp_2Ti[(\mu\text{-}O_2CC_5H_4)Fe(CO)_2(CH_2C_6H_5)]_2$ (H.-M. Gau, C.-C. Schei, L.-K. Liu and L.-H. Luh), (435) 43

Synthese und Kristallstruktur von $Cp'_2Zr\{P(SiMe_3)_2\}_2$ ($Cp' = \eta^5\text{-}C_5H_4Me$) — Erste röntgenstrukturanalytische Untersuchung

eines Zirkonocen–Bisphosphido-Komplexes (F. Lindenberg und E. Hey-Hawkins), (435) 291
Preparation and crystal structures of the complexes ($\eta^5$-$C_5H_4CMe_2$-$\eta^5$-$C_{13}H_8$)$MCl_2$ (M = Zr, Hf) and their role in the catalytic formation of syndiotactic polypropylene (A. Razavi and J. Ferrara), (435) 299
Ferrocenhaltige Liganden in der Lanthanid-Chemie: Alkoxide und Thiolate (H. Gornitzka, F.T. Edelmann und K. Jacob), (436) 325
Condensation of primary silanes in the presence of $Cp_2MCl_2$/ $^n$BuLi (M = Ti, Zr, Hf) (J.Y. Corey and X.-H. Zhu), (439) 1
Characterization of 1 : 1 heterobimetallic complexes of ($\eta^5$-$C_5Me_5$)$Ir(CO)_2$ with zinc, cadmium and mercury(II) chloride and the X-ray structure determination of the 1:2 mercury complex (F.W.B. Einstein, X. Yan, X. Zhang and D. Sutton), (439) 221
Heterozyklen als Liganden. XVI. (2,5-$C_4{}^tBu_2RHN$)$MCl_3$ (M = Ti, Zr, Hf; R = H, $SiMe_3$)—Azacyclopentadienyl-Komplexe der Gruppe 4-Metalle (N. Kuhn, S. Stubenrauch, R. Boese und D. Bläser), (440) 289
Dehydrierende Copolymerisation zu den neuen Polysilan-Copolymeren Poly(methyl-co-phenylsilan) $H[(MeSiH)_x(PhSiH)_y]_nH$ und Poly(methyl-co-dimethylsilan) $H[(MeSiH)_x(Me_2Si)_y]_nH$ (E. Hengge und M. Weinberger), (441) 397
Rearrangement processes of bis-($\eta^5$-alkylcyclopentadienyl)-zirconium dichlorides under electron impact (Y.A. Andrianov and V.P. Maryin), (441) 419
Benzylverbindungen elektronenarmer Übergangsmetalle. Molekülstrukturen von $Cp_2Ti(CH_2Ph)_2$ und $CpZr(CH_2Ph)_3$ (J. Scholz, F. Rehbaum, K.-H. Thiele, R. Goddard, P. Betz und C. Krüger), (443) 93
Mechanistische Aspekte zur übergangsmetall-katalysierten dehydrierenden Polymerisation von Disilanen und höheren Silanen (E. Hengge und M. Weinberger), (443) 167
Synthesis and reactivity of substituted cyclopentadienyl diphenylphosphido complexes of zirconium(IV). X-Ray crystal structure of $[(C_5H_4SiMe_3)_2Zr(PPh_2)_2]$ (A.-M. Larsonneur, R. Choukroun, J.-C. Daran, T. Cuenca, J.C. Flores and P. Royo), (444) 83
Cyclische Metallamide. III. Flüchtige Tetrahydroborat-Komplexe von Titan und Zirkonium (W.A. Herrmann, M. Denk, W. Scherer und F.-R. Klingan), (444) C21
Ketene acetal metallocene complexes. Crystal structure of $(C_5H_5)_2Ti(Cl)OC(OCH_3)=C(CH_3)_2$ (K. Hortmann, J. Diebold and H.-H. Brintzinger), (445) 107
Stabilization of a catalytically syndiotactic-specific metallocene cation by trimethylphosphine. The crystal structure of $[(\eta^5\text{-}C_5H_4)CMe_2\text{-}\eta^5\text{-}(C_{13}H_8)ZrMePME_3]^+$ $[B(C_6F_5)_4]^-$ (A. Razavi and U. Thewalt), (445) 111
Un nouveau type de ferrocénophane, premier exemple de structure dimère (R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron), (445) C4
Fulvalene cyclopentadienyl titanium and zirconium(III) and -(IV) complexes. X-Ray crystal structure of $[\{Ti(\eta^5\text{-}C_5H_5)Cl\}_2(\mu\text{-}O)(\mu\text{-}\eta^5\text{-}\eta^5\text{-}C_{10}H_8)]$ (A. Cano, T. Cuenca, G. Rodríguez, P. Royo, C. Cardin and D.J. Wilcock), (447) 51
Studies on the reactions of transition metal hydrides with heterocumulenes. VI. Reaction of $Cp_2Zr(H)Cl$ with RNCS (R = $C_6H_5$, 2-$C_{10}H_7$, c-$C_6H_{11}$ and n-$C_4H_9$) (M. Wang, S. Lu, M. Bei, H. Guo and Z. Jin), (447) 227
Group IV metal–chromium complexes bridged by a benzoate group (H.-M. Gau, C.-T. Chen, T.-T. Jong and M.-Y. Chien), (448) 99
A comparison of heterometallic alkoxide molecules containing copper(I) or copper(II) and zirconium (B.A. Vaartstra, J.A. Samuels, E.H. Barash, J.D. Martin, W.E. Streib, C. Gasser and K.G. Caulton), (449) 191
Stereoselective propene polymerization at a metallocene/alumoxane catalyst derived from the chirally-substituted "*meso*-like" (*p-R,p-S*)bis[1-(neoisopinocamphyl)-4,5,6,7-tetrahydroindenyl]zirconium dichloride (G. Erker, M. Aulbach, C. Krüger and S. Werner), (450) 1
Carbonylation of 2-bornenyl(methyl)zirconocene (G. Erker, R. Noe, M. Albrecht and A.L. Rheingold), (450) 137

## Book reviews

Gmelin handbook of inorganic and organometallic chemistry, (C. Eaborn), (426) C21
Advances in free radical chemistry, vol. 1, D.D. Tanner (ed.) (C. Eaborn), (426) C21
Reductions by the alumino- and borohydrides in organic synthesis, J. Seyden-Penne (J.R. Hanson), (426) C22
Organic synthesis, the roles of boron and silicon, S.E. Thomas (J.R. Hanson), (426) C23
Gmelin handbook of inorganic and organometallic chemistry, 8th edition, Mo, part 7, organomolybdenum compounds, Vol. XI (G.J. Leigh), (426) C50
Gmelin handbook of inorganic and organometallic chemistry, 8th edition, Fe–iron supplement volume B1, compounds with noble gases and hydrogen, Vol. XX (G.J. Leigh), (426) C50
Gmelin handbook of inorganic and organometallic chemistry, 8th edition, Fe supplement B18, organo-iron compounds, Vol. XI (G.J. Leigh), (426) C51
Kinetics and mechanism of reactions of transition metal complexes, R.G. Wilkins (R.A. Henderson), (426) C62
Gmelin handbook of inorganic and organometallic chemistry, 8th edition, Br–bromine, supplement Vol. B1, compounds with rare gases and hydrogen, Vol. XVIII (G.J. Leigh), (426) C63
Silicon-Based Polymer Science. A Comprehensive Resource, J.M. Zeigler and F.W.G. Fearon (Eds.) (C. Eaborn), (427) C6
Inorganic Polymers, J.E. Mark, H.R. Allcock and R. West (C. Eaborn), (427) C19
The Silicon–Heteroatom Bond, D.A. Armitage, R.J.P. Corriu, T.C. Kendrick, B. Parbhov, T.D. Tilley, J.W. White and J.C. Young (C. Eaborn), (427) C41.
Frontiers of Organosilicon Chemistry, A.R. Bassindale and P.P. Gaspar (Eds.) (C. Eaborn), (427) C42
Preparative Polar Organometallic Chemistry, Vol. 2, L. Brandsma (B.J. Wakefield), (427) C42
Aspects of homogeneous catalysis, Vol. 7, Renato Ugo (ed.) P.A. Chaloner), (429) C4
Advances in metal-organic chemistry, Vol. 2, Lanny S. Liebeskind (Ed.) (P.A. Chaloner), (429) C5
Inorganic biochemistry of iron metabolism, R.R. Crichton (G.J. Leigh), (429) C6
Dioxygen activation and homogeneous catalytic oxidation, L.I. Simándi (G.J. Leigh), (429) C6
Nucleoside synthesis — organosilicon methods, E. Lukevics (D.W. Young), (429) C49
Electron deficient boron and carbon clusters, G.A. Olah (C.E. Housecroft), (429) C49
Chemistry of the Platinum Group Metals: Recent Developments, F.R. Hartley (Ed.) (D.M.P. Mingos), (434) C15
Reaction Mechanisms of Inorganic and Organometallic Systems, R.B. Jordan (D.A. Brown), (435) C1
Inorganic Reactions and Methods. Vol. 9. Formation of Bonds to C, Si, Ge, Sn, Pb (Part I), A.P. Hagen (Ed.) (C. Eaborn), (436) C13
Gmelin Handbook of Inorganic and Organometallic Chemistry. 8th Edition. Supplement Volume B5c. Silicon Nitride in Electronics (C. Eaborn), (436) C14

Inorganic Reactions and Methods. Volume 4. Formations of Bonds to Halogens (Part 2), A.P. Hagen (Ed.) (C. Eaborn), (436) C21
Gmelin Handbook of Inorganic and Organometallic Chemistry. 8th Ed. Sn. Organotin Compounds. Part 19. Organotin-nitrogen Compounds (concluded), Organotin-Phosphorus, -Arsenic, -Antimony, and -Bismuth Compounds, (C. Eaborn), (436) C22
Advances in Sonochemistry, Volume 2, T.J. Mason (Ed.) (P.D. Lickiss), (436) C25
Inorganic Reactions and Methods, Vol. 13, The Formation of Bonds to Group-I, -II, and -IIIB Elements, A.P. Hagen (Ed.) (C. Eaborn), (436) C130
Free Radical Chain Reactions in Organic Synthesis, W.B. Motherweel and D. Crich (C. Eaborn), (436) C210
Gmelin Handbook of Inorganic and Organometallic Chemistry. 8th Edn. F. Perfluorohalogenoorgano Compounds of Main Group Elements. Supplement Vol. 6. Aliphatic and Aromatic Compounds of Nitrogen (continued), (C. Eaborn), (436) C250
Hazardous Metals in the Environment, M. Stoeppler (Ed.) (G.J. Leigh), (437) C35
Environmental analysis using chromatography interfaced with atomic spectroscopy, R.M. Harrison and S. Rapsomanikis (Eds.) (G.J. Leigh), (437) C35
Introduction to cluster chemistry, D.M.P. Mingos and D.J. Wales (G. Cloke), (437) C36
The Organometallic Chemistry of the Transition Elements, by R.H. Crabtree (G.J. Leigh), (438) C13
A Guide for the Perplexed Organic Experimentalist, H.J.E. Loewenthal (C. Eaborn), (445) C17
Advances in Physical Organic Chemistry, Vol. 27, D. Bethell (ed.), (C. Eaborn), (445) C17
Directory of Graduate Research 1991 (C. Eaborn), (445) C18
Organometallics: A Concise Introduction by Ch. Elschenbroich and A. Salzer (C. Eaborn), (445) C18
Salt Effects in Organic and Organometallic Chemistry by A. Loupy and B. Tchoubar (C. Eaborn), (447) C10
Inorganic reactions and methods, Vol. 5 The Formation of Bonds to Group VIB (O, S, Se, Te, Po) Elements (Part 1), A.P. Hagen (ed.) (C. Eaborn), (447) C10
Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th edition Iron, Organoiron Compounds, Part A, Ferrocene 10 (G.J. Leigh), (447) C18
Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th edition Iron, Organoiron Compounds, Part C 6a, Trinuclear Compounds (G.J. Leigh), (447) C18
The Chemistry of Organophosphorus Compounds, Volume 2: Phosphine Oxides, Sulphides, Selenides, and Tellurides. Edited by Frank R. Hartley, in the series *The Chemistry of Functional Groups*, edited by Saul Patai, John Wiley and Sons, Chichester, 1992, pp. 647. (J.F. Nixon), (447) C18